


PRO DUCT PORT FOLIO

Nylon & Polypropylene


At Carpets Inter, we create modular carpet that does more than just make the world more beautiful; it makes it more livable. We do this with products that meet stringent indoor air-quality needs, are safe to manufacture and utilize and incorporate recycled materials wherever feasible including our unique EcoSoft® backing fabricated from millions of recycled plastic bottles. Our commitment to ecological sustainability extends beyond our product. We practice it in everything we do - from manufacturing facilities that maintain the highest environmental standards, to reducing our carbon footprint in every facet of our global business.



Modular Carpet Collection Portfolio

At Carpets Inter, we aim higher. We work to be a better company. This endeavor has its foundation in the manufacturing of modular carpet products that are well designed, durable, and comfortable underfoot; and is sustained through shared values of environmental responsibility, social accountability, and economic fairness that make a positive impact wherever our products are sold or used throughout the world. We are, above all, a multinational company with a multicultural commitment to good global citizenship.


We understand that you won't have the need to use all of our exciting modular carpet collections, but we aim to provide an impeccable sense of style in a preferred specification.

The Portfolio provides styles that are available immediately from Stock (), in the stated specification, backing option and provides a recommended installation layout.

For product coordination, 2D 'Mix and Match' virtual simulation, full specification data, installation and cleaning and maintenance guidelines you may access our informative website (www.carpetsinter.com).

Should you need further inspiration, data or physical samples, your exclusive Carpets Inter distributor or CI sales representative will be pleased to provide accordingly.

Committed to the continuous growth of social responsibility and environmental practices.



Sustainable Minds

Sustainable Minds is dedicated to operationalizing environmental performance in mainstream product development and manufacturing in an understandable, empowering, and credible way. Carpets Inter carpet tiles are being listed on Sustainable Minds/WELL register now for application into WELL Certified Buildings.



Green Label Plus

Green Label Plus (GLP) is the flooring carpet standard for indoor air quality. It is an independent testing program that identifies carpet with very low emissions of VOCs (13 chemicals).

The certified product can deliver the point associated with IEQ credit 4.3 of LEED and IE 2.3 of TREES-NC (Thailand's Rating of Energy and Environmental Sustainability for New Construction and Major Renovation).



NSF 140

The first ANSI approved, multi-attribute sustainable carpet assessment standard which identifies that the certified carpets have reduced environment impact according to the award requirement.

This standard is the most comprehensive and rigorous benchmark in the U.S. flooring industry.

NSF 140 was designed to establish a system with varying levels of certification to define sustainable carpet. The sustainable carpet standard NSF 140 is recognised within the LEED scheme, the US equivalent to Green Star.



Environmental Certification Scheme (ECS)

The Code of Practice is an important element of the environmental certification of carpets registered with the Australian Carpet Classification Scheme (ACCS). This Code provides a guide to good environment management in all aspects of carpet manufacturing, and the subsequent carpet life cycle performance. The provisions of the Code include Raw Materials, Manufacturing, Environmental Risk Management, Land and Ground Water Management, and Records and Reporting.



Sustainability Awards

With Australia being a global leader in sustainable and environmental practices, Carpets Inter's EcoSoft® recently entered and beat over 35 entrants to WIN 1st prize in the 'Waste Elimination' category, an award voted by leading Australian architects and environmentalists.

The award recognizes Carpet Inter's continued efforts to provide Australia's leading Architects and Interior Design practices with fit for purpose sustainable product solutions, suitable for WELL Buildings in many appealing styles.



Green Industry

This guideline manual for entrepreneurs' green industry development is a part of green industry accreditation activity. It is a sample of guidelines for entrepreneurs who commit to environmentally-friendly business operations for sustainable development aimed at continuous improvement and social and environmental environment, both inside and outside the organization throughout the supply chain.



Environmental Product Declaration

EPD (Environmental Product Declaration) is an independently verified and registered document that communicates transparent and comparable information about the life-cycle environmental impact of products.



Declare Label

Declare is regarded as the toughest materials transparency standard in sustainable construction. The Declare program enables manufacturers to communicate their product ingredients in an effort to promote transparency and accountability.



Our Solution Dye Nylon EcoSoft® PETFelt Cushion modular carpet tile has received the highest award of 'LBC RED LISTFREE' under the International Living Future Institute (ILFI) Declare Label Award program.



Singapore Green Building Product

The Singapore Green Building Council forges public-private partnerships to foster innovative industry solutions across the entire building and construction value chain. Through its green building product and green building services labelling programmes, SGBC sets high standards for green building solutions both locally and regionally to help build more sustainable cities for better living.



Carbon Footprint

Carbon Footprint of Products (CFP) takes into account the quantity of GHG emissions from each production unit throughout the whole life cycle (cradle-to-grave) of a product. Carbon footprint thus calculates the carbon dioxide equivalent (CO₂ eq) of the GHG emissions releasing from the raw material acquisition, manufacture, use, waste management and final disposal including related transports in all stages.

However, carbon footprint value only considers the product's environmental impacts in term of climate change, but excludes other environmental impact categories, such as biodiversity, acidification and eutrophication.



Singapore Green Labelling Scheme

The Singapore Green Labelling Scheme (SGLS) was launched in May 1992 to endorse consumer products and services that have less undesirable effects on our environment. This is administered by the Singapore Environment Council.

The SGLS is applicable to most products except food, drinks and pharmaceuticals. Green Label products include items produced locally or internationally that have been evaluated through stringent standards.



Pattern Portfolio





Annex



Caption
NX 01



Bookmark
NX 02



Subscribe
NX 03



Index
NX 04



Title
NX 05



Footnote
NX 06

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	4,115 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSquare ® Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Beneath the Surface



Merapi
SF 01

Krakatoa
SF 02

Kilauea
SF 03

Obsidian
SF 04

Erebus
SF 05

Basalt
SF 06



Batur
SF 07

Fuji
SF 08

Vesuvius
SF 09

Beneath the Surface

Krakatoa SF 03
Akanda FL 06
Sapo FL 10


CARPET TILE SPECIFICATIONS


CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare®, Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	Stain and Soil Protection
PILE HEIGHT	3.0 - 5.5 mm.	BACKING OPTIONS AND SIZE	25 x 100 cm.
TOTAL CARPET WEIGHT	2,996 gm/sq.m. for EcoSoft® 4,111 gm/sq.m. for EcoSquare®		Contact your sales representative for information


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.




Beton  Stock Keeping Unit




Pozzolana 
BT 01



Strata 
BT 02



Screed 
BT 03



Portland
BT 04



Mortar
BT 05



Clay
BT 06

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	2,996 gm/sq.m. for EcoSoft 4,111 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.

Breathe  Stock Keeping Unit



INHALE



VAPOUR IN 01 



OXYGEN IN 02 



PARTICLE IN 03 



OZONE IN 04 



CARBON IN 05 



ATMOSPHERE IN 06 



INCENSE IN 07 



SCENT IN 08 



FRAGRANCE IN 09 



FRESH IN 10 




AROMA IN 11 



PERFUME IN 12 



AIR IN 13 



BREEZE IN 14 

Available in alternative backings for:

FlowSoft®
(for Senior Living, Assisted Living Care Facility & Wellbeing)

Flow®
(for Hospitals, Medical Clinics, Care Institutions, Assisted Living Care facility)

MegaPlank®
(for Senior Living, Day Care Facility & Wellbeing)



For full details on specialist Healthcare backing, refer to <<https://carpetsinter.com/healthcare>>

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft® , Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare® , Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	50 x 50 cm., 25 x 100 cm.
PILE HEIGHT	3.0 - 5.5 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	3,000 gm/sq.m. for EcoSoft® 4,115 gm/sq.m. for EcoSquare®		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.

Inhale
Particle 03
Carbon 05
Incense 07





Inhale
Oxygen IN 02

Exhale
Ujjayi EX 02

Breathe

EXHALE



ASANA EX 01



UJJAYI EX 02



HATHA EX 03



PRANAYAMA
EX 04



VINYASA
EX 05



SITALI EX 06



NADI EX 13




SODHANA
EX 14


CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	3,000 gm/sq.m. for EcoSoft 4,115 gm/sq.m. for EcoSquare


BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm. , 25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.


Breaking Waves - Across the Sea  Stock Keeping Unit




Ice Floe
SE 01 




Gulf Stream
SE 02 





Blue Whale
SE 03




Shoreline
SE 04 




Grey Seal
SE 05 



Black Pearl
SE 06 



Andaman
Beach
SE 07




Seashell
SE 08



Rockaway
SE 09



Seagrass
SE 10



Golden
Reef
SE 11



Red Coral
SE 12

CARPET TILE SPECIFICATIONS


CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm., 3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	2,895 gm/sq.m. for EcoSoft 4,010 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft ®, Recycled Cushion Backing EcoSquare ®, Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm., 25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Breaking Waves - Over the Ocean



Ice Floe
OC 01



Gulf Stream
OC 02



Blue Whale
OC 03



Shoreline
OC 04



Grey Seal
OC 05



Black Pearl
OC 06



Andaman
Beach
OC 07




Seashell
OC 08



Rockaway
OC 09



Seagrass
OC 10



Golden
Reef
OC 11



Red Coral
OC 12

Over the Ocean

Seashell OC 08
Rockaway OC 09
Seagrass OC 10

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm., 3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	2,895 gm/sq.m. for EcoSoft 4,010 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft ®, Recycled Cushion Backing EcoSquare ®, Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm., 25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.




Croplands - Roots
 Peat CL 01
 Pumpkin Peat CL 04

Croplands - Roots



Stock Keeping Unit


Base



Peat
 CL 01




Humus
 CL 02



Silt
 CL 03


Accent




Pumpkin
 Peat
 CL 04



Okra
 Peat
 CL 05



Chili
 Peat
 CL 06



Chicory
 Peat
 CL 07



Eggplant
 Peat
 CL 08


CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare®, Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	25 x 100 cm.
PILE HEIGHT	3.0 - 5.5 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,895 gm/sq.m. for EcoSoft® 4,010 gm/sq.m. for EcoSquare®		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
 As in all quality carpets, colors are subject to dye lot variations.



Croplands - Organic



Base



Clay
CL 09



Loam
CL 10




Sand
CL 11


Accent




Corn
Clay
CL 12



Okra
Clay
CL 13



Chili
Clay
CL 14



Blueberry
Clay
CL 15



Rhubarb
Clay
CL 16

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare®, Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	25 x 100 cm.
PILE HEIGHT	3.0 - 5.5 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,895 gm/sq.m. for EcoSoft® 4,010 gm/sq.m. for EcoSquare®		


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Discover - Landmark



Fortress
DV 400



Cave
DV 100



Fountain
DV 700



Stepwell
DV 500




Mountain
DV 200



Lake
DV 800



Temple
DV 600



Canyon
DV 300



Waterfall
DV 900

* CRAFT color coordination to LANDMARK DV100, DV200, DV300

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/10 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	3,030 gm/sq.m. for EcoSoft 4,145 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.


Discover
Landmark – Fountain DV700
Landmark – Lake DV800



Discover - Craft



Pottery
DV 101




Calligraphy
DV 102




Tattoo
DV 103




Henna
DV 104



Batik
DV 201



Mosaic
DV 202



Etch
DV 203



Engrave
DV 204



Weave
DV 301



Basket
DV 302



Lace
DV 303



Macrame
DV 304

* CRAFT color coordination to LANDMARK DV100, DV200, DV300

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/10 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	3,030 gm/sq.m. for EcoSoft 4,145 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.

Headlands - Peaks



Rocky
HL 01



Yilan
FL27



Ridge
HL 02



Rieti
FL24



Outcrop
HL 03



Stora
FL28



Peninsula
HL 04



Headlands - Peaks

Rocky HL 01
Ridge HL 02

Flatlands
Stora FL28

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	2,962 gm/sq.m. for EcoSoft 4,077 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Headlands - Edge



Atoll
HL 05



Solway
FL31



Fjord
HL 06



Gola
FL 01



Gulf
HL 07



Nariva
FL36



Cove
HL 08



Headlands - Edge
Atoll HL 05

Flatlands
Nariva FL36

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	2,962 gm/sq.m. for EcoSoft 4,077 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft ®, Recycled Cushion Backing EcoSquare ®, Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Headlands - Pathways



Dune
HL 09



Lantoto
FL 11



Sandbar
HL 10



Cheshire
FL 26



Cliff-top
HL 11



Flyde
FL 37



Coastal Path
HL 12



Headlands - Pathways
Coastal Path HL 12

Flatlands
FL37 Flyde

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	2,962 gm/sq.m. for EcoSoft 4,077 gm/sq.m. for EcoSquare


BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Ortus
OR 103

Ortus - OR100




OR 101




OR 102



OR 103



OR 104



OR 105

* This product is made to order, minimum of 1,000 sq.m.

CARPET TILE SPECIFICATIONS


CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/10 inch
PILE HEIGHT	3.0 - 4.0 mm.
TOTAL CARPET WEIGHT	2,820 gm/sq.m. for EcoSoft 3,925 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.




Ortus - OR200




OR 201




OR 202



OR 203



OR 204



OR 205


* This product is made to order, minimum of 1,000 sq.m.

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare , Reinforced Recycled Backing
TUFTING GAUGE	1/10 inch	TILE SIZE	50 x 50 cm.
PILE HEIGHT	3.0 - 4.0 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,820 gm/sq.m. for EcoSoft 3,925 gm/sq.m. for EcoSquare		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.

Ortus - OR300




OR 301



OR 302



OR 303



OR 304



OR 305

* This product is made to order, minimum of 1,000 sq.m.



Ortus
OR 301
Lantoto FL 11

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft® , Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare® , Reinforced Recycled Backing
TUFTING GAUGE	1/10 inch	TILE SIZE	50 x 50 cm.
PILE HEIGHT	3.0 - 4.0 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,820 gm/sq.m. for EcoSoft® 3,925 gm/sq.m. for EcoSquare®		


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.




Orsa



OS11 Skylight




OS12 Ramp




OS13 Arch



OS14 Stair



OS15 Step



OS16 Rafter

OS13 Arch
FL32 Taieri


CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare , Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	50 x 50 cm.
PILE HEIGHT	3.0 - 5.5 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,620 gm/sq.m. for EcoSoft 3,735 gm/sq.m. for EcoSquare		


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Orsa




OS21 Beam




OS22 Ledge




OS23 Truss



OS24 Riser



OS25 Tread



OS26 Joist

OS24 Riser

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare , Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	50 x 50 cm.
PILE HEIGHT	3.0 - 5.5 mm.	BACKING OPTIONS AND SIZE	Contact your sales representative for information
TOTAL CARPET WEIGHT	2,620 gm/sq.m. for EcoSoft 3,735 gm/sq.m. for EcoSquare		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.



Reuso  Stock Keeping Unit




Recover
RS 01 



Revive
RS 02 




Renew
RS 03 




Salvage
RS 04 



Overhaul
RS 05 




Transform
RS 06 



Acquire
RS 07 



Reveal
RS 08 



Upgrade
RS 09 

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm., 3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	2,895 gm/sq.m. for EcoSoft 4,010 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing EcoSquare , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.

Reuso
Recover RS 01
Salvage RS 04
Gola FL 01

A photograph of a vast field of golden wheat under a warm, hazy sunset sky. The sun is low on the horizon, creating a soft, golden glow. The wheat stalks are in sharp focus in the foreground, while the background is blurred. A dark vertical bar is on the left side of the image.


Textural Portfolio





Apex II  Stock Keeping Unit



Soapstone
AA 02 



Slate
AA 03 



Graphite
AA 04



Raven
AA 05 



Espresso
AA 07





Leather
AA 08



Sandcastle
AA 14



Dusk
AA 15 



Lava
AA 10



Midnight
AA 11

Available in alternative backings for:

FlowSoft
(for Senior Living, Assisted Living Care Facility & Wellbeing)

Flow
(for Hospitals, Medical Clinics, Care Institutions, Assisted Living Care facility)

MegaPlank
(for Senior Living, Day Care Facility & Wellbeing)

For full details on specialist Healthcare backing, refer to <<https://carpetsinter.com/healthcare>>



CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft , Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare , Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	Stain and Soil Protection
PILE HEIGHT	2.5 - 5.5 mm.	BACKING OPTIONS AND SIZE	50 x 50 cm.
TOTAL CARPET WEIGHT	3,064 gm/sq.m. for EcoSoft		Contact your sales representative for information
	4,179 gm/sq.m. for EcoSquare		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.




Breaking Ground – Mesa
Omo MS 04
Akanda MS 06
Fogo MS 12

Breaking Ground – Mesa  Stock Keeping Unit




Gola
MS 01 




Mucusso
MS 02 




Arusha
MS 03 



Omo
MS 04 




Lona
MS 05 



Akanda
MS 06 




Campo
MS 07 



Taza
MS 08 



Ruma
MS 09 



Sapo
MS 10 



Lantoto
MS 11 



Fogo
MS 12 

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare®, Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	TILE SIZE	Stain and Soil Protection
PILE HEIGHT	2.5 - 5.0 mm.	BACKING OPTIONS AND SIZE	50 x 50 cm., 25 x 100 cm.
TOTAL CARPET WEIGHT	2,895 gm/sq.m. for EcoSoft® 4,010 gm/sq.m. for EcoSquare®		Contact your sales representative for information


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.




Nevoa
Blackout NV 01
Rain NV 05
Vapour NV 08

Nevoa  Stock Keeping Unit



Blackout
NV 01 




Storm
NV 02 




Fog
NV 03 





Haze
NV 04 




Rain
NV 05 



Drizzle
NV 06 



Dew
NV 07 



Vapour
NV 08 

Available in alternative backings for:

FlowSoft®
(for Senior Living, Assisted Living Care Facility & Wellbeing)

Flow®
(for Hospitals, Medical Clinics, Care Institutions, Assisted Living Care facility)

MegaPlank®
(for Senior Living, Day Care Facility & Wellbeing)



For full details on specialist Healthcare backing, refer to <<https://carpetsinter.com/healthcare>>

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	2,962 gm/sq.m. for EcoSoft® 4,077 gm/sq.m. for EcoSquare®

BACKING STRUCTURE	 EcoSoft® , Recycled Cushion Backing  EcoSquare® , Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.



Upstream - Ebb
Spring EB 01
River EB 03


NOISE
REDUCTION

Declare.


Red List Free

Modular Carpet
Collection Portfolio


Carpets Inter®

Upstream - Ebb  Stock Keeping Unit



Spring
EB 01 



Creek
EB 02 




River
EB 03 



Estuary
EB 04 




Ocean
EB 05 

Upstream - Flow  Stock Keeping Unit




Ripple
FW 01 




Backwash
FW 02 




Wake
FW 03 



Tide
FW 04 



Drift
FW 05 



Upstream - Flow
Tide FW 04
Drift FW 05

NOISE
REDUCTION

Declare.

Red List Free


CARPET TILE SPECIFICATIONS


CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	EBB : 2,820 gm/sq.m. FLOW : 2,793 gm/sq.m.


BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.




EBB - River Wash  Stock Keeping Unit



River
EB 03 

River
Azure
EB 31 


River
Emerald
EB 32 


River
Sand
EB 33 

River
Sunset
EB 34 

Flatlands



Pampas
FL 20 

Sapo
FL 10 

Lantoto
FL 11 

Kedu
FL 22 





CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	2,820 gm/sq.m. for EcoSoft

BACKING STRUCTURE	 EcoSoft , Recycled Cushion Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.

EBB - River Wash

-  River Azure EB 31
-  River Emerald EB 32
-  River Sand EB 33
-  River Sunset EB 34






EBB - Estuary Wash  Stock Keeping Unit





Estuary
EB 04 




Estuary
Azure
EB 41 




Estuary
Emerald
EB 42 




Estuary
Sand
EB 43 



Estuary
Sunset
EB 44 

Flatlands



Pampas
FL 20 



Sapo
FL 10 



Lantoto
FL 11 



Kedu
FL 22 

EBB - Estuary Wash
Estuary Sunset EB 44

Flatlands
Kedu FL 22



CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	2,820 gm/sq.m. for EcoSoft

BACKING STRUCTURE	EcoSoft ®, Recycled Cushion Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.



Linear Portfolio






Vila Rica  Stock Keeping Unit




Faro
VR 01 



Mora
VR 02 




Lagos
VR 03 




Porto
VR 04 




Tavira
VR 05 




Fatima
VR 06 




Braga
VR 07 




Alvao
VR 09 




Serra
VR 12 



Pavia
VR 13 



Valongo
VR 14 



Viana
VR 15 

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted
PILE FIBER	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.0 - 5.5 mm.
TOTAL CARPET WEIGHT	3,000 gm/sq.m. for EcoSoft 4,115 gm/sq.m. for EcoSquare


BACKING STRUCTURE	EcoSoft ®, Recycled Cushion Backing EcoSquare ®, Reinforced Recycled Backing
PILE TREATMENT	Stain and Soil Protection
TILE SIZE	25 x 100 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.


Vila Rica
Tavira VR 05
Fatima VR 06




Zipline  Stock Keeping Unit





Meld
SZ 01 




Fusion
SZ 02 




Mixture
SZ 04 



Alloy
SZ 05 



Compound
SZ 06 

Zipline
Alloy SZ 05
Volume SM 07

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft ®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare ®, Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	STAIN AND SOIL PROTECTION	Stain and Soil Protection
PILE HEIGHT	3.0 - 5.0 mm.	TILE SIZE	50 x 50 cm.
TOTAL CARPET WEIGHT	2,974 gm/sq.m. for EcoSoft ® 3,989 gm/sq.m. for EcoSquare ®	BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.



Monotone Portfolio





Color Symphony
Opera SM 14

credit: Merit Interiors

Color Symphony



Pitch
SM 01



Echo
SM 02



Octave
SM 03



Adagio
SM 04



Treble
SM 05



Major
SM 06



Volume
SM 07



Intermezzo
SM 08



Key
SM 09



Solo
SM 10



Etude
SM 11



Sonata
SM 12



Sharp
SM 13



Opera
SM 14



Bar
SM 15

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare®, Reinforced Recycled Backing
TUFTING GAUGE	1/12 inch	STAIN AND SOIL PROTECTION	Stain and Soil Protection
PILE HEIGHT	3.0 - 5.0 mm.	TILE SIZE	50 x 50 cm.
TOTAL CARPET WEIGHT	3,064 gm/sq.m. for EcoSoft®	BACKING OPTIONS AND SIZE	Contact your sales representative for information
	4,179 gm/sq.m. for EcoSquare®		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.

Visibility of Carpet Tile Seams in Solid or Near-Solid Tiles. Please refer Installation Method & Disclaimer at the back of the brochure.



- FL01 Gola
- FL04 Omo
- FL24 Rieti
- FL25 Manitoto
- FL28 Stora
- FL33 Limagne
- FL37 Fylde
- FL38 Shiraki



- FL01 Gola
- FL04 Omo
- FL36 Nariva
- FL38 Shiraki
- FL39 Depsang

Flatlands  Stock Keeping Unit

				
Yilan FL27 	Messara FL30 	Stora FL28 	Omo FL04 	Nurra FL29 
				
Taza FL08 	Manitoto FL25 	Rieti FL24 	Cheshire FL26 	Karoo FL18 
				
Gola FL01 	Arusha FL03 	Llanos FL35 	Solway FL31 	Mugan FL34 
				
Limagne FL33 	Sapo FL10 	Fylde FL37 	Taieri FL32 	Nariva FL36 
				
Kedu FL22 	Depsang FL39 	Shiraki FL38 	Lantoto FL11 	

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Multi Level Texture Tufted	BACKING STRUCTURE	EcoSoft®, Recycled Cushion Backing
PILE FIBER	100% Solution Dyed Nylon	PILE TREATMENT	EcoSquare®, Reinforced Recycled Backing
TUFTING GAUGE	1/10 inch	BACKING OPTIONS AND SIZE	Stain and Soil Protection
PILE HEIGHT	3.0 - 4.0 mm.	TILE SIZE	50 x 50 cm., 25 x 100 cm.
TOTAL CARPET WEIGHT	2,880 gm/sq.m. for EcoSoft® 3,995 gm/sq.m. for EcoSquare®		Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.



Synthetic Fiber Portfolio






Modular Carpet
Collection Portfolio


Carpets Inter®

Hydra  Stock Keeping Unit




Nimbus
HY 01 




Blue Moon
HY 02 



Planet Rock
HY 03 



Red Star
HY 04 

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Tufted Multi-Level Loop
PILE FIBER	100% Solution Dyed Polypropylene
TUFTING GAUGE	1/12 inch
PILE HEIGHT	3.5 - 5.0 mm.
TOTAL CARPET WEIGHT	4,145 gm/sq.m. for EcoSquare

BACKING STRUCTURE	EcoSquare , Reinforced Recycled Backing
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.

Hydra
Nimbus HY 01




Mezzanine
Crosswalk UM 02

Modular Carpet
Collection Portfolio


Carpets Inter®

Mezzanine  *Stock Keeping Unit*




Crosswalk 
UM 02




Taxicab 
UM 04



Highrise 
UM 06



Graffiti 
UM 08


CARPET TILE SPECIFICATIONS

CONSTRUCTION	Tufted Multi-Level Loop
PILE FIBER	100% Solution Dyed Polypropylene
TUFTING GAUGE	1/10 inch
PILE HEIGHT	3.0 - 5.0 mm.
TOTAL CARPET WEIGHT	4,179 gm/sq.m. for EcoSquare


BACKING STRUCTURE	EcoSquare , Reinforced Recycled Backing
TILE SIZE	50 x 50 cm.
BACKING OPTIONS AND SIZE	Contact your sales representative for information


Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.





Penthouse Plus II  Stock Keeping Unit





Condo
PH 01 




Rooftop
PH 02 




Loft
PH 07 



Co-Op
PH 09 



Viewpoint
PH 15 

Penthouse Plus II

- Condo PH 01
- Rooftop PH 02
- Loft PH 07
- Co-Op PH 09
- Viewpoint PH 15

CARPET TILE SPECIFICATIONS

CONSTRUCTION	Tufted Level Loop Pile	BACKING STRUCTURE	EcoSquare ® Reinforced Recycled Backing
PILE FIBER	100% Solution Dyed Polypropylene	TILE SIZE	50 x 50 cm.
TUFTING GAUGE	1/10 inch	BACKING OPTIONS AND SIZE	Contact your sales representative for information
PILE HEIGHT	4.0 mm. (+/- 0.5 mm.)		
TOTAL CARPET WEIGHT	3,930 gm/sq.m. for EcoSquare ®		

Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice.
As in all quality carpets, colors are subject to dye lot variations.

Turn your vision into reality by using our unique 2D On-line 'Mix & Match' Simulator.

At Carpets Inter we make it easy to design your custom modular floor. For this purpose we are pleased to provide you with our easy to use 2D On-line 'Mix & Match' Simulator.

The 2D On-line Simulator app contains all current modular tile collections and enables easy selection of styles and configurations to be placed into any of eight optional spaces.

You can visually experience our comprehensive carpet tile catalogue. Automatically updated by our inhouse design team, this app ensures that you are up-to-date on our latest offerings. Create your own floor design with Mix and Match concept. Download the screen shot to include in your presentation to your Client. Provide us with your project CAD floor plan for a 2D Pattern Flood-in.



In addition to the above we have also developed another app which is more comprehensive and advanced tool called 3D Virtual Simulator. The simulator also allows custom tile shapes and dimensions for unique configurations. Once the style and configuration is determined, you may view it installed and take a virtual walk through the selected space to visually experience your creation from all angles and ensure perfect coordination. The app is available for download in our website (www.carpetsinter.com). Should you need further information or just "inspiration", your Carpets Inter representative will be pleased to show you our full range of products and services.

High Performance Backing

Carpets Inter provide two unique modular carpet backing options in EcoSoft (felt back) and EcoSquare (resilient back). Unless stated all stock keeping unit (SKU) is available in EcoSquare back. For alternative backing choice, please consult your local Carpet International distributor or CI sales representative.




We will RECYCLE OVER 1,000,000,000 discarded PLASTIC BOTTLES by 2025

EcoSoft®

Sustainable Performance and Value

EcoSoft® is made from 80% post-consumer material reengineered from millions of discarded drinking water bottles, plus 5 to 10% post-industrial recycled PET. This environmentally friendly backing not only meets all the stringent performance criteria required for modular carpet, but consistently outperforms conventional PVC and bitumen hard back, as well as urethane cushion back in terms of durability, underfoot comfort, acoustical propensity and indoor air quality.



EcoSoft uses roughly 50 x 550 ml. recycled PET bottles for every square meter of product.



EcoSoft® Outstanding Features


- > 85% recycled content backing
- > 100% recyclable
- > No PVC, Bitumen or Fiberglass content
- > Suitable for installation onto wet slab up to 99% RH
- > Superior Acoustical Propensity - outperforms hardback by 150% to 175% per Green Star IEQ10 internal noise level requirements
- > Excellent Dimensional Stability BS EN 986 less than 0.15%
- > Cushioning reduces wear and tear, fiber crush and user fatigue
- > EcoSoft® backed modular carpet product contributes up to 7 LEED points

In view of the superior properties outlined above, modular carpet with EcoSoft® backing is the ideal choice for Education facilities.

EcoSquare®

Sustainable Performance and Value

EcoSquare® is another step in Carpet Inter's ongoing Sustainability and Reclamation program, repurposing waste material into a recycled high performance modular carpet backing.



EcoSquare® Outstanding Features

- > 63.5% recycled content backing
- > 100% recyclable
- > Meets Greenstar best practice guidelines
- > Free of toxic plasticisers and stabilisers
- > Excellent Dimensional Stability BS EN 986 less than 0.15%
- > EcoSquare® backed modular carpet product contributes up to 5 LEED points




ØFlowSoft®

Recycled Cushion Back Carpet
with 100% Moisture Barrier

Senior Living, Education & Wellbeing

ØFlowSoft® is a uniquely engineered 'one of a kind' recycled PET bottle cushion backing with an integral 100% thermoplastic moisture barrier system between the carpet and the subfloor. Traditional carpet backings are porous, allowing liquid spills to penetrate into the subfloor, where they cannot be effectively removed. This will lead to odors and potential growth of harmful bacteria, mold and mildew. ØFlowSoft® is treated with Sanitized® anti-bacteria treatment disabling any contaminants to evolve.

Accidental spillage onto ØFlowSoft® remains on the carpet surface, where they can be readily spot cleaned and treated. Carpet seams are sealed during installation with an anti-microbial seam-weld to prevent moisture penetration.




8 MILLION
METRIC TONS OF
PLASTIC
ENTERS THE OCEAN
FROM THE LAND
EACH YEAR



EcoSoft® marks a new era in the development of high-performance and environmentally friendly carpet tile cushion backing.

Natural spring water may be good for your health, but the bottles themselves threaten our environment by swallowing landfill space and increasing air-pollution from incineration. Uncontrollable volumes of plastic waste continue to flow into our oceans every second! EcoSoft®, our established high performance carpet cushion backing, is made from 80% post-consumer material reengineered from discarded drinking water bottles plus 5% post-industrial recycled PET. So you can breathe and walk with ease.

If things continue as is... by 2050
there will be more
PLASTIC
than



in the
OCEAN

**THE PATH TO
ONE BILLION**



To date EcoSoft® has recycled over 920 million PET bottles from polluting our planet... Be a part of this mission!

At Carpets Inter, we create modular carpet that does more than just make the world more beautiful; it makes it more livable. We do this with products that meet stringent indoor air-quality needs, are safe to manufacture and utilize and incorporate recycled materials wherever feasible including our unique EcoSoft® backing fabricated from millions of recycled plastic bottles. Our commitment to ecological sustainability extends beyond our product. We practice it in everything we do – from manufacturing facilities that maintain the highest environmental standards, to reducing our carbon footprint in every facet of our global business.

**THE SOLUTION
TO CLIMATE CHANGE
IS JUST
BENEATH THE SURFACE**

CARBON CAPTURE

Environmentally Recyclable Materials

Soft to the step

100%



Soft on the environment

**We will
RECYCLE OVER
1,000,000,000
discarded
PLASTIC BOTTLES
by 2025**

EcoSoft® by Carpets Inter®




Sustainability Awards

Winner


Waste Elimination
Carpets Inter EcoSoft® carpet tiles

Over 150 projects, people and products were nominated for Australia's 'Sustainability Awards' organized by Architecture & Design and In Design Media Asia Pacific Magazine. All nominees exhibited a high caliber of design that choosing the finalists was an arduous task even for the highly experienced jury. After careful and deliberate consideration, Carpets Inter's EcoSoft back modular Carpet tile manufactured from recycled Plastic Bottles was selected as the unanimous winner of the 'Waste Elimination' category. The award recognizes Carpet Inter continued efforts to provide leading Architects and Interior Design practices with fit for purpose sustainable product solutions, suitable for WELL Buildings in many appealing styles.





EcoSquare® Tile Installation




EcoSoft® Tile Installation



ØFlowSoft® Installation














Mix, Match and Create



Installation Summary



		STANDARD SQUARE SIZE INSTALLATION METHOD							STANDARD PLANK SIZE INSTALLATION METHOD			
		 Monolithic	 Vertical Brick	 Vertical Stair Step	 Horizontal Brick	 Horizontal Stair Step	 Checkerboard	 Random	 Vertical Brick	 Random Vertical Brick	 Herringbone	 Double Herringbone
Pattern	Annex			●		●	●	●				
	Beneath the Surface									●	●	
	Beton									●	●	
	Breathe - Inhale	●			●		●					
	Breathe - Exhale									●	●	
	Breaking Waves - Across the Sea						●			●	●	●
	Breaking Waves - Over the Ocean				●		●			●	●	●
	Croplands - Roots & Organic			●	●	●	●			●	●	
	Discover		●		●		●					
	Headlands - Peaks									●	●	
	Headlands - Edge									●	●	
	Headlands - Pathways									●	●	
	Hydra	●	●		●		●					
	Reuso								●	●	●	●
Textural	Apex II	●	●		●		●					
	Mesa Alto				●		●			●	●	
	Nevoa	●	●		●		●					
	Upstream - Ebb & Flow									●	●	
	EBB - River Wash & Estuary Wash									●	●	
	Mezzanine			●		●	●					
Linear	Vila Rica									●	●	
	Zipline	●	●	●	●	●	●					
Monotone	Color Symphony						●					
	Flatlands						●			●		
	• FL10, FL11, FL20, FL22									●		
	Penthouse Plus II	●	●	●	●	●	●					

Visibility of Carpet Tile Seams in Solid or Near-Solid Color Tiles - Disclaimer It is expected that the seams of solid and near-solid carpet tiles will be visible. This is not considered or accepted as a product defect because it is due to the inherent characteristic of a distinct object (the tile in this case) in a solid color. It is what you see in any flooring material that is modular such as wood planks and ceramic tiles. For Solid or Near-Solid color tiles, we recommend a quarter-turn installation for square tiles and a herringbone installation for plank tiles. These installed configurations create a subtle texture on the floor by utilizing the visibility of the seams. If you prefer a carpet tile that masks most seams, select a product that has a multicolor pattern or texture that can minimize the visibility of tile seams in most applications. Please consult with your Carpets Inter rep for further guidance.

Carpets Inter®

Headquarters

2054 New Petchburi Road
Bangkapi, Huaykwang, Bangkok 10310 Thailand
Tel +66 (0) 2314-5402, Fax +66 (0) 2318-3537
www.carpetsinter.com, info@carpetsinter.com
© Carpets Inter 2023

