
M_{3D}

Rev. 03

Date 12.07.2022

53C1_KF310_thresholddetail




M_{3D}

Rev. 03

Date 12.07.2022

53C2_brick_KF310_detail windowsill Helopal RAG2




M_{3D}

Rev. 03

Date 12.07.2022

53C3_brick_KF310_detail at the side without guide rail




M_{3D}

Rev. 03

Date 12.07.2022

53C4_KF310_thresholddetail




M_{3D}

Rev. 03

Date 12.07.2022

57A1_brick_KF310_detail windowsill Helopal RAG2




M_{3D}

Rev. 03

Date 12.07.2022

57A2_masonry insulation-concrete_KF310_detail at the side without guide rail




M_{3D}

Rev. 03

Date 12.07.2022

57A3_masonry insulation-concrete_KF310_detail above with Raffstore

Attention!! This wall connection detail is provided free of charge by INTERNORM as an exemplary representation, whereby liability for individual cases is excluded. Use is only permitted if the assertion of claims for compensation due to incorrectness or incompleteness is waived. Consent is given through use. For the execution, the real conditions must be taken into account and the connection planning must be coordinated accordingly. The connection planning are planning according to the austrian standards. For the execution take into account the applicable standards in your country. The right to use this drawing is only permitted to INTERNORM trading partners until further notice.



junction profile

insulation area

statically adequate fastening

rain tightness area

round cord

airtight sealant / LM20

cover strip

floor ceiling

M_{3D}

Rev. 03

Date 12.07.2022

57A4_masonry insulation-concrete_KF310_detail at the side with guide rail

