# TOILET & LAVATORY





**NX SUITE** 





#### TOTO CLEANOVATION

Clean gives peace of mind
Clean rakes life beautiful
Clean rees refreshing.
Clean is carried to people and the planes.
Clean brings wellness to everyday life.

POTO knowston brings a new world of clean to life.



VISIT TOTO'S FIRST-EVER

**VIRTUAL SHOWROOM** 



VIRTUALSHOWROOM.TOTOUSA.COM

### **TOUR OUR VIRTUAL SHOWROOM**

TOTO's experiential virtual showroom is filled with rich informational videos, dynamic booth sections, and 360-degree product demonstrations.





# TOTO CLEANOVATION

Clean gives peace of mind

Clean makes life beautiful

Clean feels refreshing

Clean is caring for people and the planet


Clean brings wellness to everyday life

TOTO innovation brings a new world of clean to life, enriching every moment of every day.









#### CONTENTS **WASHLET®+ ICONS** 68 WASHLET+ TOTO CLEANOVATION WASHLET+ One-Piece Toilets WASHLET+ Two-Piece Toilets WASHLET+ Wall-Hung Toilets Icon Guide **CHART TOILETS NEOREST** 10 WASHLET Toilet Technologies 12 WASHLET+ One-Piece Toilets One-Piece Toilets 102 WASHLET+ Two-Plece Toilets 16 18 WASHLET+ Wall-Hung Toilets 104 Two-Piece Toilets Wall-Hung WASHLET+ Comparison Chart **TOILET TECHNOLOGIES LAVATORIES** 20 Clean Synergy 112 Vessel 22 **EWATER+®** 114 Pedestal 26 **CEFIONTECT®** 116 Wall-Mount 26 **PREMIST®** 28 TORNADO FLUSH® 118 Undercounter Self-rimming DYNAMAX TORNADO FLUSH® 29 **ACTILIGHT® NEOREST®** 34 Cleanliness and comforts 36 **NEOREST Features NEOREST NX2** 39 39 **NEOREST NX1** NEOREST AH NEOREST RH 41 41 43 NEOREST AC® 43 45 45 46 48 NEOREST EW® **NEOREST 750H** NEOREST 700H Remote Control Stand How The Remote Control Works **WASHLET®** 50 WASHLET 52 Cleansing Functions How The Remote Control Works **WASHLET** Technologies

### **ICON GUIDE**

#### **TOILET & LAVATORY**

1.0 GPF

Jsing only 1 gallon per flush, 1G toilets provide the most efficient flush n the industry.



DYNAMAX TORNADO FLUSH®

Uses 100% of water to clean and rinse the bowl using a smaller amount of water more efficiently with a 2.5" trapway and quieter flush. Available in 1.0/.9 GPF or 1.28/.8 GPF



TORNADO FLUSH<sup>®</sup>

A state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating



3D TORNADO FLUSH®

Three powerful nozzles create a powerful centrifugal rinsing action and



DΠΔΙ -ΜΔΥ®

A dual flushing system that optimizes conservation by selecting the



E\_M A Y®

High performance, high-efficiency flushing technology using only 1.28 GPF with



G-MAX®

A reliable flushing technology with 3" wide flush valve, large trapway



**CEFIONTECT®** 

CEFIONTECT\* ceramic glaze minimizes waste from sticking to porous



LINIIVEDEAL HEICHT

Toilet height that allows for a more comfortable height position across



SKIRTED DESIGN

The trapway is concealed by smooth porcelain, making the toilet easier to clean.



LINEARCERAM®

Material used for lavatories that achieves an extremely thin design yet two times as strong as standard fireclay.



LUMINIST®

An epoxy resin material that combines the translucence of glass with exceptional impact and heat resistance



WATER SAVING

Water efficient toilets designed with 1,28 gallons per flush or less

#### **WASHLET®**



тото: washleт an electronic bidet seat featuring adjustable warm water cleansing.



AIR-IN WONDER WAVE®

Air rich water droplets to produce a more comfortable washing sensation and deliver more thorough cleansing with less water consumption.



washLét<sub>®</sub>+

WASHLET and toilet set with a concealed connection that is specially designed for a seamless installation.



ACTILIGHT<sup>®</sup>

Special glaze combined with Clean Light work together to easily wash waste away on the toilet bowl.



**EWATER+®** 

After each flush, EWATER+ mists the wand and toilet bowl, reducing the need for harsh cleaning chemicals.



**PREMIST®** 

Using the incoming water supply, PREMIST sprays the toilet bowl surface aidin in the elimination of waste approximately 80 percent better than a dry bowl.



AUTO FLUSH

No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use



AUTO OPEN / CLOSE LID

Eliminating the need to touch the toilet surfaces, the lid automatically opens and clases when the toilet is approached and departed







#### **CODES & STANDARDS**







#### **CAL**Green

#### **AWARDS**



**REDDOT DESIGN AWARD** 

An internationally renowned design award since 1955. Held at Design Zentrum Nordrhein Westfalen in Essen, Germany. Products that have been strictly examined and recognized by design experts against standards of innovativeness, functionality, quality, and so forth.



An internationally renowned design award since 1953. It is held at iF International Forum design GmbH in Hannover, Germany. Products whose aesthetics, functionality, and innovativeness have been strictly examined and recognized by design experts.



**GREEN GOOD DESIGN AWARD** 

Hosted by the Chicago Athenaeum Museum of Architecture and Design and the European Centre for Architecture Art Design and Urban Studies in Ireland. A global environmental award that began in 2009 with the

# **NEOREST**<sub>®</sub> COMPARISON CHART



		SEE PAGE 39	SEE PAGE 39	SEE PAGE 43	SEE PAGE 43
	COLOR		#	<b>#</b> 01	
	REAR CLEANSE				
	SOFT REAR CLEANSE				
	FRONT CLEANSE				
	WIDE FRONT CLEANSE			•	
N N	OSCILLATING CLEANSE				
CLEANSE	PULSATING CLEANSE				
	INSTANTANEOUS WATER HEATING				
	WATER PRESSURE CONTROL				
	WATER TEMPERATURE CONTROL		5 SE	TTINGS	
	WAND POSITION ADJUSTMENT				
	AIR PURIFIER (DEODORIZER)			•	
Ĭ	AIR DRYER				
	AIR TEMPERATURE CONTROL		5 SE <sup>-</sup>	TTINGS	
	HEATED SEAT			•	
- X	HEATED SEAT TEMPERATURE CONTROL		5 SE	TTINGS	
	SoftClose* SEAT AND LID				
	SEAT SENSOR				
	AUTOMATIC OPEN AND     CLOSE LID			•	
	<b>O</b> AUTOMATIC FLUSH				
	NIGHT LIGHT				
Ы	REMOTE CONTROL				
CONTROL	REMOTE CONTROLLED SEAT			•	
ö	REMOTE CONTROLLED FLUSH				
	<b>⊘</b> ACTILIGHT®	•		•	_
	CEFIONTECT <sup>®</sup>				
ı	<b>€</b> EWATER+®				
	₩ PREMIST®				
	BOWL CLEANING MODE			•	
	WAND CLEANING MODE				
	SELF-CLEANING WAND				
SYSTEM	FLUSHING TYPE	TORI	NADO	3D TO	RNADO
SYS	GALLONS PER FLUSH	1.0 & 0	).8 GPF	1.28 & 0	0.9 GPF
ڻ ق	ENERGY-SAVE TIMER		3, 6, 9	HOURS	
SAVING	AUTO ENERGY SAVER			-	
ŝ	ON / OFF BUTTON			•	
=	INSTALLATION	FLOOR	MOUNT	WALL	-HUNG
PIL	& ADA				
USABILITY	U UNIVERSAL HEIGHT			•	

TOILETS

750H	700H	All	DU
		AH	RH
MS993CUMFX	MS992CUMFG	MS989CUMFG	MS988CUMFG
SEE PAGE 45	SEE PAGE 45	SEE PAGE 41	SEE PAGE 41
#	01	#01	#12
	5 SET	TINGS	
		TINGS	
		TINGS	
		TINGS	
	•	•	
		•	
•		<u> </u>	
	•	•	
	TORN	IADO	
	1.0 & 0	.8 GPF	
	3, 6, 9 l	HOURS	
		•	
	FLOOR	MOUNT	
		•	

WAS	HLET®	G400	S550e	S500e	S350e	S300e
	PARISON	MS920CEMFG (elongated)	, ,	SW3046 (elongated) SW3044 (elongated classic)	SW583 (round)	SW573 (round)
CHAF	RT					
PAGES		PAGE 62	PAGE 63	PAGE 63	PAGE 64	PAGE 64
COLOR	COTTON (#01)	#01, #12	#01, #12	#01, #12	#01, #12	#01, #12
	REAR CLEANSE	•	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•	•
	FRONT CLEANSE	•	•	•	•	•
	WIDE FRONT CLEANSE	_	•	•	•	•
	OSCILLATING CLEANSE	•	•	•	•	•
CLEANSE	PULSATING CLEANSE	•	•	•	•	•
	INSTANTANEOUS WATER HEATING	_	•	•	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•	•
	AIR PURIFIER (DEODORIZER)	•	•	•	•	•
AIR	AIR DRYER	•	•	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	HEATED SEAT	•	•	•	•	•
SEAT	TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SoftClose SEAT AND LID	•	•	•	•	•
	SEAT SENSOR	•	•	•	•	•
SENSOR	AUTO OPEN / CLOSE LID	•	•	_	•	_
	AUTO FLUSH	•	_	_	_	_
	NIGHT LIGHT	_	•	_	•	_
REMOTE	REMOTE CONTROL	•	•	•	•	•
CONTROL	REMOTE CONTROLLED SEAT	•	•	_	•	_
	REMOTE CONTROLLED FLUSH	•	_	_		_
	REMOVABLE LID	•	•	•	•	•
	PREMIST®	•	<u> </u>	<u> </u>	<u> </u>	<u> </u>
HYGIENE	EWATER+® FOR BOWL	_	• -	•	<u> </u>	-
	EWATER+® FOR WAND	_	<u> </u>	•	•	-
	WAND CLEANING MODE	•	•	•	•	•
	SELF-CLEANING WAND	7.0.0/10/100	7.6.0.1101106	7.6.01101100	7.0.01101100	7.0.0.1101153
ENERGY SAVING	ENERGY-SAVER TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
SAVING	AUTO ENERGY SAVER	•	•	•	•	•

<sup>&</sup>lt;sup>\*</sup>wasньė́т。+

<sup>\*</sup>WASHLET+ is a seat and toilet system designed to conceal the supply connections. Please refer to the WASHLET+ Brochure for more details.

11

	NEW		NEW		NEW
C200	C5	C100	C2	A100	A2
SW2043R (round)	SW3084 (elongated)	SW2033R (round)	SW3074 (elongated)	SW2014 (elongated)	SW3004 (elongated)
PAGE 65	PAGE 65	PAGE 67	PAGE 67	PAGE 767	PAGE 67
#01, #12	#01, #12	#01, #12	#01, #12	#O1	#01
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
-	-	_	-	-	_
•	•	•	•	•	•
•	•	_	•	_	_
-	-	_	-	_	_
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS
•	•	•	•	•	•
•	•	•	•	_	_
•	•	•	•	_	_
5 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS
•	•	•	•	•	•
5 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS	3 SETTINGS
•	•	•	•	•	•
	-	<u> </u>	-	-	_
	_		_	_	_
	_		_	_	_
•	•	SIDE PANEL	SIDE PANEL	SIDE PANEL	SIDE PANEL
_	_	_	-	-	-
_	_	_	_	_	_
•	•	•	•	•	•
•	•	•	•	-	_
_	_	-	_	-	_
_	•	-	•	_	_
•	•	•	•	•	•
•	•	•	•	•	•
-	6, 9 HOURS	-	6, 9 HOURS	-	_
		•	•	•	•

# wasнье́т<sub>®</sub> + **ONE-PIECE TOILETS**



	WASHLET+ TOILETS	MODEL NUMBERS	AUTO FLUSH KIT#	PAGE #	KIT NUMBERS			
	AIMES®	CST626CEFGAT40#01	THU767*	72	MW6263056CEFGA#01	MW6263056CEFG#01	MW6263046CEFGA#01	
	AQUIA IV°	CST646CUMFGAT40#01	THU765*	73	MW6463056CUMFGA#01	MW6463056CUMFG#01	MW6463046CUMFGA#01	
	A QUIA IV	CST646CEMFGAT40#01	THU765*	73	MW6463056CEMFGA#01	MW6463056CEMFG#01	MW6463046CEMFGA#01	
	CAROLINA® II	CST644CEFGT40#01	_	74	_	MW6443046CEFG#01	_	
		CST614CUFGAT40#01	THU766*	75	MW6143056CUFGA#01	MW6143056CUFG#01	MW6143046CUFGA#01	
	CARLYLE* II	CST614CEFGAT40#01	THU767*	75	MW6143056CEFGA#01	MW6143056CEFG#01	MW6143046CEFGA#01	
ONE-PIECE		CST614CEFGT20#01◆	_	76	_	_	_	
ONE-	LEGATO*	CST624CEFGAT40#01	THU767*	77	MW6243056CEFGA#01	MW6243056CEFG#01	MW6243046CEFGA#01	
	NEXUS®	CST642CUFGAT40#01	THU766*	78	MW6423056CUFGA#01	MW6423056CUFG#01	MW6423046CUFGA#01	
	NEXUS	CST642CEFGAT40#01	THU767*	78	MW6423056CEFGA#01	MW6423056CEFG#01	MW6423046CEFGA#01	
	SUPREME® II	CST634CEFGT40#01	_	79	_	MW6343056CEFG#01	_	
		CST604CUFGAT40#01	THU766*	80	MW6043056CUFGA#01	MW6043056CUFG#01	MW6043046CUFGA#01	
	ULTRAMAXII	CST604CEFGAT40#01	THU767*	80	MW6043056CEFGA#01	MW6043056CEFG#01	MW6043046CEFGA#01	
		CST604CEFGT20#01◆	_	81	_	_	_	

			WASHLET (ELONGATE	0)		
S500E	S350E	S300E	C5	C200	C2	C100
SW3046AT40#01 SW3044T40#01	SW584T20#01 ◆	SW574T20#01 ◆	SW3084T40#01	SW2044T20#01 ◆	SW3074T40#01	SW2034T20#01◆
_	_	_	_		_	
O Description					1	
			KIT NUMBERS			
MW6263046CEFG#01	_	_	MW6263084CEFG#01	_	MW6263074CEFG#01	_
MW6463046CUMFG#01	_	_	MW6463084CUMFG#01	-	MW6463074CUMFG#01	_
MW6463046CEMFG#01	_	_	MW6463084CEMFG#01	_	MW6463074CEMFG#01	_
MW6443056CEFG#01	_	_	MW6443084CEFG#01	_	MW6443074CEFG#01	_
MW6143046CUFG#01	_	_	MW6143084CUFG#01	_	MW6143074CUFG#01	_
MW6143046CEFG#01	_	_	MW6143084CEFG#01	_	MW 6143074CEFG#01	_
_	MW614584CEFG#01	MW614574CEFG#01	_	MW6142044CEFG#01	_	MW6142034CEFG#01
MW6243046CEFG#01	_	_	MW6243084CEFG#01	_	MW6243074CEFG#01	_
MW6423046CUFG#01	_	_	MW6423084CUFG#01	_	MW6423074CUFG#01	_
MW6423046CEFG#01	_	_	MW6423084CEFG#01	_	MW6423074CEFG#01	_
MW6343046CEFG#01	_	_	MW6343084CEFG#01	_	MW6343074CEFG#01	_
MW6043046CUFG#01	_	_	MW6043084CUFG#01	_	MW6043074CUFG#01	_
MW6043046CEFG#01	_	_	MW6043084CEFG#01	_	MW6043074CEFG#01	_
_	M W 6 0 4 5 8 4 C E F G # 01	MW604574CEFG#01	_	MW6042044CEFG#01	_	MW6042034CEFG#01

# wasнĿė́т₀+ **TWO-PIECE TOILETS**

	WASHLET (ELONGATED)			
S550E	S550E	S500E		
SW3056AT40#01 SW3054AT40#01	SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01		
AUTO FLUSH	_	AUTO FLUSH		
	Constant of the Constant of th			

WASHLET+ TOILETS	M O D E L N U M B E F	55	EXT. ADAPTER	AUTO FLUSH KIT#	PG #		KIT NUMBERS		
	CT446CUFGT40#01	ST446UMA#01	9AU321-A	21-A		MW4463056CUMFGA#01	MW4463056CUMG#01	MW4463046CUMFGA#01	
A O III A ® I W	CT446CUFGT40#01	ST446EMA#01	9AU321-A		82	MW4463056CEMFGA#01	MW4463056CEMG#01	MW4463046CEMFGA#01	
A Q U I A ® I V	CT446CUGT40#01	ST446UMA#01	9AU321-A		83	MW4463056CUMGA#01	MW4463056CUMFG#01	MW4463046CUMGA#01	
	CT446CUGT40#01	ST446EMA#01	9AU321-A	T765 \	83	MW4463056CEMGA#01	MW4463056CEMFG#01	MW4463046CEMGA#01	
AQUIA IV	CT446CUFGT40#01	ST448UMA#01	9AU321-A	THU765*	86	MW4483056CUMFGA#01	MW4483056CUMFG#01	MW4483046CUMFGA#01	
ARC®	CT446CUFGT40#01	ST448EMA#01	9AU321-A		86	MW4483056CEMFGA#01	MW4483056CEMFG#01	MW4483046CEMFGA#01	
AQUIA IV CUBE®	CT446CUFGT40#01	ST436UMA#01	9AU321-A		85	MW4363056CUMFGA#01	MW4363056CUMFG#01	MW4363046CUMFGA#01	
CORE	CT446CUFGT40#01	ST436UMA#01	9AU321-A		85	MW4363056CEMFGA#01	MW4363056CEMFG#01	MW4363046CEMFGA#01	
CONNELLY®	CT494CEFGT40#01	ST494M#01	9AU321-A	_	87	_	MW4943054CEMFG#01	_	
NEW	C776CEGT40#01	ST776EA#01			88	MW7763056CEGA#01	MW7763056CEG#01	MW7763046CEGA#01	
DRAKE®	CT746CUFGT40#01	ST776SMA#01		THU767*	88	MW7763056CEFGA#01	MW7763056CEFG#01	MW7763046CEFGA#01	
LAUNCHED	CT746CUFGT40.10#01	ST776SMA#01			88	MW7763056CEFGA.10#01	MW7763056CEFG.10#01	MW7763046CEFGA.10#01	
2021	C776CEGT40#01	ST776SA#01	_		88	MW7763056CSGA#01	MW7763056CSG#01	MW7763046CSGA#01	
	C776CEFGT40#01	ST776SA#01			88	MW7763056CSFGA#01	MW7763056CSFG#01	MW7763046CSFGA#01	
	C776CEFGT40.10#01	ST776SA#01			88	MW7763056CSFGA.10#01	MW7763056CSFG.10#01	MW7763046CSFGA.10#01	
	C454CUFGT40#01	ST454UA#01	_	THU767*	89	MW4543056CUFGA#01	MW4543056CUFG#01	MW4543046CUFGA##01	
DRAKE II	C454CUFGT40#01	ST454EA#01	_	180707.	89	MW4543056CEFGA#01	MW4543056CEFG#01	MW4543046CEFGA#01	
DRAKETI	C454CUFGT20#01	ST453U#01	_	_	90	_	_	_	
	C454CUFGT20#01	ST454E#01		_	90	_	<del>_</del>	_	
NEW	C776CEFGT40#01	ST786EA#01	_		91	MW7863056CEGA#01	MW7863056CEG#01	MW7863046CEGA#01	
DRAKE TRANSITIONAL	C776CEFGT40#01	ST786EA#01	_	THU767*	91	MW7863056CEFGA#01	MW7863056CEFG#01	MW7863046CEFGA#01	
LAUNCHED 2021	C776CEFGT40.10	ST786EA#01	_		91	MW7863056CEFGA.10#01	MW7863056CEFG.10#01	MW7863046CEFGA.10#01	
NEXUS®	CT442CUFGT40#01	ST442UA#01	9AU321-A	THU766*	93	MW4423056CUFGA#01	MW4423056CUFG#01	MW4423046CUFGA#01	
IN E A U S	CT442CUFGT40#01	ST442EA#01	9AU321-A	THU767*	93	MW4423056CEFGA#01	MW4423056CEFG#01	MW4423046CEFGA#01	
VESPIN® II	CT474CUFGT40#01	ST454UA#01	_	THU766*	95	MW4743056CUFGA#01	MW4743056CUFG#01	MW4743046CUFGA#01	
A E 2 L III II	CT474CUFGT40#01	ST454EA#01	_	THU767*	95	MW4743056CEFGA#01	MW4743056CEFG#01	MW4743046CEFGA#01	

<sup>\*</sup>Rec \*Required for Auto Flush models only.

	WASHLET (ELONGATED)						
S500E	\$350E	S300E	C5	C200	C2	C100	
SW3046AT40#01 SW3044T40#01	SW584T20#01 ◆	SW574T20#01 ◆	SW3084T40#01	SW2044T20#01 ◆	SW3074T40#01	SW2034T20#01◆	
_	_	_	_	_	_	_	
		KIT	NUMBERS				
MW4463046CUMG#01	_	_	MW4463084CUMG#01	_	MW4463074CUMG#01	_	
MW4463046CEMG#01	_	_	MW4463084CEMG#01	_	MW4463074CEMG#01	_	
MW4463046CUMFG#01	_	_	MW4463084CUMFG#01	_	MW4463074CUMFG#01	_	
MW4463046CEMFG#01	_	_	MW4463084CEMFG#01	_	MW4463074CEMFG#01	_	
MW4483046CUMFG#01	_	_	MW4483084CUMFG#01	_	MW4483074CUMFG#01	_	
MW4483046CEMFG#01	_	_	MW4483084CEMFG#01	_	MW4483074CEMFG#01	_	
MW 4363046CUMFG#01	_	_	MW4363084CUMFG#01	_	MW4363074CUMFG#01	_	
MW4363046CEMFG#01	_	_	MW4363084CEMFG#01	_	MW4363074CEMFG#01	_	
MW4943044CEMFG#01	_	_	MW4943084CEMFG#01	_	MW4943074CEMFG#01	_	
MW7763046CEG#01	_	_	MW7763084CEG#01	_	MW7763074CEG#01	_	
MW7763046CEFG#01	_	_	MW7763084CEFG#01	_	MW7763074CEFG#01	_	
MW7763046CEFG.10#01	_	_	MW7763084CEFG.10#01	_	MW7763074CEFG.10#01	_	
MW7763046CSG#01	_	_	MW7763084CSG#01	_	MW7763074CSG#01	_	
MW7763046CSFG#01	_	_	MW7763084CSFG#01	_	MW7763074CSFG#01	_	
MW7763046CSFG.10#01			MW7763084CSFG.10#01	_	MW7763074CSFG.10#01	_	
MW4543046CUFG#01	_	_	MW4543084CUFG#01	_	MW4543074CUFG#01	_	
MW4543046CEFG#01	_	_	MW4543084CEFG#01	_	MW4543074CEFG#01	_	
_	MW454584CUFG#01	MW454574CUFG#01		MW4542044CUFG#01	_	MW4542034CUFG#01	
_	MW454584CEFG#01	MW454574CEFG#01	_	MW4542044CEFG#01	_	MW4542034CEFG#01	
MW7863056CEG#01	_	_	MW7863084CEG#01	_	MW7863074CEG#01	_	
MW7863046CEFG#01	_	_	MW7863084CEFG#01	_	MW7863074CEFG#01	_	
MW7863046CEFG.10#01	_	_	MW7863084CEFG.10#01	_	MW7863074CEFG.10#01	_	
MW4423046CUFG#01	_	_	MW4423084CUFG#01	_	MW4423074CUFG#01	_	
MW4423046CEFG#01	_	_	MW4423084CEFG#01	_	MW4423074CEFG#01	_	
MW4743046CUFG#01	_	_	MW4743084CUFG#01	_	MW4743074CUFG#01	_	
MW4743046CEFG#01	_	_	MW4743084CEFG#01	_	MW4743074CEFG#01	_	





WASHLET+ TOILETS			KIT NUMBERS					
AP	CT426CFGT40#01	WT173MA	THU794	97	CWT4263056CMFGA#MS	_	_	_
AP	CT426CFGT40#01	WT173M	THU805	97	_	CWT4263046CMFG#MS	CWT4263084CMFG#MS	CWT4263074CMFG#MS
ED	CT428CFGT40#01	WT173MA	THU794	97	CWT4283056CMFGA#MS	<u> </u>	_	_
EP	CT428CFGT40#01	WT173M	THU805	97	_	CWT4283046CMFG#MS	CWT4283084CMFG#MS	CWT4283074CMFG#MS

WASHLET
D SHAPE
C200
SW2047T20#01
KIT NUMBERS

WASHLET+ TOILETS	MODEL NUMBERS		WASHLET CONNECTION KIT	PAGE	KIT NUMBERS
мн	CT437CFGT20#01	WT172M	_	97	CWT4372047MFG#MS

_
$\Box$
Þ
<
P.
그
$\circ$
N
$\overline{\mathbf{m}}$
(0)

WASHLET										
D-SHAPE										
RW RX										
SW4547AT60#01	SW4047AT60#01	SW4047T60#01								
AUTO FLUSH	AUTO FLUSH	_								
Constant to										
	KIT NUMBERS									

WASHLET+ TOILETS	MODEL NUMBERS		WASHLET CONNECTION KIT	PAGE	KIT NUMBERS				
RP	CT447CFGT60#01	WT173MA	_	99	CWT4474547CMFGA#MS	CWT4474047CMFGA#MS	_		
	CT447CFGT60#01	WT173M		99			CWT4474047CMFG#MS		

WASHLET									
SQUARE									
sw sx									
SW4597AT60#01	SW4049AT60#01	SW4049T60#01							
AUTO FLUSH	AUTO FLUSH	_							
· · · · · · · · · · · · · · · · · · ·									

WASHLET+ TOILETS	MODEL NUMBER:		WASHLET CONNECTION KIT	PAGE		KIT NUMBERS	
SP	CT449CFGT60#01	WT173MA		99	CWT4494549CMFGA#MS	CWT4494049CMFGA#MS	
J.F	CT449CFGT60#01	WT173M	_	99			CWT4474047CMFG#MS



	:	ELON	GATED	D-SI	SQUARE	
vasi	HLeT <sub>®</sub> +	S550E	S500E	RW	RX	sw
COMPARISON		SW3056(A)T40 SW3054(A)T40	SW3046(A)T40 SW3044(A)T40	SW4547(A)T60	SW4047(A)T60	SW4597AT60#01
	COLOR: Cotton (#01),	#01	#01	#01	#01	#O1
	CONCEALED SUPPLY CONNECTION	•	•	•	•	•
	REAR CLEANSE	•	•	•	•	•
	SOFT REAR CLEANSE	•	•	•	•	•
	FRONT CLEANSE	•	•	•	•	•
	WIDE FRONT CLEANSE	•	•			
	OSCILLATING CLEANSE	•	•	•	•	•
CLEANSE	PULSATING CLEANSE	•	•	•	•	•
	INSTANTANEOUS WATER HEATING	•	•	•	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•	•	•
	AIR PURIFIER (DEODORIZER)	•	•	•	•	•
AIR	AIR DRYER	•	•	•		•
AIR	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
	HEATED SEAT	•	•	•	•	•
SEAT	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SOFTCLOSE SEAT AND LID	•	•	•	•	•
	SEAT SENSOR	•	•	•	•	•
	AUTOMATIC OPEN AND CLOSE LID	•		•		•
SENSOR	AUTOMATIC FLUSH	•*	•*	•*	•*	•*
	NIGHT LIGHT	•		•		•
	REMOTE CONTROL	•	•	•	•	•
REMOTE CONTROL	REMOTE CONTROLLED SEAT	•		•		
CONTINUE	REMOTE CONTROLLED FLUSH			•		
	REMOVABLE LID	•	•	•		•
	EWATER+® FOR BOWL	•	•	•		•
	EWATER+ FOR WAND	•	•	•	•	•
HYGIENE	PREMIST®	•	•	•	•	•
	WAND CLEANING MODE	•	•	•	•	•
	SELF-CLEANING WAND	•	•	•	•	•
ENERGY	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
SAVING	AUTO ENERGY SAVER	•	•	•	•	•

RATED POWER USAGE	1288W	1287W	1274W	1274W	1282W	
LENGTH OF POWER CORD	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 2.95 ft	Maximum length 2.95 ft	Maximum length 2.95 ft	
	REAR	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.
WAND ELOW DATE	SOFT	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.
WAND FLOW RATE	FRONT	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	10.2 - 14.1 oz. / min.	10.2 - 14.1 oz. / min.	10.2 - 14.1 oz. / min.
	WATER TEMP	86°F - 104°F	86°F - 104°F	95°F - 104°F	95°F - 104°F	86°F - 104°F
	AIR TEMP	95°F - 140°F	95°F - 140°F			95°F - 140°F
DRYER	AIR VOLUME	10.24 ft <sup>3</sup> / min.	10.24 ft <sup>3</sup> / min.	5.65 ft <sup>3</sup> / min.	5.65 ft <sup>3</sup> / min.	10.24 ft <sup>3</sup> / min.
HEATED SEAT	SURFACE TEMP	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F
WATER SUPPLY PRESSURE		7 psi - 109 psi	7 psi - 109 psi	7.25 psi - 109 psi	7.25 psi - 109 psi	7.25 psi - 109 psi
WATER SUPPLY TEMPERATURE		33°F to 95°F	33°F to 95°F	32°F - 95°F	32°F - 95°F	32°F - 95°F
AMBIENT TEMPERATURE		33°F to 104°F	33°F to 104°F	32°F to 104°F	32°F to 104°F	32°F to 104°F
	ELONGATED	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H			
SIZE	D-SHAPE			1.27 ft x D 1.90 ft x H 0.48 ft	1.27 ft x D 1.90 ft x H 0.48 ft	1.28 ft x D 1.9 ft x H 0.35 ft
	SQUARE					

SQUARE	ELONGATED									
SX	S350E	S300E	C5	C200	C2	C100	C200			
SW4049(A)T60	SW584T20◆	SW574T20◆	SW3084T40#01	SW2044T20◆	SW3074T40#01	SW2034T20◆	SW2047T20◆			
							100000			
#01	#01	#01	#01	#01	#01	#01	#01			
•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•			
	•	•								
•	•	•	•	•	•	•	•			
•	•	•	•	•			•			
•	•	•								
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS			
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS	3 SETTINGS	5 SETTINGS			
•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•			
3 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS	3 SETTINGS	5 SETTINGS			
•	•	•	•	•	•	•	•			
3 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS	3 SETTINGS	5 SETTINGS			
•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•			
	•									
•*										
	•									
•	•	•	•	•	SIDE PANEL	SIDE PANEL	•			
	•									
	•	•	•	•	•	•	•			
	•	•	•	-			-			
•	•	•	•		•					
•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•			
	3, 6, 9 HOURS	3, 6, 9 HOURS	6, 9 HOURS	-	6, 9 HOURS		-			
	•	•	•	•	•	•	•			

1282W	835W	835W	403W	406W	403W	406W	406W
Maximum length 2.95 ft	Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 3.93 ft.	Maximum length 3.94 ft.	Maximum length 3.93 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.
9 - 14.1 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
9 - 14.1 oz. / min.	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	9.1 - 14.5 oz. / min.
10.2 - 14.1 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 ~ 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 ~ 14.5 oz. / min.	9.8 - 14.5 oz. / min.
95°F - 104°F	86°F - 104°F	86°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F
	95°F - 140°F	95°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F
5.65 ft <sup>3</sup> / min.	10.24 ft3 / min.	10.24 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.
82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F
7.25 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi
32°F - 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F
32°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F
	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-3/8"W x 20-7/8"D x 7-3/8"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-13/16"W x 20- 7/8"D x 7-3/8"H	18-13/16"W x 20-7/8"D x 7-3/8"H	
							15-3/8"W x 20-7/8"D x 7-3/8"H
1.27 ft x D 1.90 ft x H 0.48 ft							

# CLEAN SYNERGY

Your toilet reappears clean every time



### CLEAN SYNERGY



Prevents the accumulation of waste on bowl.

EWATER+ reduces waste and dirt you can't see.

#### **EWATER+®**

### WASHES THE WAND AND TOILET BOWL WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMENANT.

Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic waste has no place to hide.





#### **How EWATER+ Cleans**

#### **During standby**



#### Before use





#### **During use**







EWATER+ is automatically sprayed 8 hours after the last use





PREMIST, a fine mist of water, is sprayed inside the toilet



Since waste is less able to adhere to a wet surface, it is more easily washed



EWATER+ is applied to cleanse the wand and toilet bowl



#### **EWATER+®**

# BEFORE AND AFTER EACH USE, THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically washes itself to ensure constant hygienic conditions.





Without EWATER+


With EWATER+

#### Self-Cleaning Inside the Mechanism



#### **Always Keeping Conditions Clean**

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.



### **CLEAN SYNERGY**



Forces waste to slide down.

Ultra-smooth ceramic leaves nowhere for waste to cling.



### PREMIST®

Prevents waste from clinging.

A film of water keeps waste from clinging.

#### **CEFIONTECT®**


# IS AN ULTRA-SMOOTH CERAMIC GLAZE THAT COATS THE TOILET BOWL.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.



## What makes CEFIONTECT so durable?

Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material.



CEFIONTECT toilet micrograph \*1Qm=0.001mm



### Eliminating the microscopic gaps where waste hides

Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste, mold and bacteria hide. At just one millionth of a millimeter, CEFIONTECTS's surface ridges are much tinier than waste particles.

#### Water has a strong affinity to CEFIONTECT

The term hydrophilic describes matter that is attracted to water. Due to the hydrophilic nature of CEFIONTECT, water spreads easily over the toilet bowl, effortlessly washing waste particles away.







Water hydrophillic



To ensure waste washes away easily, a film of water keeps waste from clinging to the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.



#### **DYNAMAX TORNADO FLUSH®**

#### USES 100% OF WATER TO CLEAN AND RINSE BOWL.



DYNAMAX combines powerful bowl cleaning and waste evacuation using water that is 100% projected from the rim creating 360° cleaning power. Using only 1.0/0.8 or 1.28/0.8 gallons per flush, coupled with a 25% larger trapway diameter, this high-efficiency system uses 20% less water with improved performance while also creating a quieter flush. With a modern rimless design, it performs more consistently and is easy to clean.

#### TORNADO FLUSH® NOT ONLY CLEANS MORE EFFECTIVELY, IT DOES SO QUIETLY USING LESS WATER.

Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.



#### Powerful washing where waste accumulates most easily

TORNADO FLUSH's dynamic waterjet discharges from near the front of the toilet bowl, travels in a narrow channel along a hairpin curve, and with sustained water pressure thoroughly cleanses the areas where waste accumulates most easily - and then washes the entire bowl clean. Exquisitely high-quality ceramic makes this innovative design possible.




The RIMLESS design not only leaves no place for waste and germs to hide, it also makes for a much easier to clean toilet.






### **ACTILIGHT**®



CLEAN Light and the extraordinary surfae treatment enable easy removal of even microscopic debris and particles.


#### State-of-the-art materials

CLEAN Light and the extreme hydrophilic surface of the toilet bowl combine to attract water to the surface and keep the surface clean after use.



#### Operates 24 hours a day to maintain clean conditions

CLEAN Light and the extreme hydrophilic surface of the toilet bowl combine to make it easy to wash waste away and keep the toilet bowl surface clean.



# NEOREST






NEOREST 750H NEOREST 700H









#### NEOREST. **FEATURES**



#### SoftClose® LID

The SoftClose lid automatically closes gently to eliminate seat slamming.

#### **HEATED SEAT**

The contoured seat has five temperature settings for maximum comfort.

#### SELF-CLEANING WAND

The self-cleaning function cleans the entire wand with EWATER+ before and after each use.

#### **ACTILIGHT®**

Uses a special light-reactive glaze and CLEAN Light technology inside the lid to get rid of both visible and invisible waste. Available on NEOREST models NX2, AC, and 750H.

#### PREMIST<sup>®</sup>

PREMIST wets the surface of the toilet bowl, aiding in the removal of waste and resulting in a better clean.

#### **EWATER+®**

After each flush, EWATER+ mist on the wand and toilet bowl, reducing the need for harsh cleaning chemicals

#### **DRYER**

60000

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

#### AUTOMATIC DEODORIZER

The deodorizer cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to reduce unpleasant odors.



#### **NEOREST**

#### NX2

MS901CUMFX (With ACTILIGHT)









Remote (Top View)



#### NX1

MS900CUMFG





































**CAL**Green

- · ACTILIGHT® Clean light cleaning system built in lid (NEOREST NX2 only)
- TORNADO FLUSH® system, ultra-high efficiency
- Dual flush function (1.0 GPF/3.8 LPF and 0.8 GPF/3.0 LPF)
- CEFIONTECT® CERAMIC GLAZE MINIMIZES WASTE FROM STICKING TO POROUS CERAMIC SURFACES
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® keeps the wand and toilet bowl clean.
- PREMIST® of bowl before each use
- UNIVERSAL HEIGHT
- ADA compliant
- Meets WaterSense efficiency and performance standards





#### **NEOREST** AH

MS989CUMFG







Remote (Top View)





























**CAL**Green

#### **NEOREST.** RH

MS988CUMFG







Remote (Top View)

- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT® ceramic glaze minimizes waste from sticking to porous, ceramic surfaces.
- WASHLET® with three wash modes (front, rear, soft)
  - Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® keeps the wand and toilet bowl clean.
- PREMIST® of bowl before each use
- Meets WaterSense efficiency and performance standards
- UNIVERSAL HEIGHT
- ADA compliant









#### **NEOREST.**

#### AC®/EW®

CWT996CEMFX/CWT994CEMFG







Remote (Top View)

- \*ACTILIGHT® UV light cleaning system built into lid
- 3D TORNADO FLUSH® system, ultra-high efficiency (1.28 GPF/4.8 LPF and 0.9 GPF/3.4 LPF)
- CEFIONTECT® ceramic glaze minimizes waste from sticking to porous, ceramic surfaces.
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® keeps the wand and toilet bowl clean.
- PREMIST® of bowl before each use
- UNIVERSAL HEIGHT
- ADA compliant
- Meets WaterSense efficiency and performance standards

\*ACTILIGHT only available on NEOREST AC

AVAILABLE COLOR

#01 Cotton

NEOREST IN-WALL TANK UNIT - 1.28/0.9 GPF

WT174M (Copper supply line)  $2^* \times 6^*$  installation

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately





PUSH PLATE
YT994#WH

Glass/White plastic





#### **NEOREST.** 750H

MS993CUMFX (With ACTILIGHT)





Remote (Top View)



**NEOREST** 

MS992CUMFG

700H





































- · ACTILIGHT® Clean light cleaning system built in lid (NEOREST 750H only)
- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT® ceramic glaze minimizes waste from sticking to porous, ceramic surfaces.
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® keeps the wand and toilet bowl clean.
- PREMIST® of bowl before each use
- UNIVERSAL HEIGHT
- ADA compliant
- Meets WaterSense efficiency and performance standards

## REMOTE CONTROL STAND



#### **NEOREST**

#### **YS990**

- Versatile design with removable remote control plate for a stand alone toilet paper holder
- · Solid brass construction weighing 22 lbs.
- · Designed to hold two rolls of toilet paper and one remote control
- · Remote control not included





#### **REMOTE CONTROL HOW IT WORKS**


Easy and Convenient to Use.

#### **NEOREST**

NX2, NX1, AH, & RH models


#### **PULSATE**

Water pressure alternates between soft and strong for a massage effect



#### **NEOREST**

#### AC®, EW®, 750H, & 700H models



# Let's Wash with TOTO: WashLet





### тото: washlet

**CLEANSING FUNCTIONS** 








#### **CLEANSING FUNCTIONS**

WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

#### How WASHLET® works

AIR-IN WONDER-WAVE® technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets by approximately 30%.



#### Select the type of cleansing you desire each time.





#### REAR SPRAY

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.



#### REAR SOFT SPRAY

The rear spray has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



#### FRONT SPRAY

The front spray consists of large, soft drops for comfortable intimate cleansing - for a clean, fresh feeling.



#### WIDE FRONT SPRAY


The wide soft spray has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



#### **HOW THE REMOTE CONTROL WORKS**

Easy and Convenient to Use.


#### WASHLET® S550e & S500e




#### **HOW THE REMOTE CONTROL WORKS**

Easy and Convenient to Use.

#### WASHLET® S350e, S300e, & C200 models



#### WASHLET® C5 model




Back side of remote contains temperature controls

<sup>\*</sup>FRONT WIDE ON/OFF funtion only available on S350e/S300e


#### **HOW THE REMOTE CONTROL WORKS**

Easy and Convenient to Use.

#### WASHLET C2 model



#### WASHLET A2 model






Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

\*S550e and S350e only

The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.



Subdued lighting switches on when the toilet is approached, so users do not have to disturb themselves at night with a bright bathroom light.


Prevents the accumulation of waste on bowl. EWATER+ reduces waste and dirt you can't see.





Using the incoming water supply, PREMIST wets the surface of the toilet bowl, aiding in the removal of waste and resulting in a better clean.

\*Not available on A100







Using the incoming water supply, PREMIST wets the surface of the toilet bowl, aiding in the removal of waste and resulting in a better clean.

\*Not available on A100

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.



#### **WASHLET®**

#### G400 SMART TOILET

MS920CEMFG (Elongated)





- 3D TORNADO FLUSH® system
- Dual flush option
- CEFIONTECT® ceramic glaze
- · Sleek, full skirted one-piece
- · Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- PREMIST® of bowl before each use
- WASHLET® cleansing with 5 water pressure settings
- Front and rear cleanse
- Adjustable water and seat temperatures
- Oscillating spray option
- · Warm-air dryer
- · Built-in air deodorizing system
- Auto open/close lid
- · Hands-free automatic flush
- Meets WaterSense efficiency and performance standards





#### WASHLET S550e/S500e

#### CONTEMPORARY

SW3056 (Elongated) SW3046 (Elongated)



reddot award 2020



- High-tech electronic bidet seat
- Elongated front WASHLET toilet seat with cover
- EWATER+® on wand and bowl
- AIR-IN WONDER-WAVE\* technology is the precise, pleasant, air rich stream that keeps you clean
- PREMIST® of bowl before each use
- Auto open/close lid (Only WASHLET S550e)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET S550e)
- SOFTCLOSE® Seat
- · Quick release feature
- Mounting and connection hardware included

#### WASHLET S550e/S500e

#### **CLASSIC**

SW3054 (Elongated) SW3044 (Elongated)





- High-tech electronic bidet seat
- Elongated front WASHLET toilet seat with cover
- EWATER+ on wand and bowl
- AIR-IN WONDER-WAVE technology is the precise, pleasant, air rich stream that keeps you clean
- PREMIST of bowl before each use
- Auto open/close lid (Only WASHLET S550e)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET S550e)
- SOFTCLOSE Seat
- Quick release feature
- Mounting and connection hardware included







#### WASHLET S350e

SW583 (Round)





- High-tech electronic bidet seat
- WASHLET® cleansing with 5 water pressure settings
- EWATER+® technology
- PREMIST® of bowl before each use
- Front and rear cleanse
- SOFTCLOSE® seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

#### WASHLET S300e

SW573 (Round)





- High-tech electronic bidet seat
- WASHLET cleansing with 5 water pressure settings
- EWATER+ technology
- PREMIST of bowl before each use
- Front and rear cleanse
- SOFTCLOSE seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature









#### **WASHLET C5**

SW3084 (Elongated)





- High-tech electronic bidet seat
- Gentle Aerated, Warm Water, Dual Action Spray with oscillating and pulsating features
- PREMIST® of bowl before each use
- Front and rear cleanse
- Adjustable water temperature and pressure
- Warm air drying with three variable temperature settings
- Built-in air deodorizer
- Wireless remote with touch pad
- Adjustable seat temperature
- EWATER+® cleans wand automatically

#### WASHLET C200

SW2043R (Round)



- High-tech electronic bidet seat
- Gentle aerated, warm water, dual action spray with oscillating and pulsating features
- PREMIST® of bowl before each use
- Front and rear cleanse
- SOFTCLOSE® seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
  - Built-in air deodorizer
  - Wireless remote with touch pad
- 2 user settings
- Adjustable seat temperature





#### **WASHLET C2**

SW3074 (Elongated)





- · High-tech electronic bidet seat
- Gentle Aerated, Warm Water, Dual Action Spray with oscillating and pulsating features
- PREMIST of bowl before each use
- Front and rear cleanse
- Adjustable water temperature and pressure
- Warm air drying with three variable temperature settings
- · Built-in air deodorizer
- Convenient arm control panel
- Adjustable seat temperature
- EWATER+ cleans wand automatically



#### **WASHLET A2**

SW3004 (Elongated)





Available 1Q 2022

- Electronic bidet seat
- WASHLET cleansing with 5 water pressure settings
- Gentle aerated, warm water, dual action spray with oscillating features
- SOFTCLOSE Seat
- Adjustable water temperature
- and pressure
- Adjustable seat temperature
- Available only in #01 Cotton

#### **WASHLET C100**

SW2033R (Round)





- · High-tech electronic bidet seat
- Gentle aerated, warm water, dual action spray with oscillating features
- PREMIST of bowl before each use
- Front and rear cleanse
- SOFTCLOSE seat
- Adjustable water temperature and pressure
- Warm air drying with three variable temperature settings
- Built-in air deodorizer
- Adjustable seat temperature

#### **WASHLET A100**

SW2014 (Elongated)





- Electronic bidet seat
- WASHLET cleansing with 5 water pressure settings
- Gentle aerated, warm water, dual action spray with oscillating features
- SOFTCLOSE Seat
- Adjustable water temperature
- and pressure
- Adjustable seat temperature
- Available only in #01 Cotton









# washlet<sub>®</sub>+











# washlet et

Series of WASHLET-and-toilet sets. New standard of comfort and cleanliness for daily life.




# THE NEW STANDARD OF COMFORT AND **CLEANLINESS FOR DAILY LIFE.**

Designed for every home, WASHLET®+ is the smart way to introduce the comfort and cleanliness of TOTO technology into your life. Each unit is harmoniously designed with a concealed connection - no visible hoses or cords - making the bathroom a most inviting space. A wide range of sets are available for you to discover.

# **HOW IT WORKS**

WASHLET+ offers a concealed supply connection for seamless installation.



# **AIMES® WASHLET+** CAL Green



\*(A) indicates toilet is auto flush compatible.

#### **COMPATIBLE OPTIONS**

MW6263056CEFG(A)#01 - 1.28 GPF AIMES WASHLET+ with S550e





MW6263046CEFG(A)#01 - 1.28 GPF AIMES WASHLET+ with S500e





# NEW

MW6263084CEFG#01 - 1.28 GPF







MW6263074CEFG#01 - 1.28 GPF AIMES WASHLET+ with C2





#### **AQUIA® IV WASHLET+**





\*(A) indicates toilet is auto flush compatible.

# **COMPATIBLE OPTIONS**

MW6463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW6463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S550e





MW6463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW6463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF





# NEW

MW6463084CUMFG#01 - 1.0 GPF / 0.8 GPF MW6463084CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with C5





# NEW

MW6463074CUMFG#01 - 1.0 GPF / 0.8 GPF MW6463074CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with C2



# NEW

**CAROLINA® II WASHLET+** 



#### COMPATIBLE OPTIONS

MW6443056CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with S550e





MW6443046CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with S500e







MW6443084CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with C5







# NEW

MW6443074CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with C2





# NEW

**CARLYLE® II WASHLET+** 







\*(A) indicates toilet is auto flush compatible.

#### **COMPATIBLE OPTIONS**

# NEW

MW6143056CUFG(A)#01 - 1.0 GPF MW6143056CEFG(A)#01 - 1.28 GPF

CARLYLE II WASHLET+ with S550e





MW6143046CUFG(A)#01 - 1.0 GPF MW6143046CEFG(A)#01 - 1.28 GPF CARLYLE II WASHLET+ with S500e





MW6143084CUFG#01 - 1.0 GPF MW6143084CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C5





# NEW

MW6143074CUFG#01 - 1.0 GPF MW6143074CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C2





#### **CARLYLE® II WASHLET+**





♦Limited inventory

#### **COMPATIBLE OPTIONS**

◆MW614584CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with S350e







◆MW614574CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with S300e







◆MW6142044CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C200







◆MW6142034CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C100





#### **LEGATO® WASHLET+**





\*(A) indicates toilet is auto flush compatible.

# **COMPATIBLE OPTIONS**

MW6243056CEFG(A)#01 - 1.28 GPF LEGATO WASHLET+ with S550e





MW6243046CEFG(A)#01 - 1.28 GPF LEGATO WASHLET+ with S500e





# NEW

MW6243084CEFG#01 - 1.28 GPF LEGATO WASHLET+ with C5





# NEW

MW6243074CEFG#01 - 1.28 GPF LEGATO WASHLET+ with C2





#### **NEXUS® WASHLET+**





\*(A) indicates toilet is auto flush compatible.

#### **COMPATIBLE OPTIONS**

MW6423056CUFG(A)#01 - 1.0 GPF MW6423056CEFG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S550e





MW6423046CUFG(A)#01 - 1.0 GPF MW6423046CEFG(A)#01 - 1.28 GPF





MW6423084CUFG#01 - 1.0 GPF MW6423084CEFG#01 - 1.28 GPF NEXUS WASHLET+ with C5





MW6423074CUFG#01 - 1.0 GPF MW6423074CEFG#01 - 1.28 GPF NEXUS WASHLET+ with C2 **+000000** 



# NEW

**SUPREME® II WASHLET+** 





### **COMPATIBLE OPTIONS**

MW6343056CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with S550e





MW6343046CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with S500e





# NEW

MW6343084CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with C5







MW6343074CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with C2





# NEW

# **ULTRAMAX® II WASHLET+**



\*(A) indicates toilet is auto flush compatible.

#### **COMPATIBLE OPTIONS**

MW6043056CUFG(A)#01 - 1.0 GPF MW6043056CEFG(A)#01 - 1.28 GPF ULTRAMAX II WASHLET+ with S550e





MW6043046CUFG(A)#01 - 1.0 GPF MW6043046CEFG(A)#01 - 1.28 GPF ULTRAMAX II WASHLET+ with S500e





MW6043084CUFG#01 - 1.0 GPF MW6043084CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C5





# NEW

MW6043074CUFG#01 - 1.0 GPF MW6043074CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C2





#### **ULTRAMAX® II WASHLET+**





◆Limited inventory

### **COMPATIBLE OPTIONS**

◆MW604584CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with S350e







◆MW604574CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with S300e





◆MW6042044CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C200







◆MW6042034CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C100





AQUIA IV® WASHLET+ (Universal Height)





\*(A) indicates toilet is auto flush compatible.

#### **COMPATIBLE OPTIONS**

MW4463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S550e



MW4463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S500e





MW4463084CUMFG#01 - 1.0 GPF / 0.8 GPF MW4463084CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with C5



NEW

MW4463074CUMFG#01 - 1.0 GPF / 0.8 GPF MW4463074CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with C2



#### **AQUIA IV® WASHLET+**





\*(A) indicates toilet is auto flush compatible.

## **COMPATIBLE OPTIONS**

MW4463056CUMG(A)#01 - 1.0 GPF / 0.8 GPF MW4463056CEMG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S550e



MW4463046CUMG(A)#01 - 1.0 GPF / 0.8 GPF MW4463046CEMG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S500e





# NEW

MW4463084CUMG#01 - 1.0 GPF / 0.8 GPF MW4463084CEMG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with C5





# NEW

MW4463074CUMG#01 - 1.0 GPF / 0.8 GPF MW4463074CEMG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with C2











# NEW

# AQUIA IV® CUBE WASHLET+ (Universal Height)





\*(A) indicates toilet is auto flush compatible.

# **COMPATIBLE OPTIONS**

MW4363056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4363056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV CUBE WASHLET+ with S550e





MW4363046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4363046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV CUBE WASHLET+ with S500e





MW4363084CUMFG#01 - 1.0 GPF / 0.8 GPF MW4363084CEMFG#01 - 1.28 GPF / 0.8 GPF AQUIA IV CUBE WASHLET+ with C5







MW4363074CUMFG#01 - 1.0 GPF / 0.8 GPF MW4363074CEMFG#01 - 1.28 GPF / 0.8 GPF AQUIA IV CUBE WASHLET+ with C2





# NEW

AQUIA IV® ARC WASHLET+ (Universal Height)





\*(A) indicates toilet is auto flush compatible.

#### COMPATIBLE OPTIONS

MW4483056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4483056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV ARC WASHLET+ with S550e





MW4483046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4483046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV ARC WASHLET+ with S500e





# NEW

MW4483084CUMFG#01 - 1.0 GPF / 0.8 GPF MW4483084CEMFG#01 - 1.28 GPF / 0.8 GPF AQUIA IV ARC WASHLET+ with C5





## NEW

MW4483074CUMFG#01 - 1.0 GPF / 0.8 GPF MW4483074CEMFG#01 - 1.28 GPF / 0.8 GPF AQUIA IV ARC WASHLET+ with C2





# CONNELLY® WASHLET+





 $^*(A)$  indicates toilet is auto flush compatible.

# COMPATIBLE OPTIONS

MW4943054CEMFG(A)#01 - 1.28 GPF / 0.8 GPF CONNELLY WASHLET+ with S550e





MW4943044CEMFG(A)#01 - 1.28 GPF / 0.8 GPF CONNELLY WASHLET+ with S500e





# NEW

MW4943084CEMFG#01 - 1.28 GPF / 0.8 GPF CONNELLY WASHLET+ with C5





# NEW

MW4943074CEMFG#01 - 1.28 GPF / 0.8 GPF CONNELLY WASHLET+ with C2





#### DRAKE WASHLET+ (Regular & Universal Height)





\*(A) indicates toilet is auto flush compatible. Available in 10" Rough-in

#### **COMPATIBLE OPTIONS**

MW7763056CE(F)G(A)#01 - 1.28 GPF / 0.8 GPF MW7763056CS(F)G(A)#01 - 1.6 GPF / 0.8 GPF

DRAKE WASHLET+ with S550e





### NEW

MW7763046CE(F)G(A)#01 - 1.28 GPF / 0.8 GPF MW7763046CS(F)G(A)#01 - 1.6 GPF / 0.8 GPF

DRAKE WASHLET+ with S500e



# NEW

MW7763084CE(F)G#01 - 1.28 GPF / 0.8 GPF MW7763084CS(F)G#01 - 1.6 GPF / 0.8 GPF

DRAKE WASHLET+ with C5 





MW7763074CE(F)G#01 - 1.28 GPF / 0.8 GPF MW7763074CS(F)G#01 - 1.6 GPF / 0.8 GPF

DRAKE WASHLET+ with C2





# NEW

### **DRAKE® II WASHLET+**





\*(A) indicates toilet is auto flush compatible.

## **COMPATIBLE OPTIONS**

MW4543056CUFG(A)#01 - 1.0 GPF MW4543056CEFG(A)#01 - 1.28 GPF





MW4543046CUFG(A)#01 - 1.0 GPF MW4543046CEFG(A)#01 - 1.28 GPF DRAKE II WASHLET+ with S500e





MW4543084CUFG#01 - 1.0 GPF MW4543084CEFG#01 - 1.28 GPF





# NEW

MW4543074CUFG#01 - 1.0 GPF MW4543074CEFG#01 - 1.28 GPF DRAKE II WASHLET+ with C2





## **DRAKE® II WASHLET+**





♦Limited inventory

#### **COMPATIBLE OPTIONS**

MW454584CUFG#01♦ - 1.0 GPF MW454584CEFG#01◆- 1.28 GPF DRAKE II WASHLET+ with S350e





MW454574CUFG#01♦ - 1.0 GPF MW454574CEFG#01♦ - 1.28 GPF DRAKE II WASHLET+ with S300e







MW4542044CUFG#01♦ - 1.0 GPF MW4542044CEFG#01♦ - 1.28 GPF DRAKE II WASHLET+ with C200







MW4542034CUFG#01♦ - 1.0 GPF MW4542034CEFG#01♦ - 1.28 GPF DRAKE II WASHLET+ with C100





# NEW

# DRAKE TRANSITIONAL WASHLET+ (Regular & Universal Height)





\*(A) indicates toilet is auto flush compatible. Available in 10" Rough-in

#### **COMPATIBLE OPTIONS**

MW7863056CE(F)G(A)#01 - 1.28 GPF / 0.8 GPF DRAKE TRANSITIONAL WASHLET+ with S550e





MW7863046CE(F)G(A)#01 - 1.28 GPF / 0.8 GPF DRAKE TRANSITIONAL WASHLET+ with \$500e





# NEW

MW7863084CE(F)G#01 - 1.28 GPF / 0.8 GPF DRAKE TRANSITIONAL WASHLET+ with C5





# NEW

MW7863074CE(F)G#01 - 1.28 GPF / 0.8 GPF DRAKE TRANSITIONAL WASHLET+ with C2







#### **NEXUS® WASHLET+**





\*(A) indicates toilet is auto flush compatible.

# **COMPATIBLE OPTIONS**

MW4423056CUMG(A)#01 - 1.0 GPF MW4423056CEMG(A)#01 - 1.28 GPF

NEXUS WASHLET+ with S550e 



MW4423046CUMG(A)#01 - 1.0 GPF MW4423046CEMG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S500e





## NEW

MW4423084CUFG#01 - 1.0 GPF MW4423084CEFG#01 - 1.28 GPF NEXUS WASHLET+ with C5





# NEW

MW4423074CUFG#01 - 1.0 GPF MW4423074CEFG#01 - 1.28 GPF NEXUS WASHLET+ with C2







# NEW

## **VESPIN® II WASHLET+**





\*(A) indicates toilet is auto flush compatible.

## COMPATIBLE OPTIONS

MW4743056CUFG(A)#01 - 1.0 GPF MW4743056CEFG(A)#01 - 1.28 GPF VESPIN II WASHLET+ with S550e





MW4743046CUFG(A)#01 - 1.0 GPF MW4743046CEFG(A)#01 - 1.28 GPF VESPIN II WASHLET+ with S500e





# NEW

MW4743084CUFG#01 - 1.0 GPF MW4743084CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with C5





# NEW

MW4743074CUFG#01 - 1.0 GPF MW4743074CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with C2







# **WASHLET®+** WALL-HUNG TOILETS

# **AP WASHLET+**





#### CWT4263056CMFGA#MS

1.28 GPF / 0.9 GPF

AP WASHLET+ with S550e



#### CWT4263046CMFG#MS

AP WASHLET+ with S500e



# NEW

#### CWT4263084CMFG#MS

AP WASHLET+ with C5



## NEW

#### CWT4263074CMFG#MS

1.28 GPF / 0.9 GPF

AP WASHLET+ with C2





\*Requires In-Wall Tank System and

# **EP WASHLET+**





#### CWT4283056CMFGA#MS

1.28 GPF / 0.9 GPF

EP WASHLET+ with S550e



#### CWT4283046CMFG#MS

1.28 GPF / 0.9 GF

EP WASHLET+ with S500e



# NEW

#### CWT4283084CMFG#MS

1.28 GPF / 0.9 GPF

EP WASHLET+ with C5



#### NEW

#### CWT4283074CMFG#MS

1.28 GPF / 0.9 GPF





\*Requires In-Wall Tank System and

#### MH® WASHLET+





#### CWT4372047MFG#MS ◆

1.28 GPF / 0.9 GPF

MH WASHLET+ with C200





# **WASHLET®+** WALL-HUNG COMPONENTS

# **DUOFIT® IN-WALL**

**TANK SYSTEM - 1.28 / 0.9 GPF** 

WT172M (Exposed Water Outlet) WT173M(A) (Hidden Water Outlet)

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately





#### **PUSH PLATE** YT920#MS

Matte Silver



**PUSH PLATE** YT920#WH



**PUSH PLATE** YT930#MS



**PUSH PLATE** YT930#WH



#### **PUSH PLATE** YT970#SS



**PUSH PLATE** YT980#SS





# WASHLET®+ WALL-HUNG TOILETS







#### CWT4474547CMFG(A)#MS

1.28 GPF / 0.9 GPF RP WASHLET+ with RW





**RP WASHLET+** 

CAL Green

CWT4474047CMFG(A)#MS



\*Requires WT173M(A) In-Wall Tank System and Push Plate

\*Requires WT173M(A) In-Wall Tank System and Push Plate

# SPWASHLET+





#### CWT4494549CMFG(A)#MS 1.28 GPF / 0.9 GPF

SP WASHLET+ with SW





#### CWT4494049CMFG(A)#MS 1.28 GPF / 0.9 GPF

SP WASHLET+ with SX





\*Requires WT173M(A) In-Wall Tank System and Push Plate

\*Requires WT173M(A) In-Wall Tank System and Push Plate

# WASHLET®+ WALL-HUNG COMPONENTS

#### **DUOFIT® IN-WALL**

**TANK SYSTEM** - 1.28 / 0.9 GPF

WT172M (Exposed Water Outlet) WT173M(A) (Hidden Water Outlet)

2° x 6° installation 2° x 4° outlet kit available Push plates sold separately





#### PUSH PLATE YT920#MS

Matte Silve



PUSH PLATE YT920#WH



#### PUSH PLATE YT930#MS



PUSH PLATE YT930#WH



#### PUSH PLATE YT970#SS

Stainless Stee



PUSH PLATE YT980#SS Stainless Steel









# **TOILET TECHNOLOGIES**

Our 1G toilets offer substantial water savings without wavering on our renowned performance. Using our powerful — yet surprisingly quiet — gravity-fed, hole-free rim TORNADO FLUSH® technology, 1G fully evacuates the bowl with an ultra-efficient one gallon of water. Combined with the extraordinarily smooth CEFIONTECT® glaze that prevents particulates from adhering to porous, ceramic surfaces every inch of your bowl stays cleaner, longer.



TOTO® 1G

**5,840 GALLONS** Used in Flushing

\$175 Operation Cost

**PER YEAR** 

STANDARD 1.6 GPF
TOILETS

**9,344 GALLONS** Used in Flushing

\$280 Operation Cost

**PER YEAR** 



# **ONE-PIECE TORNADO FLUSH TOILETS**

#### AQUIA® IV

MS646124CUMF(G) (Elongated)
1.0 GPF / 0.8 GPF

MS646124CEMF(G) (Elongated)
1.28 GPF / 0.8 GPF

SS124 seat included





#### **AIMES**

\*MS626234CEFG (Elongated) - 1.28 GPF SS234 seat included





#### ECO SOIRÉE®

MS964214CEF(G) (Elongated) - 1.28 GPF SS214 seat included





#### AQUIA® IV

\*MS646234CUMFG (Elongated)
1.0 GPF / 0.8 GPF

\*MS646234CEMFG (Elongated) 1.28 GPF / 0.8 GPF SS234 seat included

CALGreen



### NEW

#### CARLYLE® II

MS614124CUF(R)(G) (Elongated) - 1.0 GPF MS614124CEF(R)(G) (Elongated) - 1.28 GPF SS124 seat included





#### LEGATO®

MS624124CEF(G) (Elongated) - 1.28 GPF SS124 seat included





#### AIMES\*

MS626124CEF(G) (Elongated) - 1.28 GPF SS124 seat included





#### CAROLINA® II

MS644124CEF(G) (Elongated) - 1.28 GPF SS124 seat included





#### **LEGATO**

\*MS624234CEFG (Elongated) - 1.28 GPF SS234 seat included

















# **ONE-PIECE TORNADO FLUSH TOILETS CONTINUED**

#### **NEXUS®**

\*MS642234CUFG (Elongated) - 1.0 GPF \*MS642234CEFG (Elongated) - 1.28 GPF

SS234 seat included





# NEW

#### **ULTRAMAX® II**

MS604124CUF(R)(G) (Elongated) - 1.0 GPF MS604124CEF(R)(G) (Elongated) - 1.28 GPF SS124 seat included





#### **NEXUS®**

MS642124CUF(G) (Elongated) - 1.0 GPF MS642124CEF(G) (Elongated) - 1.28 GPF SS124 seat included





#### SUPREME® II

MS634124CEF(G) (Elongated) - 1.28 GPF / 0.8 GPF SS124 seat included









# **ONE-PIECE HIGH-EFFICIENCY TOILETS**

#### **ECO ULTRAMAX®**

\*MS854114E(L)(G) (Elongated) - 1.28 GPF

\*MS853113E (Round) - 1.28 GPF SS114 seat included (MS854114E(L)(G)) SS113 seat included (MS853113E) ADA height available (MS854114EL(G)) CeFiONtect available (MS854114EL(G)) Standard glazed model available





#### **ULTIMATE®**

MS854114 (Elongated) - 1.6 GPF MS853113 (Round) - 1.6 GPF SS114 seat included (MS854114) SS113 seat included (MS853113)



#### PROMENADE® II

MS814224CUF(G) (Elongated) - 1.0 GPF MS814224CEF(G) (Elongated) - 1.28 GPF SS224 seat included







# TWO-PIECE TORNADO FLUSH TOILETS

#### **AQUIA IV**

CST446CUM(F)G (Elongated) - 1.0 GPF / 0.8 GPF CST446CEM(F)G (Elongated) - 1.28 GPF / 0.8 GPF Regular Height Available





### NEW

#### AQUIA IV® ARC

MS448124CUMF(G) (Elongated) - 1.0 GPF / 0.8 GPF MS448124CEMF(G) (Elongated) - 1.28 GPF / 0.8 GPF SS124 seat included





#### **CONNELLY**

\*MS494234CEMFG (Elongated) 1.28 GPF / 0.9 GPF

SS234 seat included





#### AQUIA® IV

MS446124CUM(F)(G) (Elongated) 1.0 GPF / 0.8 GPF MS446124CEM(F)(G) (Elongated) 1.28 GPF / 0.8 GPF SS124 seat included Regular height available

16 😭 🗞 🛈 와 🔕 🛵 CAL Green



## NEW

#### AQUIA IV® CUBE

MS436124CUMF(G) (Elongated) - 1.0 GPF / 0.8 GPF MS436124CEMF(G) (Elongated) - 1.28 GPF / 0.8 GPF SS124 seat included





# **DRAKE® TWO-PIECE TOILET**

\*CST776CE(F)(R)(G) - 1.28 GPF



#### AQUIA® IV

\*MS446234CUMFG (Elongated) - 1.0 GPF / 0.8 GPF \*MS446234CEMFG (Elongated) - 1.28 GPF / 0.8 GPF SS234 seat included





#### **CONNELLY**

CST494CEMF(R)(G) (Elongated) 1.28 GPF / 0.9 GPF





# NEW

#### **DRAKE® TWO-PIECE TOILET** \*MS776124CE(F)(G) - 1.28 GPF



















# TWO-PIECE TORNADO FLUSH TOILETS CONTINUED

#### NEW

DRAKE® - ROUND TWO-PIECE TOILET

CST775CEF(R)(G) -1.28 GPF

# CAL Green



DRAKE® II

 $MS454124CUM(F)(R)(G) \; (Elongated) \; \hbox{-}\; 1.0 \; GPF \\ MS454124CEM(F)(R)(G) \; (Elongated) \; \hbox{-}\; 1.28 \; GPF \\ SS124 \; \text{seat included}$ 





DRAKE TRANSITIONAL TWO-PIECE TOILET

CST785CEF(G) (Round) - 1.28 GPF





#### DRAKE

CST746124CUM(F)(R)(G) (Elongated)
1.0 GPF / 0.8 GPF

CST746124CEM(F)(R)(G) (Elongated)
1.28 GPF / 0.8 GPF

CST746124CSM(F)(G) (Elongated)
1.6 GPF / 0.8 GPF

Seat sold separately





#### DRAKE II ROUND FRONT

CST453CUF(R)(G) (Round) - 1.0 GPF CST453CEF(R)(G) (Round) - 1.28 GPF Seat sold separately





#### DRAKE® TRANSITIONAL

CST748CEM(F)(G) (Elongated) 1.28 GPF / 0.8 GPF Seat sold separately





#### **DRAKE®**

MS746124CUM(F)(G) (Elongated) - 1.0 GPF / 0.8 GPF MS746124CEM(F)(G) (Elongated) - 1.28 GPF / 0.8 GPF MS746124CSM(F)(G) (Elongated) - 1.6 GPF / 0.8 GPF SS124 seat included





# DRAKE TRANSITIONAL TWO-PIECE TOILET

CST786CE(F)(G) (Elongated) - 1.28 GPF CST786CEFG.10 (Elongated) - 1.28 GPF





#### **DRAKE® TRANSITIONAL**

MS748124CEM(F)G (Elongated) - 1.0 GPF / 0.8 GPF SS124 seat included









#12 Sedona Beige









## TWO-PIECE HIGH-EFFICIENCY TOILETS

#### MARIS®

CST484CEMF(G)♦ (Elongated) 1.28 GPF / 0.9 GPF

#### **NEXUS®**

MS642124CUF(G) (Elongated) - 1.0 GPF MS642124CEF(G) (Elongated) - 1.28 GPF SS124 seat included

#### **NEXUS®**

\*MS642234CUFG (Elongated) - 1.0 GPF \*MS642234CEFG (Elongated) - 1.28 GPF SS234 seat included





#### PROMENADE II

CST404CUF(G) (Elongated) - 1.0 GPF CST404CEF(G) (Elongated) - 1.28 GPF





**ECO CLAYTON®** 

\*CST784EF (Elongated) - 1.28 GPF









## NEW

#### VESPIN® II

MS474124CUF(R)(G) (Elongated) - 1.0 GPF / 0.8 GPF MS474124CEF(R)(G) (Elongated) - 1.28 GPF SS124 seat included





**ECO DARTMOUTH®** 

CST754EF (Elongated) - 1.28 GPF









**ECO DRAKE** 

\*\*\*CST744E(R)(G) (Elongated) - 1.28 GPF \*CST743E(R) (Round) - 1.28 GPF ADA height available (CST744ELG) Bolt-down tank lid available





**ECO PROMENADE®** 

CST423EFG (Round) - 1.28 GPF Standard glazed model available





Two-piece toilet seat sold separately \*1.6 GPF version available (G) Ebony #51 less CeFiONtect (R) Right-hand trip lever available \*\* 10" Rough-in available \*\*\*Limited inventory. Availble while supplies last.















Ebony For more information on dimensions please refer to product spec sheet.



WASHLET

## **WALL-HUNG TOILETS**

## **RP WALL-HUNG TOILET**

#### CWT447247CMFG#WH

Includes seat SS247, in-wall tank WT172M, and push plate YT930#WH Can be mounted at ADA height















WT172M, and push plate YT920#WH

SP WALL-HUNG TOILET

CWT449249CMFG#WH

Includes seat SS249, in-wall tank

Can be mounted at ADA height



## AP WALL-HUNG TOILET

CWT426CMFG#WH Includes in-wall tank WT172M, and push plate YT930#WH Can be mounted at ADA height







## **EP WALL-HUNG TOILET**

## CWT428CMFG#WH

Includes in-wall tank WT172M, and push plate YT930#WH Can be mounted at ADA height







WALL ROUND PUSH PLATE -





WALL SQUARE PUSH PLATE - DUAL BUTTON YT980#SS Brushed Stainless Steel



#### **BASIC ROUND PUSH PLATE -DUAL BUTTON** YT930#WH YT930#MS

White Matte Matte Silver





**DUAL BUTTON** 

Brushed Stainless Steel

YT970#SS

#### **BASIC SQUARE PUSH PLATE -DUAL BUTTON** YT920#WH YT920#MS White Matte Matte Silver



## **DUOFIT® IN-WALL TANK SYSTEM - 1.28 / 0.9 GPF** WT172M (Exposed Water Outlet) WT173M(A) (Hidden Water Outlet)

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately











# **VESSEL** LAVATORIES



NEOREST® KIWAMI SEMI-RECESSED

LT994G (Shown)

W 23-7/16" x D 15-5/8" Basin W 22-1/2" x D 15"

LT995G

**(3)** (3)

W 29-3/8" x D 17-5/8" Basin W 28-7/16" x D 16-15/16"

## LUMINIST® RECTANGLE

W 19-11/16" x D 12-5/8" x H 3-9/16" Basin W 17-7/8" x D 10-13/16"







## KIWAMI RENESSE I

**LUMINIST ROUND** 

ø15-3/4" Dia. H 3-9/16" Basin ø14-7/8" Dia.

LLT150

\*\*LT172G

W 18-1/8" x D 18-1/8" x H 2-1/8" Basin W 16-1/8" x D 12-1/2"

ARVINA SQUARE

LT574





W 23-5/8" x D 15" x H 2-13/16" Basin W 23-5/16" x D 14-11/16" x H 3-9/16"

LT475(G)(MT)



**MARIS®** 

& &

LT480G

KIWAMI®



CLEAN MATTE (MT) available



LT426G (Shown)

W 23-5/8" x D 13-13/16" x H 2-13/16" Basin W 23" x D 14-5/16" x H 4-3/4"

LT425G

W 19-11/16" x D 13-13/16" x H 2-13/16" Basin W 19-1/16 x D 14-5/16" x H 4-3/4"







## **8** 6

\*\*LT171G

KIWAMI RENESSE® II

W 23-5/8" x D 17-3/4" x H 2-3/4" Basin W 21-5/8" x D 12-3/4"



DESIGN AWARD 2018

**ARVINA** RECTANGLE

\*\*LT416G (Shown)

23-5/8" x D 17-3/4" x H 2-13/16" Basin W 22-7/8" x D 13-1/8" x H 4-3/4"

\*LT415G

W 19-11/16" x D 17-3/4" x H 2-13/16" Basin W 19-1/16" x D 13-1/8" x H 4-3/4"





W 16-9/16" x D 16-9/16" x H 4-15/16 Basin W 16-1/16" x D 16-1/16"







ARVINA ROUND

ø16-9/16" Dia. H 4-15/16" Basin ø16-1/8" Dia.

LT573

#### KIWAMI ASYMMETRICAL LT477(G)(MT)

Basin W 20" x H 18"





reddot award 2020



CLEAN MATTE (MT) available

## KIWAMI® OVAL

LT473(G)(MT)

W 15-3/4" x D 10-1/4" x H 3-1/8" Basin: W 15-7/16" x D 9-15/16"

LT474(G)(MT) (Shown)

W 23-5/8" x D 16-9/16" x H 3-9/16 Basin W 23-5/16 x D 16-1/4"





CLEAN MATTE (MT) available



WASHLET

### **CLAYTON®** \*LPT780 W 27" x D 19-5/8" x H 34



**DARTMOUTH®** \*LPT642

# W 24-1/4" x D 18-1/4" x H 34"



**GUINEVERE®** \*\*LPT970/LPT972 W 27-1/8"  $\times$  D 19-7/8"  $\times$  H 34" (LPT970) W 24-3/8" x D 19-7/8" x H 34"





PROMENADE® \*LPT530N/LPT532N W 27-1/2" x D 22-1/4" x H 34-3/8" W 24" × D 19-1/4" × H 34-3/8"





**PROMINENCE®** \*LPT242(G) W 26" x D 21-1/2" x H 34-1/2"



#01 only



**SUPREME®** \*LPT241(G) W 22-7/8" x D 19-5/8" x H 34-1/2"





WHITNEY\* \*LPT754 W 25" x D 19" x H 34"



















# WALL-MOUNT LAVATORIES



SUPREME® WALL-MOUNT LAVATORY; LHT241 SILAS® WIDESPREAD FAUCET; TL210DD

TOILETS

## PROMINENCE® \*LHT242(G) W 26" x D 21-1/2"





## **SUPREME®** \*LHT241(G) W 22-7/8" x D 19-5/8"





LT650G W 29-1/2" × D 11-13/16"











ATHERTON® LT221 W 17" x D 13"



**CONNELLY®** LT491(G) W 14" x D 14"





**GUINEVERE®** LT973G W 18-11/16" x D 15-3/8"











**LEGATO®** LT624(G) W 17" x D 15"

















#01, #12 only

#01, #12 only

#01, #12 only





**RENDEZVOUS®** LT579(G) W 17-1/2" x D 14-1/4"



**ATHERTON** LT231 W 19" x D 15"





DANTESCA® LT597(G) W 19" x D 15"





DARTMOUTH® LT641 W 19-9/16" x D 14-3/8"







NEOREST

## **SELF-RIMMING LAVATORIES**

## PROMENADE®

\*LT531 W 22-1/2" x D 18-3/4"





## CLAYTON®

\*LT781 W 25" x D 18-1/4"





MUILS	

## TOTO NOTES

## **SCAN CODE NOW**

FOR DIGITAL TOILET & LAVATORY BROCHURE



CATALOG.TOTOUSA.COM

## **TOTO USA, INC.**

1155 SOUTHERN ROAD MORROW, GA 30260 800-350-8686

www.totousa.com www.washlet.com

#KO-0292021-TLB Printed in the U.S.A. 09/21