# NEOREST





# тото

# Life Anew

To create a culture of comfortable, healthy living.

Since our founding, we have continuously pursued innovations that offer greater wellness and comfort to daily life.

Honoring the trust that our customers and society place in us, TOTO remains dedicated to delivering products that offer inclusive functionality and respect for the environment.

We embrace these values every day to create a future that surpasses all expectations.

# NEOREST.

# CONTENTS

#### ICONS

- 4 Icon Guide
- **Comparison Chart**
- 8 **Product Dimensions**

#### **TECHNOLOGIES**

- 12 Cycle of Cleanliness and Comfort
- TOTO CLEANOVATION 14
- Clean Synergy 16
- EWATER+® 18
- **CEFIONTECT®** 22
- 24 TORNADO FLUSH® 1 Gallon Technology
- 26 **ACTILIGHT®** 28
- **Cleansing Functions** 30
- 32 Auto Flush
- **PREMIST®** 32
- 32 Deodorizer
- 33 Heated Seat
- 33 Auto Open/Close Lid
- 33 Dryer
- 34 **NEOREST®** Features

#### TOILET

#### 37 NEOREST NX2

- NEOREST NX1 37
- NEOREST AC® 39 39
- NEOREST EW

#### TOILET (CONTINUED)

- 41
- 41 NEOREST 700H
- 43 NEOREST AH
- 43 NEOREST RH
- 44 Remote Control Stand
- 46 How The Remote Control Works

#### FAUCET

49 ΖN

#### LAVATORY

- 51 Kiwami<sup>®</sup> Asymmetrical
- 51 Kiwami® Oval
- 53 NEOREST Kiwami Semi-Recessed

#### ACCESSORY

- 53 **NEOREST Bath Towel Holder**
- 53 **NEOREST Hand Towel Holder**
- NEOREST Paper Holder 53
- 53 **NEOREST Robe Hook**

#### BATHTUB

- 56 Zero Dimension®
- Flotation Tub with Zero Dimension 59
- 61 **NEOREST Freestanding Tub**

#### **TUB FILLER**

61 ZN Freestanding Tub Filler



# ICON GUIDE

#### **TOILET & LAVATORY**

1G	1.0 GPF	Using only 1 gallon per flush, 1G toilets provide the most efficient flush in the industry.
0000	TORNADO FLUSH®	A state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.
0000	3D TORNADO FLUSH®	Three powerful nozzles create a powerful centrifugal rinsing action and combines it with the conservation of 0.9 or 1.28 GPF.
D+	DUAL-MAX®	A dual flushing system that optimizes conservation by selecting the preferred flush volume.
<b>N</b>	CEFIONTECT®	Ultra-smooth ceramic glaze leaves nowhere for waste to cling.
U	UNIVERSAL HEIGHT	Toilet height that allows for a more comfortable height position across a wide range of users.
SD	SKIRTED DESIGN	The trapway is concealed by smooth porcelain, making the toilet easier to clean.
	LINEARCERAM®	Material used for lavatories that achieves an extremely thin design yet two times as strong as standard fireclay.
	LUMINIST®	An epoxy resin material that combines the translucence of glass with exceptional impact and heat resistance.
WASHL	_ET®	
	тото. Washlet	An electronic bidet seat featuring adjustable warm water cleansing, heated seat, dryer, deodorizer and much more.
wası	ııė́⊤₀+	WASHLET and toilet set with a concealed connection that is specially designed for a seamless installation.
	ACTILIGHT®	Special glaze combined with ultraviolet light work together to break down waste in the toilet bowl.
	EWATER+®	Mists the bowl with electrolyzed water, keeping the wand and toilet bowl clean to reduce the need for harsh chemicals.
	PREMIST®	Using the incoming water supply, PREMIST sprays the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

#### FAUCET

FAUCE		
	COMFORT WAVE®	A mix of large droplets and standard spray creates a shower with moderate intensity and just the right amount of stimulation.
	COMFORT GLIDE®	Precise and easy flow control of water based on user's touch.
	SOFT FLOW	Keeps splashing to a minimum for comfortable use and soft to the touch water.
	SAFETY THERMO®	Shape Memory Alloy (SMA) thermostatic valve that prevents a sudden, unwanted increase in water temperature.
TUB		
<b>\$</b>		A zero-gravity bathing experience, letting the body float in a completely tension-free state, creating absolute relaxation for the body and mind.
	HYDROHANDS	Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.
GENE	RAL FEATURES	
$\bigcirc$	AUTO FUNCTIONS	Product featuring an integrated, automatic, sensor activated function.
Ġ.	ADA	Product complies with Americans with Disabilities Act guidelines.
EGO CI	WATERSENSE®	Product that meets EPA standards for water efficiency and performance criteria.
	CEC	Product meets California Energy Commission requirements.
CAL	ireen	Product meets CalGreen Water Regulations for new construction and permitted remodel.
DESIG	N AWARDS	
Contemporation for the second	award	The Red Dot is the award for high design quality. The international jury only awards this sought-after seal of quality to products that feature an outstanding design.
DESIGN AWARD 2019 DESIGN 2019 DESIGN AWARD 2018	IF AWARD	The iF DESIGN AWARD has long become a symbol for excellent form, for aesthetic quality, and for user-focused, ergonomic and efficient design in all disciplines, by companies around the world.
AWARD 2017		The Good Design Award is the world's oldest and most important industrial



GOOD DESIGN

design program organized annually by the Chicago Athenaeum Museum. Awarded to our EWATER+ products.

		NX2	NX1	AC®	EW®	
COMPARISON		MS901CUMFX	MS900CUMFG	CWT996CEMFX	CWT994CEMFG	
CHART		110001001117				
		SEE PAGE 37	SEE PAGE 37	SEE PAGE 39	SEE PAGE 39	
	COLOR:			:01	SEE TROE 00	
	REAR CLEANSE	-				
	SOFT REAR CLEANSE					
	FRONT CLEANSE	•				
	WIDE FRONT CLEANSE					
NSE	OSCILLATING CLEANSE					
CLEANSE	PULSATING CLEANSE					
Ũ	INSTANTANEOUS WATER HEATING					
	WATER PRESSURE CONTROL					
	WATER TEMPERATURE CONTROL	5 SETTINGS				
	WAND POSITION ADJUSTMENT					
	AIR PURIFIER (DEODORIZER)			•		
AIR	AIR DRYER					
	AIR TEMPERATURE CONTROL	5 SETTINGS				
	HEATED SEAT	•				
SEAT	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS				
	SoftClose® SEAT AND LID					
SENSOR	AUTOMATIC OPEN AND CLOSE LID	•				
S						
	NIGHT LIGHT					
10TE ITROL						
REMC	REMOTE CONTROLLED SEAT	•				
щõ	REMOTE CONTROLLED FLUSH					
	▲ ACTILIGHT <sup>®</sup>	•	-	•	-	
E N	WATER+®					
HYGIENE	BOWL CLEANING MODE			•		
-	WAND CLEANING MODE					
	SELF-CLEANING WAND					
FLUSH SYSTEM	FLUSHING TYPE	TORNADO 3D TORNADO			RNADO	
SYS	GALLONS PER FLUSH	1.0 & 0.8 GPF 1.28 & 0.9 GPF		0.9 GPF		
7G G≺	ENERGY-SAVE TIMER		3, 6, 9	HOURS		
ENERGY SAVING	AUTO ENERGY SAVER			•		
	ON / OFF BUTTON			1		
Ę.	INSTALLATION	FLOOR	MOUNT	WALL	-HUNG	
USABILITY	& ADA			•		
n	UNIVERSAL HEIGHT					


750H	700Н	АН	RH
MS993CUMFX	MS992CUMFG	MS989CUMFG	MS988CUMFG
SEE PAGE 41	SEE PAGE 41	SEE PAGE 43	SEE PAGE 43
	01		
			,#12 CHARTS
			TECHNOLOGIES
	5 SET	TINGS	
		,	TOILET
	5 SET		
	5 SET		FAUCET
		•	LAVATORY
		•	ACCE
•		-	ACCESSORY
		•	BATHTUB
	TORM	IADO	
	1.0 & 0	.8 GPF	
	3, 6, 9 H	HOURS	
	•	•	
	FLOOR	MOUNT	
	•	•	
L			


NEOREST® NX2 NEOREST NX1




**L x W x H (in)** 31-1/2″L x 18-7/16″W x 23-5/8″H

**Material** Bowl: Vitreous china Seat and cover: Plastic









NEOREST AC® NEOREST EW®




**L x W x H (in)** 26-9/16″L × 16-5/8″W × 16-1/16″H

> Material Bowl: Vitreous china Seat: Plastic Cover: Urea-Resin









NEOREST 750H NEOREST 700H




**L x W x H (in)** 32-5/16″L x 17-5/8″W x 20-3/4″H

Material Bowl: Vitreous china Seat and cover: Plastic







#### NEOREST AH



**L x W x H (in)** 27-1/8″L x 15-3/16″W x 21-1/16″H


> **Material** Bowl: Vitreous china Seat and cover: Plastic


NEOREST RH




**L x W x H (in)** 27-3/16″L x 15-3/16″W x 21-5/8″H


> Material Bowl: Vitreous china Seat and cover: Plastic



















# NEOREST

NEOREST 750H NEOREST 700H

NEOREST® NX2 NEOREST NX1

AC<sup>®</sup> NEOREST AH NEOREST RH

14

-

NEOREST AC<sup>®</sup> NEOREST EW<sup>®</sup>

# NEOREST

# Every moment of every day, the experience of life arising clean, comfortable and always inviting.

Constantly at work, automated technologies maintain hygienic conditions keeping surfaces clean and providing a place that is inviting and comfortable.

#### Cycle of Cleanliness and Comfort





HEATED SEAT "ON"





DEODORIZER



EWATER+ BOWL & WAND)

> SOFT LIGHT "OFF"



AUTO CLOSE LID





V

AUTO FLUSH

G

EWATER+ (BOWL & WAND) CHARTS

TOILET

# TOTO CLEA Enriching lives with inno

# NOVATION vative clean technology

# CLEAN SYNERGY Technology & Design







Prevents the accumulation of waste on bowl.

EWATER+ reduces waste and dirt you can't see.

#### **EWATER+**®

WASHES THE WAND AND TOILET BOWL WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMENANT.

Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic waste has no place to hide.





#### How EWATER+ Cleans



easily washed away

## CLEAN SYNERGY




Prevents the accumulation of waste on wand.

The wand washes itself inside and out with EWATER+ to maintain clean conditions.

#### **EWATER+**<sup>®</sup> BEFORE AND AFTER EACH USE, THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically washes itself to ensure constant clean conditions.




#### Self-Cleaning Inside the Mechanism



#### **Always Keeping Conditions Clean**

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.



### **CLEAN SYNERGY**



Forces waste to slide down.

Ultra-smooth ceramic leaves nowhere for waste to cling.





Prevents waste from clinging.

A film of water keeps waste from clinging.

#### **CEFIONTECT**<sup>®</sup> IS AN ULTRA-SMOOTH CERAMIC GLAZE THAT COATS THE TOILET BOWL.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.



# What makes CEFIONTECT so durable?


Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material.



Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste particles hide. At just one millionth of a millimeter, CEFIONTECT's surface ridges are much tinier than waste particles.

#### Water has a strong affinity to CEFIONTECT

The term hydrophilic describes matter that is attracted to water. Due to the hydrophilic nature of CEFIONTECT, water spreads easily over the toilet bowl, effortlessly washing waste particles away.



CEFIONTECT toilet micrograph \*1Qm=0.001mm







Water hydrophobic

Water hydrophillic



#### To ensure waste washes away easily, a film of water keeps waste from clinging to the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.



## **CLEAN SYNERGY**





Swirls and eliminates waste entirely. 360° cleaning power reaches every spot using less water.

#### **DYNAMAX TORNADO FLUSH**<sup>®</sup> USES 100% OF WATER TO CLEAN AND RINSE BOWL.



DYNAMAX combines powerful bowl cleaning and waste evacuation using water that is 100% projected from the rim creating 360° cleaning power. Using only 1.0/0.8 or 1.28/0.8 gallons per flush, coupled with a 25% larger trapway diameter, this high-efficiency system uses 20% less water with improved performance while also creating a quieter flush. With a modern rimless design, it performs more consistently and is easy to clean.

#### **TORNADO FLUSH®** NOT ONLY CLEANS MORE EFFECTIVELY, IT DOES SO QUIETLY USING LESS WATER.

Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.



## Powerful washing where waste accumulates most easily

TORNADO FLUSH's dynamic waterjet discharges from near the front of the toilet bowl, travels in a narrow channel along a hairpin curve, and with sustained water pressure thoroughly cleanses the areas where waste accumulates most easily - and then washes the entire bowl clean. Exquisitely high-quality ceramic makes this innovative design possible.



The RIMLESS design not only leaves no place for waste and germs to hide, it also makes for a much easier to clean toilet.





Reduces water use by 35% or more on average over a standard 1.6 gpf toilet.





TOILETS





## STANDARD 1.6 GPF TOILETS

9,344 GALLONS Used in Flushing \$280 <sup>Operation</sup> Cost PER YEAR

\*The average American flushes five times a day at home. Assuming an average household of 3.2 people over 365 days @ 3¢ per gallon.



## **ACTILIGHT**<sup>®</sup>

Innovative glaze

Innovative glaze, the ultimate cleaning technology, has extreme hydrophilic power to easily wash waste away.

CLEAN Light

U 1

Г

ICONS

CHARTS

TECHNOLOGIES


TOILET


BATHTUB

CLEAN Light and the extraordinary surfae treatment enable easy removal of even microscopic debris and particles.


#### State-of-the-art materials

CLEAN Light and the extreme hydrophilic surface of the toilet bowl combine to attract water to the surface and keep the surface clean after use.










#### Operates 24 hours a day to maintain clean conditions

CLEAN Light and the extreme hydrophilic surface of the toilet bowl combine to make it easy to wash waste away and keep the toilet bowl surface clean.



# NEOREST.

ę.

6


CLEANSING FUNCTIONS



## CLEANSING FUNCTIONS WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

#### How WASHLET<sup>®</sup> works

AIR-IN WONDER-WAVE® technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets around 30%.



#### Select the type of cleansing you desire each time.







#### REAR SPRAY

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.

#### REAR SOFT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



#### FRONT SPRAY

The front wash consists of large, soft drops for comfortable intimate cleansing – for a clean, fresh feeling.




#### WIDE FRONT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.

## **NEOREST<sup>®</sup> TECHNOLOGIES**


## For greater performance and hygiene in the bathroom.



No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use \*Auto Flush models only Using the incoming water supply, PREMIST wets the toilet bowl surface aiding in the elimination of waste approximately 80% better than a dry bowl. Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

BATHTUB

TUB FILLER



The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature. Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed. Enjoy the ease and comfort of drying with the temperatureadjustable warm-air dryer.

## NEOREST. FEATURES

0.

#### **SoftClose**<sup>®</sup> LID

The SoftClose lid automatically closes gently to eliminate seat slamming.

### **HEATED SEAT**

The contoured seat has five temperature settings for maximum comfort.

### SELF-CLEANING WAND

The self-cleaning function cleans the entire wand with EWATER+ before and after each use.

### **ACTILIGHT®**

Uses a special light-reactive glaze and CLEAN Light technology inside the lid to get rid of both visible and invisible waste. Available on NEOREST models NX2, AC, and 750H.

PREMIST wets the surface of the toilet bowl, aiding in the removal of waste and resulting in a better clean.

### **EWATER+**®

.....

After each flush, EWATER+® mists on the wand and toilet bowl, reducing the need for harsh cleaning chemicals.

LAVATORY

ACCESSORY

Enjoy the ease and comfort of drying with the temperatureadjustable warm-air dryer.

AUTOMATIC DEODORIZER

The deodorizer cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to reduce unpleasant odors.

NEOREST® NX1; MS900CUMFG

## **NEOREST** NX2 MS901CUMFX (With ACTILIGHT)





## **NEOREST** NX1 MS900CUMFG








 11	1.1.1	1	In the I	in the state	-	101
	Rem	ote	(Fro	nt V	iew)	

Remote (Top View)





- TORNADO FLUSH<sup>®</sup> system, ultra-high efficiency .
- Dual flush function
- (1.0 GPF/3.8 LPF and 0.8 GPF/3.0 LPF)
- CEFIONTECT<sup>®</sup> ceramic glaze minimizes waste from sticking to porous, ceramic surfaces
- WASHLET<sup>®</sup> with three wash modes (front, rear, soft)
- . Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush .
- EWATER+® keeps the wand and toilet bowl clean .
- PREMIST<sup>®</sup> of bowl before each use .
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards



CC

NEOREST® AC; CWT996CEMFX

### NEOREST.

## AC/EW CWT996CEMFX/CWT994CEMFG © © © © © © © © © © Calgreen



Remote (Front View)

Remote (Top View)

- \*ACTILIGHT® Clean light technology built into lid
- 3D TORNADO FLUSH<sup>®</sup> system, ultra-high efficiency (1.28 GPF/4.8 LPF and 0.9 GPF/3.4 LPF)
- CEFIONTECT<sup>®</sup> ceramic glaze minimizes waste from sticking to porous, ceramic surfaces
- WASHLET<sup>®</sup> with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+<sup>®</sup> keeps the wand and toilet bowl clean
- PREMIST<sup>®</sup> of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

\*ACTILIGHT only available on NEOREST AC



### NEOREST IN-WALL TANK UNIT - 1.28/0.9 GPF

WT174M (Copper supply line) 2" × 6" installation 2" × 4" outlet kit available Push plates sold separately





PUSH PLATE YT994#WH Glass/White plastic



177000

NEOREST® 750H; MS993CUMFX 

### NEOREST. 750H MS993CUMFX (With ACTILIGHT)

**NEOREST** 700H MS992CUMFG




Remote (Front View) II nor I mour man II Remote (Top View)



. . . . . . Remote (Front View) II ware II and are made and II

Remote (Top View)

- ACTILIGHT® Clean light technology built in lid (NEOREST 750H only)
- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT<sup>®</sup> ceramic glaze minimizes waste from sticking to porous, ceramic surfaces
- WASHLET<sup>®</sup> with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® keeps the wand and toilet bowl clean
- PREMIST<sup>®</sup> of bowl before each use
- Universal Height . ADA compliant
- Meets WaterSense efficiency and performance standards





b

NEOREST<sup>®</sup> AH; MS989CUMFG 1

### NEOREST. AH MS989CUMFG





•	₩ + A • • & &	TUTU
	Remote (Front View)	
6	9 VIV E & 8	
	Remote (Top View)	

SD

(CA

**CAL**Green







•	Ψ.,	4 -	- •	• •	6 8	-	TUT
1	1		1.11	100			-
		Rem	note	(Er	ont \	/iew)	
		1.011	IOLC	. (1.1.)		1000	
		T C I I	iore	(IT	Unit V	(10.00)	
6	9	WIF	=	¢	e e	(ICW)	**



- CEFIONTECT<sup>®</sup> ceramic glaze minimizes waste from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® keeps the wand and toilet bowl clean
- PREMIST® of bowl before each use
- Meets WaterSense efficiency and performance standards
- Universal Height
- ADA compliant

ICONS

CHARTS

TECHNOLOGIES

TOILET

FAUCET



#12 Sedona Beige

# NEOREST. REMOTE CONTROL STAND

6 6

TOTO



NEOREST REMOTE CONTROL STAND YS990

# MEOREST. YS990

- Versatile design with removable remote control plate for a stand alone toilet paper holder
- · Solid brass construction weighing 22 lbs.
- Designed to hold two rolls of toilet paper and one remote control
- · Remote control not included









## NEOREST.

### NX2, NX1, AH, and RH models

#### OSCILLATE


The wand moves back and forth






# NEOREST

## AC, EW, 750H, and 700H models





CHARTS

ZN LAVATORY FAUCET; TLP01701U

# **ZN FAUCET**

The ZN Faucet features a beautiful design inspired by graceful flowing water. The precisely balanced streams of water from SOFT FLOW touches the skin gently, causing almost no splatter as you wash your hands. The feeling is soft, yet strong and enriching. Sensor-operation eliminates the need for levers or buttons to touch.

### ZN LAVATORY FAUCET

TLP01701U Requires TLP01702U Controller sold separately



Polished Chrome





**Brushed Nickel** 



## SPLASH-FREE HANDWASHING

SOFT FLOW technology creates little to no splashing, enveloping your hands in warmth and comfort.



## HANDS-FREE OPERATION

The ZN Faucet has sensors both for opening and closing the spout and for switching between hot and cold water. Simply waving the hand over each sensor operates it.

# **CLEAN MATTE**

# An elegant texture you'll want to touch.

With CLEAN MATTE, we achieved a smooth texture that had been impossible with ordinary ceramics, while at the same time, enhancing the design to give off a gentle, silky light unlike ordinary gloss ceramics.

TOTO

KIWAMI ASYMMETRICAL VESSEL LAVATORY; LT477MT

# **KIWAMI® VESSEL LAVATORIES**

### NEW





### NEW

**KIWAMI OVAL VESSEL LAVATORY** \*\*LT473(G)(MT) W 15-3/4" x D 10-1/4" x H 3-1/8" Basin W 15-7/16" x D 9-15/16"



### NEW

**KIWAMI OVAL VESSEL LAVATORY** \*\*LT474(G)(MT) W 23-5/8" x D 16-9/16" x H 3-9/16" Basin W 23-5/16" x D 16-1/4"








## A Matte Finish with Outstanding Cleanability

Ordinary matte ceramics have a reputation for hanging on to dirt, but the unique way CLEAN MATTE ceramics from TOTO are processed means that any clinging dirt can be easily washed away.




## About CLEAN MATTE Technology

Compressed air is used to blast the glaze-covered surface of the ceramic with a slurry of water and abrasive material – an advanced technology that enables microscale processing.



Ordinary matte ceramics have a jagged surface that tends to retain dirt. CLEAN MATTE achieves uniform, micro-level undulations for a smoother surface that makes dirt removal easier while also improving design.



CLEAN MATTE

\*Tests were conducted using a water-dampened sponge to wipe away oily grime applied to the ceramic surface.

CCESS ORY

NEOREST® KIWAMI® SEMI-RECESSED LAVATORY; LT994G

# LAVATORY

NEOREST<sup>®</sup> KIWAMI<sup>®</sup> SEMI-RECESSED

LT994G (Shown) W 29-3/8" x D 17-5/8" Basin W 28-7/16" x D 16-15/16"

LT995G W 23-7/16" x D 15-5/8" Basin W 22-1/2" x D 15"





AVAILABLE COLOR



# ACCESSORIES

**BATH TOWEL HOLDER, 26"** YB990 #CP only



PAPER HOLDER YP990 #CP only





HAND TOWEL HOLDER, 14" YC990 #CP only



ROBE HOOK YH990 #CP only



# FLOTATION TUB





TUB FILLER



# ZERO DIMENSION®

Immersed in the meditative moment of relaxation.



## THE POSTURE OF AN ASTRONAUT RESTING IN SPACE

ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

After more than a decade of research on body positioning, bathing and neurological relaxation, TOTO developed the Flotation Tub. Its design simulates zero gravity by offering bathers the experience of total weightlessness. By releasing the bather from the bonds of gravity to float in a tension-free state, deep muscle relaxation occurs that calms the body, mind and spirit creating a sanctuary from the physical and mental fatigue today's world brings. Hip joint angle  $133(\pm 9)$ deg



# THE BRAIN IN A STATE OF TRANQUILITY

Research has shown that the ZERO DIMENSION bathing posture reduces activity in the part of the brain that houses the language function. This is the reason ZERO DIMENSION bathing feels calming and relaxing.

# ADVANCED TECHNOLOGY ENCOURAGES RELAXATION


Exclusive features that make every bath a luxurious occasion.




NECK BATH With variable pillow positions ensuring stability, people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.



**CONTROLLER** The electrostatic controller is operated by the slightest touch.



LED LIGHTING In the outer perimeter of the tub's base, LED lighting supplies a dream-like ambience.



### GALALATO® MATERIAL

Offering outstanding durability, the tub is made of Galalato artificial marble and constructed using TOTO's innovative sandwich configuration.



Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.





**AIR-JET** Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.



......

NEOREST® FREESTANDING TUB; ABF992X, ZN FREESTANDING TUB FILLER; TBP01301U

ALL TA HILL

# **FREESTANDING BATHTUB**

**NEOREST® FREESTANDING TUB** ABF992X (70-7/8" x 37-3/8" x 23-5/8")





# **TUB FILLER**

### ZN FREESTANDING

TUB FILLER TBP01301U Requires TBN01105U Tub Filler Base sold separately #CP and #BN only









### SCAN CODE NOW FOR DIGITAL NEOREST BROCHURE



### TOTO USA, INC. 1155 SOUTHERN ROAD

1155 SOUTHERN ROAD MORROW, GA 30260 800-350-8686

### www.totousa.com

#KO-102019-NB Printed in the U.S.A. 10/19