LAPEYRE < STAIR

Rooftop Access and Applications

Custom commercial access solutions from the ground up

Custom Rooftop Access and Application Systems

Benefits and Options

Lapeyre Stair works with commercial architects and contractors to design and fabricate heavy duty IBC-compliant roof access, rooftop maintenance platforms and crossovers, and egress solutions utilizing either space saving alternating tread or conventional metal stairs.

- Roof access stairs provide safe, secure access and egress to/from unoccupied roofs. (Handrail extension available to ease entry and exit.)
- Crossover stair and platform configurations available for parapet and piping crossovers, and equipment maintenance
- OSHA, IBC-Industrial and IBC-Commercial Compliant
- Arrives assembled, ready to install
- Heavy Gauge Carbon Steel, Stainless, and lightweight aluminum options
- Choice of powder coated or galvanized finish
- Choice of heights, treads, and tread widths to meet your needs

01 50% Space Saving

When used for rooftop hatch access, the alternating tread stair's reduced footprint can eliminate the need for additional structures.

02 Precision Built

Our stairs are custom built to exact specifications with increments every 1/8th of an inch.

03 Flexible Components

Our products incorporate interchangeable components that are pre-engineered to comply with applicable OSHA and IBC standards.

04 Compliance Experts

Our team of experts builds to your state's IBC standards.

05 Architect Support


Our designers, engineers, and customer service experts work hand in hand with you to produce and deliver drawings within 24 hours.

06 On-site Assembly

Our knock-down design ships flat, arrives ready to assemble, and requires no welding or expensive equipment for installation.

| ITEM | | SPECIFICATIONS | |
|-------------------------------------|---|----------------|-----------|
| | | HEIGHTS | WIDTHS |
| Alternating Tread Stairs Dimensions | | 24" - 240" | 23.5″ |
| Industrial Stair Dimensions | | 24" - 240" | 24" - 48" |
| Commercial Stairs Dimensions | | 24" - 144" | 36" - 60" |
| Applications | Floor, Vault, Pits, Roof, Parapet Crossovers, Roof Hatch, Equipment Access, Roof-to-roof access , Pipe Crossovers, Stair Towers, HVAC Platforms, Generator Platforms, Cooling Tower Access | | |
| Finishes | Powder Coated Safety Yellow Powder Coated Iron Gray Choice of Color, Powder Coat (RAL) Gray Primer Galvanized, recommended for all outdoor applications | | |
| Recommended Finishes | For carbon steel, we recommend a galvanized finish for outdoor applications. | | |
| Handrails | OSHA IBC Industrial IBC Commercial International Mechanical Code | | |
| Treads | Diamond Plate Grip Tread Bar Grating Concrete Pan | | |
| Popular Configurations | Roof Hatch Access Stairs Parapet Crossover Stairs Space Saving and Standard, "U", "L", and "Z" Shaped Crossover Bridges Straight and Intermediate Landing Egress | | |
| Capacity | 1,000 lbs | | |
| Risers | Open or Closed | | |

LAPEYRE < STAIR



Example Systems & Configurations

Applications



Tested and Proven Solutions by Lapeyre Stair







INFO ON

CROSSOVERS



REQUES A QUOTI