



ARRIVAL

**matter**



## Contents

5	Making a First Impression with the Arrival Collection
7	The CleanZone™ Entrance Strategy
9	The Arrival Collection Product Breakdown
<b>12</b>	<b>Architectural Grilles</b>
14	Design Track
15	Mighty Track
16	Safe Track
17	Array Track
18	Ultra Track
19	MetroSteel™ Grate
20	Advanced Track
21	Dual Track
22	Dri Track
<b>26</b>	<b>Foot Grilles</b>
28	Soft Grid™
29	Ultra Entry™
30	Grate Mat
31	Grate Mat XT
32	Grate Grid
33	Legacy Plank
34	Nuway®
35	Nuway® HD
<b>38</b>	<b>Entrance Matting</b>
41	Berber
42	New York Collection
43	Super Nop® 52
44	Graffiti
45	Precision Inlay™ with Super Nop® 52
46	Super Nop® 52 Tile
47	Trilogy Tile
48	Specifications



# Making a First Impression with the Arrival Collection

An entryway is the first stop for all visitors and occupants entering a building, and first impressions matter. The Arrival Collection from Matter Surfaces offers a variety of high-performance entrance and matting solutions that do not sacrifice aesthetics.

Every building has an entrance- let your guests know they've arrived.



## Wellness

An effective entrance and matting system helps to improve indoor air quality and can help contribute to health and wellness goals like LEED and WELL.

### Green Certifications:

- Green Label Plus
- Environmental Product Declarations (EPDs)



## Simple Maintenance

A proper entrance system traps dirt and moisture to prevent damage to interior flooring surfaces and lowers maintenance requirements, saving time and money.

Many Arrival products only require vacuuming to maintain their beauty and effectiveness.



## Safety

Floors are the leading cause of injury according to the National Safety Council (NSC). From lawsuits to missed work days, slips, trips and falls can be costly to organizations.

The Arrival Collection includes foot grilles and matting products that scrape and trap dirt, debris and moisture to help prevent liabilities.




## Durability

All Arrival Collection entrance and matting products are commercially rated.

### Rated for:

- Extreme traffic (1M+ guests per year)
- Heavy rolling loads
- Indoor and outdoor applications



## Design, Templating, and Installation

Custom installs, shapes and logo matting are our specialty.



# The CleanZone™ Entrance Strategy


The CleanZone™ Entrance Strategy from Matter Surfaces is our patented entrance design and planning method- helping to protect against liability, to reduce maintenance costs, and to facilitate healthy indoor air quality.

## The Science behind the Strategy

A 30-foot entry system of both scraping and drying products is recommended to remove 100% of moisture and debris from footwear, and many current building codes require that a minimum 10-foot entrance solution be incorporated in the design.

## A 3-Zone Strategy

We divide a building into three zones from the exterior to the interior. We break the zones down and make it easy to find the right product for any application.





Advanced Track

# The Arrival Collection Product Breakdown

The Arrival Collection is based on decades of experience allowing us to curate some of the most effective, design-friendly entry solutions.

## Architectural Grilles

**Heavy-gauge aluminum grilles offered in solid aluminum or with matting inserts**

Architectural grilles enhance a property's aesthetics while providing performance characteristics- including promoting positive indoor air quality, removing moisture and debris, and withstanding high foot traffic and heavy rolling loads.

**Rating:** Best  
**CleanZone™ Coverage:** Zone 1, Zone 2  
**Installation Method:** Deep recessed

## Foot Grilles

**Aluminum, rubber or vinyl foot grilles with or without matting inserts**

Foot grilles offer many of the benefits of architectural grilles- including promoting positive indoor air quality, removing moisture and debris, and withstanding high foot traffic- without the need for a deep recess.

**Rating:** Better  
**CleanZone™ Coverage:** Zone 1, Zone 2  
**Installation Method:** Shallow recessed, Surface mounted

## Entrance Matting

**Roll good, walk-off and logo matting available in range of patterns, thicknesses, fiber construction, backing and colorways**

Entrance matting is essential in wintery or wet conditions to ensure the safety of a property's guests. Matting is the perfect complement to architectural or foot grilles, and many of our entrance matting options can be used as inserts in our grilles.

**Rating:** Good  
**CleanZone™ Coverage:** Zone 2, Zone 3  
**Installation Method:** Surface mounted



Nuway®



Super Nop® 52



# Architectural Grilles

# Architectural Grilles



Architectural grilles enhance a property's aesthetics while providing performance characteristics- including promoting positive indoor air quality, removing moisture and debris and withstanding high foot traffic and heavy rolling loads.

## Product Highlights:


- Heavy-gauge aluminum
- Matting inserts available for additional scraping and moisture collection
- Drop-through construction

## Architectural Grille Offering:

- Design Track
- Mighty Track
- Safe Track
- Array Track
- Ultra Track
- MetroSteel™ Grate
- Advanced Track
- Dual Track
- Dri Track




Access Revit Files



Deep recessed solid aluminum grille




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Deep recessed solid aluminum grille



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



# Safe Track


Zones 1 + 2



Deep recessed solid aluminum grille



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



# Array Track

Zone 2



Deep recessed solid aluminum grille



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)






Deep recessed solid aluminum grille




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Contemporary linear design  
Weather resistant stainless steel



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)






Deep recessed system with aluminum scraper bars and matting inserts




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Deep recessed system with matting inserts



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)







Deep recessed system with matting inserts




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Array Track



MetroSteel™ Grate



Design Track



# Foot Grilles

# Foot Grilles



Foot grilles offer many of the benefits of architectural grilles- including promoting positive indoor air quality, removing moisture and debris, and withstanding high foot traffic- without the need for a deep recess.

## Product Highlights:


- Available in aluminum or vinyl base with matting insert options for debris removal and moisture absorption
- Solid fibered plank foot grille solutions for easy installation
- Ideal for retrofits

## Foot Grilles Offering:

Soft Grid™  
Ultra Entry™  
Grate Mat  
Grate Mat XT  
Grate Grid  
Legacy Plank  
Nuway®  
Nuway® HD




Access Revit Files



Surface-mounted or shallow-recessed vinyl foot grille




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Surface-mounted or shallow-recessed vinyl foot grille with matting inserts



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)





Mat with aluminum and carpet, vinyl, or brush inserts




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)




Mat with aluminum and carpet, vinyl, or brush inserts



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Shown with carpet inserts



Deep recessed system with carpet, vinyl, or brush inserts



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Plank format fibered foot grille



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)





Shallow-recessed system with aluminum and matting scraper bars



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



Shallow-recessed system with aluminum and extended matting scraper bars



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)





# Entrance Matting

Trilogy Tile

# Entrance Matting



Super Nop® 52 Tile


Entrance matting is essential in wintery or wet conditions to ensure the safety of a property's guests. Matting is the perfect complement to architectural or foot grilles, and many of our entrance matting options can be used as inserts in our grilles.

## Product Highlights:


- Range of patterns, thicknesses, and colorways
- Rubber- and vinyl-backed solutions
- Available in wall-to-wall, walk-off mats, or logo matting options

## Entrance Matting Offering:


- Berber
- New York Collection
- Super Nop® 52
- Graffiti
- Precision Inlay™ with Super Nop® 52
- Super Nop® 52 Tile
- Trilogy Tile



Roll Goods and Walk Off Matting




Matting Tiles



Logo Matting

## Berber


Zones 2 + 3



Top-rated runner matting available with rubber or vinyl backing



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)





Aggressive matting with lavish carpet-like appearance




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



High-performance nop matting



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)






Plush logo matting with a carpet-like feel



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



High-performance matting for logos and wall-to-wall applications



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



## Super Nop® 52 Tile


Zones 2 + 3



Durable and effective nop-textured matting tile



Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



## Trilogy Tile


Zones 2 + 3



Superior matting tile with contemporary carpet design




Explore this product on [mattersurfaces.com](https://mattersurfaces.com)



# Specifications

## Design Track



[Page 14](#)

## Mighty Track



[Page 15](#)

## Safe Track




[Page 16](#)

## Array Track



[Page 17](#)

## Ultra Track



[Page 18](#)

<b>Features</b>	<ul style="list-style-type: none"> <li>-Exclusive cross-bolt technology outlasts welded key-lock construction</li> <li>-Drop-through construction provides maintenance-free surface that looks brand new for years</li> <li>-Anti-slip surface; ADA compliant</li> </ul>		<ul style="list-style-type: none"> <li>-Frames come pre-assembled</li> <li>-Custom shapes available (Ultra Track is recommended for radius cuts and revolving doors)</li> <li>-Drain Pan option available</li> </ul>		
<b>Material</b>	Heavy gauge 6061-T6 aluminum with 64% pre-consumer and 16% post-consumer recycled content and mill finish				
<b>Size</b>	Custom made to your requirements. Consult our Product Specialists for assistance. Maximum Panel Size: 48" (front to back) x 42" (left to right). Multiple panels are used to construct the foot grille system.				
<b>Maximum Rolling Load (pounds per wheel)</b>					
<b>2' Span</b>	2,796	2,040	2,032	3,312	3,828
<b>2' 8" Span</b>	1,900	1,400	1,394	2,276	2,652
<b>3' 6" Span</b>	1,372	1,024	827	1,656	1,936
<b>Warranty</b>	10 Years				
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.				

Depth	VV or AD Frame (New Construction)	TT Overlap Frame (Retrofits)
Grille Only	1"	1"
Grille & Frame (Level Base)	1-1/8"	1"
Grille & Frame (Drain Pan)	2-1/8"	2"

## MetroSteel™ Grate



[Page 19](#)

<b>Features</b>	<ul style="list-style-type: none"> <li>-Contemporary linear design.</li> <li>-Weather resistant stainless steel.</li> <li>-Maintenance-free surface.</li> <li>-Custom shapes available.</li> </ul>
<b>Material</b>	Type 304 stainless steel wire resistance welded to Type 304 stainless steel support rods, containing 80% pre-consumer recycled content
<b>Size</b>	Custom made to your requirements. Consult our Product Specialists for assistance.
<b>Thickness</b>	5/8", 1-1/8"
<b>Weight</b>	5/8": 80 oz/sq ft 1-1/8": 88 oz/sq ft
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.

## Advanced Track



[Page 20](#)

## Dual Track



[Page 21](#)

## Dri Track



[Page 22](#)

<b>Features</b>	<ul style="list-style-type: none"> <li>-Exclusive cross-bolt technology outlasts welded key-lock construction</li> <li>-Alternating rows of aluminum and fiber provide scraping and drying</li> <li>-Drop-through construction provides maintenance-free surface that looks brand new for years</li> <li>-Anti-slip surface; ADA compliant</li> </ul>		<ul style="list-style-type: none"> <li>-Frames come pre-assembled</li> <li>-Custom shapes available (Advanced Track and Dri Track can be radius cut)</li> <li>-Drain Pan option available</li> <li>-Select insert colors from the New York Collection on <a href="#">page 52</a></li> </ul>	
<b>Material</b>	Heavy gauge 6061-T6 aluminum and aluminum alloy 6063-T5 scraping rails with 58.62% pre-consumer and 15.5% post-consumer recycled content, and 100% nylon standard New York Collection inserts	Heavy gauge 6061-T6 aluminum with 43.97% pre-consumer and 14.12% post-consumer recycled content, vinyl scraping rails and 100% nylon standard New York Collection inserts	Heavy gauge 6061-T6 aluminum with 51.84% pre-consumer and 14.86% post-consumer recycled content, and 100% nylon standard New York Collection inserts	
<b>Size</b>	Custom made to your requirements. Consult our Product Specialists for assistance. Maximum Panel Size: 48" (front to back) x 42" (left to right). Multiple panels are used to construct the foot grille system.			
<b>Maximum Rolling Load (pounds per wheel)</b>	2' Span = 3,831 2' 8" Span = 2,653 3' 6" Span = 1,583		2' Span = 1,608 2' 8" Span = 1,248 3' 6" Span = 1,004	
<b>Warranty</b>	10 Years			
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.			

Depth	VV or AD Frame (New Construction)	TT Overlap Frame (Retrofits)
Grille Only	1-1/2"	1-1/2"
Grille & Frame (Level Base)	1-5/8"	1-1/2"
Grille & Frame (Drain Pan)	2-1/2"	2-1/2"

## Grate Grid



[Page 32](#)


<b>Features</b>	<ul style="list-style-type: none"> <li>-Durable "I"-beam construction secured with key-lock bars</li> <li>-Insert options include carpet, vinyl, brush, vinyl abrasive, and serrated aluminum; visit our website or consult our Product Specialists for assistance</li> <li>-Common Uses-entryways</li> </ul>
<b>Material</b>	6063-T52 aluminum with 46% pre-consumer recycled content and various insert options
<b>Size</b>	Custom made to your requirements. Consult our Product Specialists for assistance.
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.

Depth	
Grille Only	1-3/4"
Grille & Frame	2"

# Specifications

	<b>Legacy Plank</b>  <a href="#">Page 33</a>
<b>Features</b>	<ul style="list-style-type: none"> <li>-The plank-style matting system can be used to construct an entrance of any size</li> <li>-Create a uniform look with a single color or work with both colors to construct interesting patterns</li> <li>-Less waste than roll matting, depending on the size</li> </ul>
<b>Material</b>	Polypropylene base with premium polyamide nylon fibers (6.6)
<b>Size</b>	9.25" x 29.53"
<b>Weight</b>	168 oz/sq yd
<b>Thickness</b>	± 1/2"
<b>Recommended Installation</b>	Clip system with doublefaced tape, glue-down for heavy and wheeled traffic
<b>Possible LEED Credits</b>	Please see the Matter Surfaces. website for the most up-to-date LEED v4 information.

## Legacy Plank



## Clip System




	<b>Grate Mat</b>  <a href="#">Page 30</a>	<b>Grate Mat XT</b>  <a href="#">Page 31</a>
<b>Features</b>	<ul style="list-style-type: none"> <li>-Grate Mat "rolls up" for easy handling and maintenance</li> <li>-Polypropylene brush insert offers highest performance and durability</li> <li>-Insert options include carpet, vinyl, brush, vinyl abrasive, and serrated aluminum</li> <li>-Common Uses-interior entry ways</li> </ul>	<ul style="list-style-type: none"> <li>-The rugged benefits of a foot grille with the easy maintenance of a roll up mat</li> <li>-Polypropylene brush insert offers highest performance and durability</li> <li>-Thermoplastic hinge is weather-resistant and stays flexible-won't crack or break like PVC-based materials</li> <li>-Insert options include carpet, vinyl, brush, vinyl abrasive and serrated aluminum</li> <li>-Common Uses-interior entryways</li> </ul>
<b>Material</b>	6063-T52 aluminum with 49% pre-consumer recycled content and various insert options	Corrosion-resistant 6063-T52 aluminum with 38.3-45.8% pre-consumer recycled content and various insert options fusion bonded to the backing for durability
<b>Size</b>	Custom made to your requirements. Consult our Product Specialists for assistance.	
<b>Depth</b>	Grille Only: 3/8" Grille & Ramp with Frame: 3/8" Grille & Deep Frame: 7/16"	Grille Only: 11/16" Grille & Recessed Frame: 3/4"
<b>Possible LEED Credits</b>	Please see the Matter Surfaces. website for the most up-to-date LEED v4 information.	

	<b>Nuway®</b>  <a href="#">Page 34</a>	<b>Ultra Entry™</b>  <a href="#">Page 29</a>	<b>Soft Grid™</b>  <a href="#">Page 28</a>
<b>Features</b>	<ul style="list-style-type: none"> <li>-Alternating strips for scraping and drying</li> <li>-Reversible design doubles life span</li> <li>-Anti-slip surface; ADA compliant</li> <li>-Withstands heavy foot traffic and wheeled loads</li> </ul>	<ul style="list-style-type: none"> <li>-Alternating strips for scraping and drying</li> <li>-Easily cut on site to any angle, arc or shape</li> <li>-Anti-slip surface; ADA compliant</li> <li>-Withstands rolling loads to 1,200 pounds per wheel</li> </ul>	<ul style="list-style-type: none"> <li>-Easily cut on site to any angle, arc or shape</li> <li>-Conforms to uneven sub-floors</li> <li>-Anti-slip surface; ADA compliant</li> <li>-Withstands rolling loads to 1,200 pounds per wheel</li> </ul>
<b>Material</b>	Aluminum scraper bars and buffed or unbuffed rubber wiper strips with 80% pre-consumer and 20% post-consumer recycled content	100% Nylon Standard Designer inserts with vinyl base, recycled content varies by base color	Vinyl grid, recycled content varies by base color
<b>Size</b>	Custom made to your requirements. Consult our Product Specialists for assistance.	36" x 40', 48" x 40' Custom sizes available in 36" and 48" widths x lengths up to 40'	36" x 30', 48" x 30' Custom sizes available in 36" and 48" widths x lengths up to 30'
<b>Maximum Rolling Load (pounds per wheel)</b>	-----	1,200 pounds per wheel	1,200 per pounds wheel
<b>Style</b>	<b>Standard</b> - 12mm, closed construction, Charcoal wiper strips, aluminum scraper bars <b>Plainguard</b> - unbuffed rubber wiper strips with aluminum scraper bars (zones 1 and 2) <b>Design</b> - choice of colored buffed rubber wiper strips with aluminum scraper bars	Shallow recessed or surface mount system with drop-through design, choice of gray, black or brown base grid and colored nylon inserts	Shallow recessed or surface mount system with drop-through design and choice of gray or black base
<b>Warranty</b>	10 Years	4 Years pro-rated	
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.		


Depth	Ramp Frame	Shallow Recess Frame	Depth	Surface Ramp Frame	Recessed R or J Frame
Grille Only	7/16"	5/8"	Grille Only	3/8"	3/8"
Grille & Frame			Grille & Frame	3/8"	R: 7/16" J: 5/8"

Can be used with Schlüter™ frame option

## Nuway® Wiper Strips



## Soft Grid™



## Ultra Entry™ Panel Colors



-Select insert colors from the New York Collection on [page 48](#)

# Specifications

	<b>Berber VB</b> <a href="#">Page 41</a>	<b>Berber RB</b> <a href="#">Page 41</a>	<b>New York Collection</b> <a href="#">Page 42</a>
<b>Features</b>	<ul style="list-style-type: none"> <li>–Super-durable fibers provide outstanding walk-off performance</li> <li>–Hobnail design provides aggressive soil removal</li> <li>–Heavy-duty SureTac™ vinyl back won't crack and ensures flat, durable edges</li> <li>–Common Uses—loose lay in high, multi-directional traffic entrances, vestibules, lobbies, hallways, elevators</li> </ul>	<ul style="list-style-type: none"> <li>–Outstanding walk-off performance for multi-directional traffic applications</li> <li>–Easily maintained by vacuuming and periodic extraction</li> <li>–Stain resistant, color fast, and permanently anti-static</li> <li>–Green Label Plus™ Certified</li> <li>–Common Uses—entryways, vestibules</li> </ul>	<ul style="list-style-type: none"> <li>–Coarse, bristle-like fibers effectively brush shoes clean and capture dirt in the mat</li> <li>–SureTac™ vinyl backing will not crack</li> <li>–Rich, vibrant color selection</li> <li>–Can be glued down or loose laid as a mat</li> <li>–Common Uses—indoor settings, entrances, foyers, vestibules, lobbies</li> </ul>
<b>Material</b>	100% solution-dyed UV stabilized polypropylene fibers with 15% post-consumer recycled content	100% solution-dyed UV stabilized polypropylene fibers	100% premium polyamide nylon fibers (6.6) with 10% post-consumer recycled content
<b>Backing</b>	Premium SureTac™ Vinyl	Rubber backing	Premium SureTac™ Vinyl
<b>Roll Sizes</b>	3' x 60' (Charcoal) 4' x 60', 6' x 60'	6' 7" x 82' 13' 2" x 82'	6' 7" x 82'
<b>Custom Sizes</b>	3', 4' and 6' widths x lengths to 60' Roll width includes 1" vinyl edge on each roll side and includes nosing on ends	6' 7" x custom lengths up to 82' 13' 2" x custom lengths up to 82'	6' 7" width x lengths to 82' Roll width includes 1" vinyl edge on each roll side May be trimmed off for glue down applications Specify if nosing is required on ends
<b>Thickness</b>	3/8"	3/8"	3/8"
<b>Weight</b>	37 oz/sq yd	64 oz/sq yd	99 oz/sq yd
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.		

## Berber



## New York Collection



	<b>Super Nop® 52</b> <a href="#">Page 43</a>	<b>Precision Inlay™ with Super Nop® 52</b> <a href="#">Page 45</a>
<b>Features</b>	<ul style="list-style-type: none"> <li>–Unbeatable resistance to wear, UV and staining (bleach, salt, permanent ink, coffee, red juice, betadine and more)</li> <li>–52 oz. heavy weight pile and large nop design provides outstanding scrubbing action</li> <li>–Needlepunch construction provides optimal crush resistance</li> <li>–Edges will not unravel or fray</li> <li>–Common Uses—corridors, entryways, vestibules, lobbies, sports facilities</li> </ul>	<ul style="list-style-type: none"> <li>–Computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold and colorful designs</li> <li>–Withstands high foot traffic</li> <li>–Inlay process accurately reproduces fonts and images</li> <li>–Common Uses—retail stores, malls, commercial settings, hotels, hospitals</li> </ul>
<b>Material</b>	100% Asota® solution-dyed UV stabilized polypropylene fibers with 20% post-consumer content	
<b>Backing</b>	High density rubber	
<b>Roll Sizes</b>	6' 7" x 101' 8" 13' 2" x 101' 8"	For custom sizes/artwork requirements, contact sales support at 1-800-628-7462
<b>Total Weight</b>	93 oz/sq yd	
<b>Pile Weight</b>	52 oz/sq yd	
<b>Thickness</b>	1/2"	
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.	

## Super Nop® 52



## Super Nop® 52 Logo



# Specifications


	<b>Graffiti</b> <a href="#">Page 44</a>
<b>Features</b>	<ul style="list-style-type: none"> <li>-Precise reproduction of a logo or image is a superior quality plush product</li> <li>-Create with any image, shape or size</li> <li>-Combine bright colors and traditional neutrals to create stylish mats for entrances and other interior spaces</li> <li>-Loose lay mats only</li> <li>-Common Uses-lobbies, reception areas, commercial settings, hotels, hospitals</li> </ul>
<b>Material</b>	100% polypropylene fibers
<b>Height</b>	3/8"
<b>Total Weight</b>	56 oz/sq yd
<b>Pile Weight</b>	28 oz/sq yd
<b>Roll Size</b>	6'7" x 68'
<b>Backing</b>	High Density Rubber
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.

	<b>Super Nop® 52 Tile</b> <a href="#">Page 46</a>	<b>Trilogy Tile</b> <a href="#">Page 47</a>
<b>Features</b>	<ul style="list-style-type: none"> <li>-Produced with 100% Asota® solution dyed polypropylene fibers for unbeatable resistance to wear, UV and staining (bleach, salt, permanent ink, coffee, red juice, betadine and more)</li> <li>-52 oz. heavy weight pile and large nop design provides outstanding scrubbing action</li> <li>-Can quarter-turn tiles to create parquet pattern</li> <li>-Needlepunch construction provides optimal crush resistance</li> <li>-Edges will not unravel or fray</li> <li>-Common Uses-high traffic entrances, vestibules, lobbies, airports, retail</li> </ul>	<ul style="list-style-type: none"> <li>-Aggressive scraping cleans footwear to reduce the risk of slips and falls</li> <li>-Durable product ideal for commercial applications</li> <li>-High-end carpet-like appearance creates great first impression</li> <li>-Can be installed brick, monolithic, or quarter-turn to create interesting patterns</li> <li>-Meets indoor air quality testing protocols</li> <li>-Class 1 fire rating</li> <li>-Common Uses-corporate, educational, retail, hospitality environments</li> </ul>
<b>Material</b>	100% Asota® solution-dyed UV stabilized polypropylene fibers	Nylon fiber (6) textured tufted loop
<b>Backing</b>	Eco-Bitumen	100% post-consumer recycled PET primary backing and Bitumen secondary backing with 10% post-industrial recycled content
<b>Tile Size</b>	19-11/16" x 19-11/16"	19-11/16" x 19-11/16"
<b>Case Pack</b>	12 tiles/case (32.4 sq ft)-full cases only	20 tiles/case (53.8 sq ft)-full cases only
<b>Weight</b>	141 oz/sq yd	139 oz/sq yd
<b>Thickness</b>	1/2"	9/32"
<b>Possible LEED Credits</b>	Please see the Matter Surfaces website for the most up-to-date LEED v4 information.	

## Graffiti



## Super Nop® 52 Tile



## Trilogy Tile

