




matter




Woodflex™

Contents

5	Inspire movement with the Play Collection
7	Play for every space
10	Weight Rooms + Fitness
12	Domination and Domination Extreme
13	Combination Sport Tile
14	Decathlon
15	Decathlon Design
16	Spectation™
17	Activation Sport Tile
20	Multi-Purpose
22	Woodflex™ + Gameflex®
26	Locker Rooms + Pools
28	SaniPath™
29	Ducktile
32	Interior Solutions
34	Precision Inlay™ with Super Nop® 52
35	Pro Shield
36	Activ Turf Pro
38	Specifications



Activation Sport Tile



Precision Inlay with Super Nop 52®




Inspire movement with the Play Collection

The confidence to add a new set of weights. The calm of natural-look materials. The comfort of striding across a dry floor after a sweat session. With the slip-resistant and impact-absorbent flooring options in our Play Collection, your fitness center and recreational areas will empower guests to move confidently.




Safety & Wellness

Create a healthy environment that promotes sure-footed motion and clean air with slip-resistant multi-purpose and pool and locker room flooring. Pair with our Arrival Collection entrance systems to improve indoor air quality.



Comfort

Holistic well-being you can feel, see, and hear begins with impact-absorbent, soothing wood-look multi-purpose flooring for aerobic, fitness, and yoga areas, then continues with rubber flooring in cardio & weight rooms that provides cushion underfoot and quiets the sound of heavy weight drops.




Durability

High heels, sneakers, cheer team, bleachers – all the elements of school life can play together on the same floor, thanks to our multi-purpose and rubber flooring picks that retain their color and integrity for long-lasting wear. You can even double the lifespan of some of our rubber tiles with reversible designs.



Performance

Our multi-purpose and rubber flooring picks compete with as much power as your athletes. High-intensity sports like basketball, volleyball, and Phys. Ed. get the home advantage on multi-purpose flooring, and high-density rubber tiles stand up to cleats, spikes, and skate blades.



Simple Maintenance

Skip conditioning day with multi-purpose flooring that never needs sanding or refinishing, antifungal pool and locker room flooring, and an entrance system that traps dirt and debris to minimize surface damage and cleaning.



Decathlon + Decathlon Design

Play for every space

The world is your playground – and Matter Surfaces has curated flooring with the stamina, performance, and aesthetic to execute your design for play in every space.

Weight Rooms & Fitness

A space of strength and confidence calls for durable rubber floors that absorb shocks, resist slips, and withstand heavy weights. Plus, the long-lasting flooring mutes the sound of weight drops so lifters and runners can focus on upping the intensity.

Interior Solutions


Play opens the door to creativity, and often to design challenges that call for creative thinking. Our collection includes turf for indoor soccer fields, protection for basketball gyms that double as auditoriums and dance halls, and customizable mats that serve as refined brand reflections or as bold champions of school spirit. Let your design – and athletes – run wild.

Multi-Purpose

The utility player of the Play Collection, multi-purpose flooring supports spaces that host all types of activity, like cafeteriums and gymnasiums. With vibrant colorways, natural-looking materials that mimic wood and stone, and hygienic properties, our multi-purpose picks are flexible enough to fit your space’s unique usage, environmental, and visual specs. Win-win-win.

Outdoor Solutions

With fresh air, natural light, and a crisp breeze, Mother Nature offers an invigorating invitation to play. Flooring that stands up to her more destructive elements – frost, rain, and UV rays– and provides impact absorption for playground safety is all the encouragement we need for year-round outdoor activity.



Woodflex™

Locker Rooms & Pools

Water is the heart of wellness, yet its health & safety challenges make it an unwelcome addition to your floors. Minimize risk and maximize cleanliness with slip-resistant flooring that is antifungal and easy to clean. So water stays where you want it and drains where you don't.



Precision Inlay™ with Super Nop® 52



Weight Rooms + Fitness

Weight Rooms + Fitness



Spikes, weights, and cardio machines are no sweat for durable rubber flooring.

Product Highlights:

- Impact absorption
- Sound reduction
- Spike and blade resistance
- Heavy weight durability
- Range of colors and patterns with customization available

Recommended Products:

- Domination & Domination Extreme
- Combination Sport Tile
- Decathlon
- Decathlon Design
- Spectation™
- Activation Sport Tile


Domination and Domination Extreme



We recommend it because: it comes in a range of saturated colors for high impact, is durable to withstand heavy weights and fitness equipment, is shock absorbent and spike and blade resistant.



Scan code to learn more and order samples.



Combination Sport Tile



We recommend it because: its waffle backing absorbs shock and reduces sound, it is extremely durable and long-lasting, and its surface is easy to clean.



Scan code to learn more and order samples.



Decathlon


Roll + Tile



We recommend it because: its non-laminated surface offers outstanding slip-resistance even when wet, and is shock absorbent and resistant to spikes and blades.



Scan code to learn more and order samples.



Decathlon Design


Roll + Tile



We recommend it because: its non-laminated surface offers the outstanding slip-resistance of Decathlon, yet also offers higher color concentrations to create designs that accent or enhance interior spaces.



Scan code to learn more and order samples.




Spectation™




We recommend it because: its hammered finish and multicolor speckle design offer a unique look in many colorways, and it is shock absorbent.



Scan code to learn more and order samples.




Activation Sport Tile



We recommend it because: it is exceptionally durable for weight rooms with very heavy weights and weight-lifting platforms, and has a waffle backing for shock absorption and sound reduction.



Scan code to learn more and order samples.





Multi-Purpose

Woodflex™

Multi-Purpose



The MVPs of design that rise to your expectations for multi-use spaces.

Product Highlights:

- Natural-look and colorful designs
- Healthy properties
- Flexibility to support multiple uses

Recommended Products:

- Woodflex™ + Gameflex®

Woodflex™


Woodflex™ + Gameflex®



We recommend it because: it comes in both vibrant, fun colorways and realistic wood looks, with the hygienic, antibacterial properties of synthetic floor that make it an outstanding solution for multipurpose spaces.



Scan code to learn more and order samples.





Locker Rooms + Pools

SaniPath™

Locker Rooms + Pools



Where water is a source of wellness, not liability.


Product Highlights:

- Comfortable slip-resistance
- Will not promote microbial growth
- Easy to clean and store

Recommended Products:

- SaniPath™
- Ducktile


SaniPath™




We recommend it because: its slip-resistant, UV-resistant design provides instant 4-way water damage and is comfortable for bare feet. Plus, it is easy to handle for storage and cleaning, and can be easily cleaned with an alkaline cleaning fluid.




Scan code to learn more and order samples.



Buff



Oxford Blue



Black


Ducktile




We recommend it because: its flexible, anti-slip surface provides safety and drainage in areas where standing water is present, it is easy to install with a simple click system.




Scan code to learn more and order samples.



Light Blue



Sand



Shadow Grey



Interior Solutions

Precision Inlay™ with Super Nop® 52

Interior Solutions



Precision Inlay™ with Super Nop® 52

For designs and uses that aren't limited by four walls.

Product Highlights:

- Customizable designs
- Safe flooring protection for multi-use spaces
- Long-lasting turf with added comfort

Recommended Products:

- Precision Inlay™ with Super Nop® 52
- Pro Shield
- Activ Turf Pro

Precision Inlay™ with Super Nop® 52



We recommend it because: computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold, and colorful designs on high-performance matting that withstands heavy foot traffic. Available in a range of sizes from small logo mats to wall-to-wall applications.



Scan code to learn more and order samples.



Additional colorways are available. See Page xx for all colors in product line.


Pro Shield



We recommend it because: giant-sized protective tiles are easy to handle for quick set-up and break-down, and they lie flat on top of existing gym flooring to avoid unsightly wrinkles or potential trip-hazard ripples.



Scan code to learn more and order samples.



Activ Turf Pro



We recommend it because: this non-infill turf product is designed with a cushioned foam backing is less abrasive than nylon or polypropylene and provides superior wear resistance.



Scan code to learn more and order samples.



Red



Red Clay



Orange



Yellow




Green



Florida Blue



White



Gray




Black



Specifications

	Domination™ & Domination™ Extreme Page 12
Features	<ul style="list-style-type: none"> -High color and high impact rubber flooring for supercharged training facilities -Block manufacturing produces high density top surface that is extremely durable and easy to clean -Endures the impact of heavy weights and fitness equipment -Shock absorbent, spike and blade resistant -More than 50% recycled rubber in each tile -Common Uses – strength training facilities, weight rooms, ice arenas, ski areas, fitness centers, health clubs
Material	Laminated rubber with 100% post-consumer black recycled rubber and EPDM rubber granules Also available with dual-density cushion backing
Tile Size	Square Edge: 38" x 38" Interlocking: 37" x 37"
Total Thickness	10 mm (approx 3/8") 12 mm (approx 1/2") 20 mm (approx 3/4")* 22 mm (approx 7/8")*
Wear Layer Thickness	4 mm (approx. 3/16") 6 mm (approx. 1/4")*
Weight	10 mm = Approximately 2.54 lbs/sq ft 12 mm = Approximately 2.99 lbs/sq ft 20 mm = Approximately 5.30 lbs/sq ft (Solid Black)* 20 mm = Approximately 5.60 lbs/sq ft (all colors except Solid Black)* 22 mm = Approximately 5.85 lbs/sq ft (Solid Black)* 22 mm = Approximately 6.20 lbs/sq ft (all colors except Solid Black)*
Custom	Colorful inlaid logos available, consult our Product Specialists for details.

*Specifications for Domination™ Extreme



**Available in Domination™ Extreme


	Combination Sport Tile Page 13
Features	<ul style="list-style-type: none"> -Waffle backing for sound reduction and impact absorption -Easy-to-clean surface -Extremely durable and long lasting -Dowel connection system allows for free-floating installation -No adhesive necessary -Available in 1-1/2" thickness for free weight stations and 1" for cardio areas -Common Uses–strength training facilities, fitness centers
Material	100% post-consumer recycled SBR, EPDM rubber and polyurethane binder
Tile Size	24" x 24"
Total Thickness	1-1/2", also available in 1" for cardio equipment applications
Wear Layer Thickness	6 mm
Weight	1-1/2" – 5.75 lbs/sq ft (23 lbs/tile) 1" – 4.5 lbs/sq ft (18 lbs/tile)
Sound Insulation	(ASTM E492) FIIC 61
Slip Resistance	(ASTM C1028) 0.79 Dry and 0.81 Wet
Recycled Content	100% Black: 89% post-consumer 20% color: 0.5% pre-consumer, 87.4% post-consumer 50% color: 1.4% pre-consumer, 82.9% post-consumer 90% color: 3% pre-consumer, 74.9% post-consumer




Specifications

	Decathlon Page 14	Decathlon Design Page 15
Features	<ul style="list-style-type: none"> –Shock absorbent, spike and blade resistant –Non-laminated surface offers outstanding slip-resistance, even when wet –Colored EPDM rubber granules never wear away –Common Uses–health clubs, weight rooms, ice arenas, ski areas, retail stores, anti-fatigue work stations 	<ul style="list-style-type: none"> –Create colorful designs to accent or enhance any interior –Customize patterns and colors –Non-laminated surface offers outstanding slip resistance, even when wet –Common Uses–retail stores, office and commercial buildings, schools, entrances, sports facilities
Material	Black recycled rubber with EPDM colored granules	Black recycled rubber with EPDM colored granules
Roll Size	9mm = 4' x lengths up to 50 lin ft	4' x lengths up to 50 lin ft
Thickness	Standard: 9mm Additional: 4, 6, 8 or 12 mm	9 mm
Standard Weight	9 mm = 2 lbs/sq ft	2 lbs/sq ft
Slip Resistance	(ASTM D2047) 0.90	(ASTM D2047) 0.9
Recommended Installation	Glue down	Glue down
Recycled Content	Mochachino = 4.12% pre-consumer and 73% post-consumer All other colors = 2.09% pre-consumer and 81.9% post-consumer	9% pre-consumer and 56% post-consumer
Minimum Order	20 lin ft	20 lin ft


Decathlon



Red Tan Mochaccino



Yellow Green Blue




Gray/Blue Purple Gray




Black

Decathlon Design




Raspberry Splash Toasted Almond Clover



Tide Lunar Light

	Spectation Page 16
Features	<ul style="list-style-type: none"> –Hammered finish and multicolor speckle design –Shock absorbing backing –Common Uses–health clubs, weight rooms, ice arenas, ski areas, locker rooms, rest rooms, recreation and multipurpose facilities
Material	Dual durometer vulcanized rubber, made with 25% pre-consumer recycled rubber
Tile Size	Square Edge Tile = 39.37" x 39.37" Interlocking Tile = 38.58" x 38.58"
Top Layer Thickness	2.5 mm
Total Thickness	Square Edge Tile = 9 mm Interlocking Tile = 9 mm
Weight	Square Edge Tile = 2.4 lbs/sq ft Interlocking Tile = 2.2 lbs/sq ft
Critical Radiant Flux	(ASTM E648) Class 1
Chemical Resistance	(EN423) No Change
Minimum Order	Minimum order quantities may apply




Red Snapper Blaze Gatorade Nautical Blue Fin Pheasant



Trout Bunker Gray Cast Swordfish Georgetown Plankton

Specifications

	Activation Sport Tile Page 17
Features	<ul style="list-style-type: none"> -Waffle backing for sound reduction and shock absorption -Unique composite structure for superior durability and wear resistance -Extremely durable and long lasting -Dowel connection system allows for free floating installation -No adhesive necessary -Great solution for extremely heavy weights -Common Uses—fitness facilities, strength training facilities
Material	100% recycled SBR with either recycled SBR or EPDM top wear layer
Tile Size	24" x 24"
Weight	4.5 lbs/sq ft (18 lbs/tile)
Total Thickness	1"
Sound Insulation	(ASTM E492) FIIC 50
Critical Radiant Flux	(ASTM E648) Class 2: 0.22 – 0.44 w/cm ²
Accessories	Dowels: each tile contains 6 dowels to secure the tile in place. Dowels are inserted into factory molded holes and the tiles are driven together using a wooden block or mallet.
Recycled Content	Varies by color and SBR or EPDM intensity. Please contact our Product Specialists for more information.



	Woodflex™ + Gameflex® Page 22
Features	<ul style="list-style-type: none"> -Woodflex: Realistic wood look with benefits of a synthetic floor; hygienic, antibacterial properties -Gameflex: Vibrant, fun colors complement Woodflex -Low maintenance costs—never needs sanding or refinishing -Excellent shock absorbency to protect athletes -Extremely hygienic; non-porous surface has bactericidal and fungicidal treatment -Common Uses—multipurpose recreation facilities, gymnasiums, church/assembly halls, dance studios and aerobics/fitness studios
Material	High performance vinyl
Roll Size	6.7 mm: 6'7" x 65'7" 8.0 mm: 6'7" x 49'2"
Top Layer Thickness	1.3 mm
Total Thickness	6.7 mm, *Available in 8 mm
Weight	6.7 mm: 0.84 lbs/sq ft 8 mm: 0.88 lbs/sq ft
Game Lines	Use urethane paints for game line painting

Woodflex™




Gameflex®



Specifications

	SaniPath™ Page 28
Features	<ul style="list-style-type: none"> -Comfortable for bare feet -Provides slip resistance -Antimicrobial and antifungal additives are infused during production -UV-Resistant -Instant 4-way water drainage -Easy handling for cleaning and storage -Minimum 30% post-consumer recycled PVC content -Common Uses—rooftops, decks, locker rooms, showers/stalls, poolside, jacuzzis, docks, anywhere there is wet flooring
Material	Open grid PVC matting with slip-resistant surface, antibacterial/antifungal properties, and instant 4-way water drainage
Roll Sizes	2' x 33', 3' x 33', 4' x 33'
Thickness	3/8"
Weight	0.75 lbs/sq ft
Recycled Content	30% post-consumer


SaniPath™



Buff Oxford Blue Black

	Ducktile™ Page 29
Features	<ul style="list-style-type: none"> -Flexible anti-slip drainage tiles provide comfort and safe footing in wet areas -Anti-bacterial properties prevent mildew -UV stabilized -Easy to install with a simple click design -Common Uses—pool surroundings, health clubs, locker rooms, shower areas, hot tubs, saunas, scrub sinks, restrooms
Material	100% recyclable PE composite
Style	Molded interlocking tile with drop-through construction
Backing	Drop through
Size	approximately 15" x 15"
Case Pack	35 tiles/case
Thickness	3/8"
Options	14.8" x 2.2" edge strip, 2.2" x 2.2" corner strip

Ducktile™



Light Blue Sand Shadow Grey

	Super Nop® 52 Page 34	Precision Inlay™ with Super Nop® 52 Page 34
Features	<ul style="list-style-type: none"> -Unbeatable resistance to wear, UV and staining (bleach, salt, permanent ink, coffee, red juice, betadine and more) -52 oz. heavy weight pile and large nop design provides outstanding scrubbing action -Needlepunch construction provides optimal crush resistance -Edges will not unravel or fray -Common Uses—corridors, entryways, vestibules, lobbies, sports facilities 	<ul style="list-style-type: none"> -Computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold and colorful designs -Withstands high foot traffic -Inlay process accurately reproduces fonts and images -Common Uses—retail stores, malls, commercial settings, hotels, hospitals
Material	Solution-dyed UV stabilized polypropylene fibers	
Backing	High density rubber	
Roll Sizes	6' 7" x 101' 8" 13' 2" x 101' 8"	For custom sizes/artwork requirements, contact sales support at 1-800-628-7462
Total Weight	93 oz/sq yd	
Pile Weight	52 oz/sq yd	
Thickness	1/2"	

Super Nop® 52



Super Nop® 52 Logo



Specifications

Pro Shield Page 35	
Features	<ul style="list-style-type: none"> -Giant-sized tiles protect gym floors -Easy to handle for quick set up and break down -Plus Backing keeps floors clean -Common Uses—universities, multipurpose facilities, convention halls
Material	100% solution-dyed polypropylene
Tile Size	39-3/8" x 78-3/4"
Thickness	6 mm
Weight	91.4 oz/sq yd
Slip Resistance	(ASTM C1028) 0.61 Dry and 0.54 Wet

Activ Turf Pro Page 36	
Features	<ul style="list-style-type: none"> -Non-infill turf product with cushioned foam backing ideal for indoor sports training facilities and gym applications -Textured polyethylene is less abrasive than nylon or polypropylene surface and provides superior wear resistance -Available in 8 color options and can be customized with logos and field markings
Fiber Material	Polyethylene
Secondary Backing	5.0mm urethane foam with scrim
Roll Sizes	15' x 50' 15' x 100'
Fiber Mass	5,600 denier
Pile Height	0.56"
Face Weight	40 oz/sq yd

Pro Shield



Gray

Blue

Anthracite

Activ Turf Pro



Red

Red Clay


Orange



Yellow

Green

Florida Blue



White

Gray

Black

