





WOODGRAIN SLAT acoustic panel

acoupanel® I **Woodgrain slats** are sustainable multi layers available in a wide variety of stunning woodgrain and colors. It is carefully crafted to ensure a unique and visually appealing installation.

Its multi layers gives highly effective sound absorption surface particularly mid-range, not only reduce noise but also diffuse sound energy that create a warm and inviting environment in any indoor space.

Product Name acoupanel® Woodgrain Slat
Product Category Wall and ceiling
Composition Polyester fibers with
>60% recycled content
Weight 3,800 gram/sq.m +/-10%
Density 200 kgs/Cubic.m +/-10%

Thickness 19 mm +/-10% Size 1,200 x 2,800 mm +/-1%

Performance Color Fastness to Light TVOC Emission Moisture Content

> 6, ISO 105 B02-1994 CDPH-IAQ V1.1 2017, ≤ 0.5 mg/m3 <0.10% by weight


Sound Absorption NRC 0.70 with no air gap, ISO 354

Sound Absorption Coefficients(as)


(Hz) Frequency f

| f 0.04 0.26 0.69 0.94 | 0.90 | 0.82 |
|-----------------------|------|------|

The specifications are subject to normal manufacturing variations. Due to continued product and performance development, the manufacturer reserves all right to vary specification without prior notice.













America Walnut (WSP 05)



Walnut On Charcoal (WS 02)







Espresso On Charcoal (WS 04)



Charred Wood (WSP 06)

5 Woodgrain Slat