™Dimplex®

Experience Better Living.



Experience Innovation



Index

Experience Better Living.

dex

Linear E	Linear Electric Fireplaces				
NEW!	Ignite® Ultra	3-4			
	Ignite® Bold	5-6			
	Ignite® Evolve	7-8			
	Ignite XL®	9-10			
	Slim Linear (DI Import Only)	11-12			
	Prism	13-14			
	SIL	15-16			
	Specifications	17-18			
Hardwir	e / Plug-in Fireboxes				
NEW!	Ignite® Aspire	21-22			
	Revillusion [®]	23-24			
	BF Series	25-26			
	Nova Series	27-28			
	Specifications	29			
Water V	apor Fireplaces				
	Optimyst® Linear	31-32			
NEW!	Optimyst® Aura	33-34			
NEW!	Optimyst® Revive	35-36			
	Optimyst® e-MatriX	37-38			
	Optimyst® Cassettes	39-40			
	Optimyst® Pro Box	41-42			
	Optimyst® Accessories	43-44			
	Specifications	45-46			
Log Sets	& Inserts				
	Revillusion® Log Sets	49-50			
	DFI Insert	51-52			
	Specifications	53			
Ordering	g SKU Index	54-55			




Linear electric fireplaces offer a host of benefits that elevate the aesthetics and comfort of any space. Their stylish and sleek design, characterized by clean lines and customizable features, allows them to seamlessly blend into any décor. With their contemporary shape, they effortlessly accommodate the trend of hanging TV's above them, making them a perfect solution for family living spaces. Simply change the ember bed to dramatically transform the look and feel of a linear electric fireplace from ultra-modern to a more traditional, comforting ambience.

Unlike wood or gas fireplaces, electric fireplaces require no maintenance, and can operate without heat for year-round enjoyment. They are safe for pets and children, as the glass doesn't get hot to the touch.







Modern Elegance

Sleek design and cutting-edge technology create a focal point that exudes modernism.

Adaptable Design


Freedom to fit your vision with five installation choices: front-facing, left corner, right-corner, bay, or create a sleek modular unit.

Natural Hearth

Delivers the most authentic flame and log combination for an unmatched and lifelike fire experience.

3







Quick connect moveable logs with tumbled glass embers Mirrored glass backer to enhance flame effect 4 flame speeds

16-15/16" (42.9 cm) viewing height

ULT50 50" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $50-9/16 \times 27-1/2 \times 14-1/2$ in $128.5 \times 69.9 \times 36.9$ cm

Carton Dimensions (WxHxD) $55 \times 29 \times 16$ in $139.7 \times 73.7 \times 40.6$ cm

Packaged Weight 92 lbs / 41.7 kg

UPC 781052152960

ULT60 60" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 60-9/16 × 27-1/2 × 14-1/2 in 153.9 × 69.9 × 36.9 cm

Carton Dimensions (WxHxD) 65 × 29 × 16 in 165.1 × 73.7 × 40.6 cm

Packaged Weight 97 lbs / 44 kg

UPC 781052152977

ULT74 74" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $74-9/16 \times 27-1/2 \times 14-1/2$ in $185.9 \times 69.9 \times 36.9$ cm

Carton Dimensions (WxHxD) $79 \times 29 \times 16$ in $200.7 \times 73.7 \times 40.6$ cm

Packaged Weight 104 lbs / 47.2 kg

UPC 781052152984

ULT88 88" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $88-9/16 \times 27-1/2 \times 14-1/2$ in $225.0 \times 69.9 \times 36.9$ cm

Carton Dimensions (WxHxD) $93 \times 29 \times 16$ in $236.2 \times 73.7 \times 40.6$ cm

Packaged Weight 111 lbs / 50.3 kg

UPC 781052152991

ULT100 100" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 100-9/16 × 27-1/2 × 14-1/2 in 255.5 × 69.9 × 36.9 cm

Carton Dimensions (WxHxD) $105 \times 29 \times 16$ in $266.7 \times 73.7 \times 40.6$ cm

Packaged Weight 118 lbs / 53.5 kg

UPC 781052153004



Black Glass



Gravel



Rhythmic inner glow logs



Tumbled Glass



Tumbled Glass



Tumbled Glass



Total Control

Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mounted remote control or 3-button control panel on the fireplace.









Ignite[®] Bold Linear Electric Fireplaces

A Bold Statement

Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.


Energy Efficiency

Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Design Versatility

Install the fireplace your way to fit your space. Front-facing, right or left corner and bay, all in one box.



















Small and large acrylic crystals with naturallooking driftwood

Mirrored glass backer to enhance flame effect

16-1/8" (40.9 cm) viewing height

XLF5017-XD 50" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 49 × 23-7/8 × 12-1/8 in 124.6 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD) $50-1/2 \times 28 \times 16-7/16$ in $128.4 \times 71.1 \times 41.8$ cm

Packaged Weight 122.5 lbs / 55.5 kg

UPC 781052137226

XLF6017-XD 60" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $60-5/8 \times 23-7/8 \times 12-1/8$ in $156.5 \times 60.7 \times 30.7$ cm

Carton Dimensions (WxHxD) 63-1/8 × 28 × 16-7/16 in 160.4 × 71.1 × 41.8 cm

Packaged Weight 147.7 lbs / 67.0 kg

UPC 781052137233

XLF7417-XD 74" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 75-11/16 × 23-7/8 × 12-1/8 in 192.23 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD) $80-1/4 \times 28 \times 16-7/16$ in $203.8 \times 71.1 \times 41.8$ cm

Packaged Weight 171.5 lbs / 77.8 kg

UPC 781052137257

XLF8817-XD 88" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 86-15/16 × 23-7/8 × 12-1/8 in 220.8 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD) $88-1/4 \times 28 \times 16-7/16$ in $224.2 \times 71.1 \times 41.8$ cm

Packaged Weight 200.2 lbs / 90.8 kg

UPC 781052137264

XLF10017-XD 100" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 99-1/4 × 23-7/8 × 12-1/8 in 252.1 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD) $105-1/2 \times 28 \times 16-7/16$ in $268.0 \times 71.1 \times 41.8$ cm

Packaged Weight 223.3 lbs / 101.3 kg

UPC 781052137271

Accessories (sold separately)



Plug Kit XLFXDPLUG

UPC 781052139527



Linking Kit XLFXDLINK

UPC 781052139503



Tumbled Glass Ember Bed 500003421

UPC 781052153059

- Order ONE Kit for 40 to 60 inch fireplaces
- Order TWO Kits or 70 to 100 inch fireplaces



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



IGNITE EVOLVE



Comfort & Aesthetic

Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.

Energy Efficiency


Patented Comfort\$aver® technology reduces energy usage while keeping the $room\ temperature\ stable$ and cozy.

Complete Personalization

Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Ignite® Evolve Linear Electric Fireplaces





EVO50 50" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $51-1/2 \times 16-1/2 \times 5-7/8$ in $130.6 \times 41.9 \times 14.9$ cm

Carton Dimensions (WxHxD) $56-1/2 \times 21-1/2 \times 12-3/8$ in $143.5 \times 54.6 \times 31.2$ cm

Packaged Weight 74 lbs / 33.6 kg

UPC 781052151987

EVO60 60" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) $61-1/4 \times 16-1/2 \times 5-7/8$ in $155.6 \times 41.9 \times 14.9$ cm

Carton Dimensions (WxHxD) 66-1/2 × 21-1/2 × 12-3/8 in 168.9 × 54.6 × 31.2 cm

Packaged Weight 86.8 lbs / 39.4 kg

UPC 781052151994

EVO74 74" Linear Electric Fireplace

embers and driftwood

Product Dimensions with trim (WxHxD) 75-7/16 × 16-1/2 × 5-7/8 in 191.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) 81-1/8 \times 21-1/2 \times 12-3/8 in 206.0 \times 54.6 \times 31.2 cm

Packaged Weight 104.7 lbs / 47.5 kg

UPC 781052152007

EVO100 100" Linear Electric Fireplace

Product Dimensions with trim (WxHxD) 101-7/16 × 16-1/2 × 5-7/8 in 257.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) $106-3/4 \times 21-1/2 \times 12-3/8$ in $271.0 \times 54.6 \times 31.2$ cm

Packaged Weight 137.6 lbs / 62.4 kg

UPC 781052152014

Accessories (sold separately)



Driftwood & River Rock Accessory Kit

XLF50 - LF50DWS-KIT 781052102842 XLF60 - LF74DWS-KIT 781052102859 XLF74 - LF74DWS-KIT 781052102859 XLF100 - LF100DWS-KIT 781052104617



Metal Trim Kit

Allows for installation into 2" x 4" wall construction

EVO50 - XLFTRIM50 781052107953 EVO60 - XLFTRIM60 781052120075 EVO74 - XLFTRIM74 781052107977 EVO100 - XLFTRIM100 781052107984




effect

Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.







Classic Charm

Flickering flames and acrylic crystals create a stunning feature while providing ambience to any room.

Energy Efficiency


Enjoy perfect comfort with the exclusive Comfort\$aver® technology, reducing energy usage while keeping the room temperate stable.

Simple Comfort

Instantly transform your space into a cozy retreat with simple controls and zero hassles.

Ignite XL® Linear Electric Fireplaces





XLF50 50" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) 50-1/4 × 16-1/2 × 5-7/8 in 127.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD) 56-3/8 × 21-1/4 × 12 in 143.2 × 54.0 × 30.5 cm

Packaged Weight 73.9 lbs / 33.5 kg

UPC 781052098725

Accessories (sold separately)



Accessory Kit

XLF50 - LF50DWS-KIT 781052102842 XLF60 - LF74DWS-KIT 781052102859 XLF74 - LF74DWS-KIT 781052102859 XLF100 - LF100DWS-KIT 781052104617

XLF60 60" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) $60-1/4 \times 16-1/2 \times 5-3/4$ in 153.0 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD) 68-3/8 × 21-1/4 × 12 in 173.7 × 54.0 × 30.5 cm

Packaged Weight 86.8 lbs / 39.4 kg

UPC 781052118478

XLF74 74" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) $75-1/2 \times 16-1/2 \times 5-3/4$ in 191.7 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD) 80-1/8 × 21-1/4 × 12 in 203.4 × 54.0 × 30.5 cm

Packaged Weight 104.7 lbs / 47.5 kg

UPC 781052098756

XLF100 100" Linear **Electric Fireplace**

Product Dimensions with trim (WxHxD) 101-3/8 × 16-1/2 × 5-3/4 in 257.6 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD) 106-3/8 × 21-1/4 × 12 in 270.2 × 54.0 × 30.5 cm

Packaged Weight 137.6 lbs / 62.4 kg

UPC 781052104594



Driftwood & River Rock Tumbled Glass Ember Bed 500003421 UPC 781052153059

- Order ONE Kit for 40 to 60 inch

- Order TWO Kits or 70 to 100 inch



Metal Trim Kit

Allows for installation into 2" x 4" wall construction


XLE50 - XLETRIM50 781052107953 XLF60 - XLFTRIM60 781052120075 XLF74 - XLFTRIM74 781052107977 XLF100 - XLFTRIM100 781052107984



Easy Control

Use the included remote or hidden touch controls to easily operate your fireplace.

SIM



Sleek Design

The tall, dazzling flames have an impressive height, and the patented Dimplex mirror effect provides the illusion of depth.


Clean Energy

No fuel or venting is required. All the energy supplied to the unit is converted into heat, which stays in the room to keep the space warm.

Flexible Installation

Can fit flush into 2x4 framing for simple installation or can be wall-mounted with minimal obtrusion thanks to its slim design.





PLF3614-XS 36" Linear Electric Fireplace

Product Dimensions (WxHxD) $37-1/4 \times 19-5/8 \times 3-7/8$ in $94.6 \times 49.9 \times 9.8$ cm

Carton Dimensions (WxHxD) $46-1/2 \times 24-5/8 \times 9-1/2$ in $118.0 \times 62.5 \times 24.1$ cm

Packaged Weight 57.8 lbs / 26.2 kg

UPC 781052137318

PLF4214-XS 42" Linear Electric Fireplace

Product Dimensions (WxHxD) 43-1/4 × 19-5/8 × 3-7/8 in 109.9 × 49.9 × 9.8 cm

Carton Dimensions (WxHxD) $52 \times 24-5/8 \times 9-1/2$ in $132.0 \times 62.5 \times 24.1$ cm

Packaged Weight 64.8 lbs / 29.4 kg

UPC 781052137301

PLF5014-XS 50" Linear Electric Fireplace

Product Dimensions (WxHxD) 51-1/4 × 19-5/8 × 3-7/8 in 130.2 × 49.9 × 9.8 cm

Carton Dimensions (WxHxD) $60 \times 24-5/8 \times 9-1/2$ in $152.5 \times 62.5 \times 24.1$ cm

Packaged Weight 74.9 lbs / 34.0 kg

781052137295

PLF6014-XS 60" Linear Electric Fireplace

Product Dimensions (WxHxD) 61-1/4 × 19-5/8 × 3-7/8 in 155.6 × 49.9 × 9.8 cm

Carton Dimensions (WxHxD) $70 \times 24-5/8 \times 9-1/2$ in $176.8 \times 62.5 \times 24.1$ cm

Packaged Weight 87.1 lbs / 39.5 kg

UPC 781052137288

Accessories (sold separately)



Plug Kit PLFXSPLUG


UPC 781052139534



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.





Sleek Elegance

Elevate your space by adding a $touch\ of\ modern$ sophistication and sleek elegance.


Effortless Ambiance

Experience the ease of creating a cozy atmosphere with just a touch, offering effortless ambiance at your fingertips.

Year-Round Comfort

Enjoy the warmth and visual appeal of a fire, no matter the season, providing year-round comfort with customizable heat and flame settings.

















media bed

backer to enhance flame effect

viewing height

BLF3451 34" Linear Electric **Fireplace**

Product Dimensions (WxHxD) 34-1/4 × 19-1/2 × 7 in 86.7 × 49.5 × 17.9 cm

Carton Dimensions (WxHxD) 39 × 23-1/4 × 13 in 99.1 × 59.0 × 35.5 cm

Packaged Weight 60.4 lbs / 27.4 kg

781052098763

BLF5051 50" Linear Electric **Fireplace**

Product Dimensions (WxHxD) 50-3/8 × 19-1/2 × 7 in 127.9 × 49.5 × 17.9 cm

Carton Dimensions (WxHxD) 55 × 23-1/4 × 13 in 139.7 × 59.0 × 35.5 cm

Packaged Weight 86.4 lbs / 39.2 kg

781052098787

BLF7451 74" Linear Electric **Fireplace**

Product Dimensions (WxHxD) 74-1/4 × 19-1/2 × 7 in 188.4× 49.5× 17.9 cm

Carton Dimensions (WxHxD) 60 × 23-1/4 × 13 in 152.5 × 59.0 × 35.5 cm

Packaged Weight 74.9 lbs / 34.0 kg

UPC 781052098794

Accessories (sold separately)





Driftwood & River Rock Accessory Kit

BLF3451 - LF34DWS-KIT 781052102835 BLF5051 - LF74DWS-KIT 781052102859 BLF7451 - LF74DWS-KIT 781052102859



Tumbled Glass Ember Bed 500003421 UPC 781052153059

- Order ONE Kit for 40 to 60 inch fireplaces
- Order TWO Kits or 70 to 100 inch fireplaces



▼Dimplex®



Interchangeable **Design**

Transform the ambience by customizing the look and feel of the fireplace at any time with different included ember beds.

Customizable Installation


Seamlessly integrate a fireplace into any room, with any of the three installation options that provide the perfect solution for everyone. with ease.

Effortless Comfort

Simply plug the fireplace in and instantly envelop a space in warmth and relaxation, creating a cozy haven to enjoy

SIL Linear Electric Fireplaces





SIL48 48" Linear Electric Fireplace

Product Dimensions (WxHxD) 48 × 19-1/2 × 5-1/4 in 121.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD) 53-3/8 × 22-7/8 × 9-5/8in 135.6 × 57.9 × 24.4 cm

Packaged Weight 59.1 lbs / 26.8 kg

UPC 781052132733

SIL60 60" Linear Electric Fireplace

Product Dimensions (WxHxD) 60 × 19-1/2 × 5-1/4 in 152.4 × 49.5 × 13.2 cm

Carton Dimensions (WxHxD) $65-3/4 \times 23-1/2 \times 9-5/8$ in $167.0 \times 62.0 \times 24.4$ cm

Packaged Weight 87.1 lbs / 39.5 kg

UPC 781052132757

SIL72 72" Linear Electric Fireplace

Product Dimensions (WxHxD) 72 × 19-1/2 × 5-1/4 in 182.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD) $77-3/4 \times 24-3/4 \times 9-5/8$ in $197.5 \times 62.0 \times 24.4$ cm

Packaged Weight 100.3 lbs / 45.5 kg

UPC 781052132764



Media Options Included

Included stand allows for tabletop installation.

Product with stand 21-1/2" (54.6 cm) tall, 11" (27.9 cm) deep



Multi-function Remote Control the fireplace features from the comfort of your chair.




Linear Electric Fireplace Specifications

Series	Ignite® Ultra Series	Ignite® Bold Series	Ignite® Evolve Series	Ignite XL® Series
Size	50", 60", 74", 88", 100"	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"
Ember Bed	Quick Connect Logs with Tumbled Glass Embers	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals
Ember Bed Themes Brightness	3 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness
Flame Color Themes Brightness	9 Themes Adjustable Brightness	7 Themes Adjustable Brightness	7 Themes Adjustable Brightness	1 Theme
Top Light	•	•		
Flame Effect	Dynamic-Fire	Multi-Fire®	Multi-Fire®	Multi-Fire®
Flame Technology	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Flame Speed	4	5	5	
Flame Only Mode	•	•	•	•
Heater Only Mode	•	•	•	•
Air Circulation	•	•	•	
Heat Operation		Comfort\$ave	er® Heating	
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.
Heat Disable		Onboard controls or H	ardware disconnect	
Built-in Thermostat •		•	•	•
Wiring Type	Hardwire (Optional 120V Plug Kit Included)	Hardwire (120V Plug Kit Sold Separately)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (Optional 120V Plug Kit Included)
Volts	120 240	120 240	120 240	120 240
Watts	1500 2500	1500 2500	1500 2500	1500 2500
BTU	5118 8530	5118 8530	5118 8530	5118 8530
Operating Controls	Onboard Remote App	Hidden touch controls Remote App	Hidden touch controls Remote App	Hidden touch controls Remote
Flame Connect App •		•	•	
Smart Self-diagnostics	•	•	•	
Display		•	•	•
Timer	•	•	•	•
Installation Options	Fully recessed-front, right/left corner and bay. Linking Kit - to connect multiple units	Fully recessed - front, right/left corner and bay. Linking Kit - to connect multiple units	Fully recessed - 2×6, Partially recessed - 2×4 with trim-kit accessory	
Optional Accessories		Modular Linking Kit, Plug Kit	Trim Kit	Driftwood & River Rock Kit, Trim Kit
Warranty 5-year parts and servi		5-year parts and service	5-year parts and service	5-year parts and service

17 dimplex.com



Series	ries Prism Linear Series		SIL Series	
Size	34", 50", 74"	36", 42", 50", 60"	48", 60", 72"	
Ember Bed	Acrylic Crystals	Acrylic Crystals	Interchangeable - Logs, Acrylic Crystals, Pebbles	
Ember Bed Themes Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	
Flame Color Themes Brightness	1 Theme Adjustable Brightness	7 Themes Adjustable Brightness	8 Themes Adjustable Brightness	
Top Light				
Flame Effect	Prism Flame effect	Dimplex®	High contrast	
Flame Technology	Optiflame®	Optiflame®	Optiflame®	
Flame Speed		5		
Flame Only Mode	•	•	•	
Heater Only Mode	•	•		
Air Circulation				
Heat Operation	Powerful supplemental heating	Powerful supplemental heating	Powerful supplemental heating	
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	
Heat Disable	Onboard Controls Only	Onboard controls or Hardware disconnect	Onboard Controls Only	
Built-in Thermostat	•	•	•	
Wiring Type	Hardwire/Plug-in, Plug-kit sold separately for 74"	Hardwire (120V Plug Kit Sold Separately)	Plug-in	
Volts	34", 50", 74" = 120, 74" = 240	120	120	
Watts	34" = 1220 50", 74" = 1230 74" = 2430 (240 V)	1500	1400	
BTU	34" = 4163 50", 74" = 4197 74" = 8290 (240 V)	5118	4777	
Operating Controls	Membrane controls Remote	Hidden touch controls Remote App	Touch controls Remote	
Flame Connect App		•		
Self Diagnostics		•		
Display	•	•	•	
Timer	•	•	•	
Installation Options	Wall-mount, 2×4" Partially recessed (not the 74"); 2×8" Fully recessed	Fully recessed - 2×4, Wall-mount	Fully recessed Wall-mount, Free-standing	
Optional Accessories	Driftwood & River Rock Kit, BLF5051 Cohesion Trim Kit, BLF7451 Plug Kit	Plug Kit		
Warranty	2-year parts and service	2-year parts and service	1-year parts	





Electric fireboxes present a multitude of advantages that make them an ideal choice for enhancing any living space. Their versatile installation options allow them to seamlessly fit into an existing hearth space or be incorporated into custom-built mantels; offering a quick and hassle-free solution to add both warmth and ambience into your home. These fireplaces complement any design style with multiple options for ember beds from traditional to contemporary to suit any décor style.

Enjoy the comforting glow of a traditional fire without the maintenance hassles of wood or gas fireplaces. Electric fireboxes are a safe choice for children and pets, as they remain cool to the touch. Run them year-round, with or without heat, ensuring a cozy atmosphere in any season.



IGNITe Aspire



ynite[®] **Aspire** uilt-In Electric Firebox

Classic Hearth

Embrace the timeless charm of a traditional fireplace, creating a warm and inviting focal point for gatherings and relaxation.

True to Life

Experience the epitome of realism with mesmerizing flames, pulsating logs, and cozy warmth.

Sustainable Solution

Merges sustainability and energy efficiency to deliver an environmentally conscious heating and design solution.



ASP30 30" Electric Firebox

Product Dimensions (WxHxD) 30-9/16 × 37-1/2 × 17-1/2 in $77.7 \times 95.3 \times 44.5 \text{ cm}$

Carton Dimensions (WxHxD) $38 \times 44 \times 23$ in 96.5 × 111.8 × 58.4 cm

Packaged Weight 92 lbs / 41.7 kg

UPC 781052152915

ASP36 36" Electric Firebox

Product Dimensions (WxHxD) 36-9/16 × 43-1/2 × 17-1/2 in $92.9 \times 110.5 \times 44.5$ cm

Carton Dimensions (WxHxD) $45 \times 50 \times 23 \text{ in}$ 114.3 × 127.0 × 58.4 cm

Packaged Weight 98 lbs / 44.5 kg

UPC 781052152922

ASP42 **42" Electric Firebox**

Product Dimensions (WxHxD) $42-5/8 \times 46-1/2 \times 17-1/2$ in 108.2 × 118.1 × 44.5 cm

Carton Dimensions (WxHxD) $51 \times 52 \times 23$ in 129.5 × 132.1 × 58.4 cm

Packaged Weight 104 lbs / 47.2 kg

UPC 781052152939

ASP48 48" Electric Firebox

Product Dimensions (WxHxD) $48-15/16 \times 49-1/2 \times 17-1/2$ in 124.3 × 125.8 × 44.5 cm

Carton Dimensions (WxHxD) $57 \times 55 \times 23 \text{ in}$ 144.8 × 139.7 × 58.4 cm

Packaged Weight 110 lbs / 49.9 kg

UPC 781052152946

Smart Comfort\$aver® 3-button self-diagnostics heating system control panel Viewing height ASP30 = 28" (71.1 cm) ASP36 = 34" (86.4cm) ASP42 = 37" (94.0 cm) ASP48 = 40" (101.6 cm) 3 flame speeds Dynamic-Fire

Enjoy 365 days with or without heat

Quick connect moveable logs with tumbled glass embers

Accessories (sold separately)

Side Trim Accessory

For ASP30 = 500003783 UPC 781052139534 ASP36 = 500003784

UPC 781052154063

ASP42 = 500003786 **UPC** 781052154063 ASP48 = 500003786 UPC 781052154070









Rhythmic inner glow logs



Black shattered glass

flame


Total Control

Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wallmounted remote control or 3-button control panel on the fireplace.

22 ©2024 Glen Dimplex Americas

flame effect

Revillusi()n°



Timeless Aesthetic

The ageless appeal of the fireplace creates an authentic, everlasting impression.

Design with Style

Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic.

Complete Perspective

Enjoy a full-depth view of the fireplace with the ability to see clearly through the flames.

RevillusionBuilt-in Electric Firebox









Weathered Concrete

Herringbone

What's in the box



Firebox

Tempered Front Glass

RBF Plug Kit

RBF24DLX (Herringbone) RBF24DLXWC (Concrete) 24" Electric Firebox

Product Dimensions (WxHxD) 25-1/4 × 22-7/8 × 12-1/8 in 64.0 × 58.1 × 30.8 cm

Carton Dimensions (WxHxD) $29-3/8 \times 27-1/2 \times 16-5/8$ in $74.4 \times 69.9 \times 42.1$ cm

Packaged Weight 58.2 lbs / 26.4 kg

UPC

781052120655 - Herringbone 781052129832 - Concrete **500002388** (Herringbone) **500002389** (Concrete) **30" Electric Firebox**

Product Dimensions (WxHxD) 31-1/8 × 26-5/8 × 12-1/8 in 79.2 × 67.6 × 30.8 cm

Carton Dimensions (WxHxD) $35-1/4 \times 31-3/4 \times 16-3/8$ in $89.4 \times 80.5 \times 41.1$ cm

Packaged Weight 84.9 lbs / 38.5 kg

UPC

781052152120 - Herringbone 781052152137 - Concrete **500002400** (Herringbone) **500002401** (Concrete) **36" Electric Firebox**

Product Dimensions (WxHxD) 37-1/8 × 26-5/8 × 12-1/8 in 94.4 × 67.6 × 30.8 cm

Carton Dimensions (WxHxD) $41-3/8 \times 31-3/4 \times 15-1/4$ in $104.7 \times 80.6 \times 38.7$ cm

Packaged Weight 93.7 lbs / 42.5 kg

UPC

781052152144 - Herringbone 781052152151 - Concrete 500002398 (Herringbone) 500002399 (Concrete) 36" Portrait Electric Firebox

Product Dimensions (WxHxD) $37-1/8 \times 31 \times 12-1/8$ in $94.4 \times 78.8 \times 30.8$ cm

Carton Dimensions (WxHxD) $41-3/8 \times 35-1/2 \times 16-3/8$ in $105.0 \times 90.7 \times 41.1$ cm

Packaged Weight 105.5 lbs / 47.9 kg

UPC

781052152168 - Herringbone 781052152175 - Concrete **500002410** (Herringbone) **500002411** (Concrete) **42" Electric Firebox**

Product Dimensions (WxHxD) $43-1/4 \times 31 \times 12-1/8$ in $109.8 \times 78.8 \times 30.8$ cm

Carton Dimensions (WxHxD) 47-1/2 × 36-1/2 × 16-3/8 in 120.6 × 91.2 × 341.1 cm

Packaged Weight 112.7 lbs / 51.1 kg

JPC

781052152182 - Herringbone 781052152199 - Concrete


Accessories (sold separately)



Installation Trim

Model#	Trim Width	Firebox Size
RBF24TRIM36 UPC - 781052123595	36"	24"
RBF24TRIM40 UPC - 781052123618	40"	24"
RBF30TRIM38 UPC - 781052123625	38"	30"
RBF30TRIM44 UPC - 781052123601	44"	30"

▼Dimplex®



Classic Elegance

The fireplace heating and design elements work together to provide a welcoming environment.

Traditional Design

The full brick interior brings the warmth and comfort of a traditional fireplace into your home.

Intuitive Operation

Simple-to-use controls ensure a hassle-free and enjoyable fireplace experience.

BF Series Built-in Electric Firebox





BFSL33 33" Slim Line Electric Firebox, with trim kit

Product Dimensions (WxHxD) $35-3/4 \times 29-7/8 \times 9-7/8$ in 90.7 × 75.8 × 25.0 cm

Carton Dimensions (WxHxD) $35-3/4 \times 29-7/8 \times 9-7/8$ in $90.7 \times 75.8 \times 25.0 \text{ cm}$

Packaged Weight 68 lbs / 30.9 kg

UPC 781052064478



BF33DXP 33" Deluxe **Electric Firebox**

Product Dimensions (WxHxD) $32-7/8 \times 28-1/2 \times 14-3/8$ in 83.0 × 72.4 × 36.3 cm

Carton Dimensions (WxHxD) $33-1/8 \times 31-1/2 \times 9-1/2$ in 84.1 × 80.0 × 42.6 cm

Packaged Weight 79.4 lbs / 36.1 kg

UPC 781052045781



BF39STP 39" Standard **Electric Firebox**

Product Dimensions (WxHxD) $38-3/4 \times 32-3/4 \times 15-3/8$ in $98.4 \times 83.1 \times 39.1 \text{ cm}$

Carton Dimensions (WxHxD) $39 \times 34 - 1/2 \times 17 - 1/2$ in 99.1 × 87.6 × 44.5 cm

Packaged Weight 89.7 lbs / 40.7 kg

UPC 781052045798



BF39DXP 39" Deluxe **Electric Firebox**

Product Dimensions (WxHxD) $38-3/4 \times 32-3/4 \times 15-1/4$ in $98.4 \times 83.2 \times 36.2 \text{ cm}$

Carton Dimensions (WxHxD) 40 × 34-1/2 × 17-1/2 in 101.6 × 87.6 × 44.5 cm

Packaged Weight 87 lbs / 39.5 kg

UPC 781052045804



BF45DXP 45" Deluxe **Electric Firebox**

Product Dimensions (WxHxD) 44-3/4 × 32-3/4 × 15-3/8 in 113.7 × 83.2 × 38.9 cm

Carton Dimensions (WxHxD) $45-3/4 \times 35-1/2 \times 17-1/2$ in 116.2 × 90.2 × 38.9 cm

Packaged Weight 106.5 lbs / 48.3 kg

UPC 781052052390





Bi-fold Look Glass Door

Model #	Firebox
BFDOOR33BLKSM	BF33DXP UPC - 781052041233
BFDOOR39BLKSM	BF39STP & BF39DXP UPC - 781052041257
BFDOOR45BLKSM	BF45DXP UPC - 781052041271




BFPLUGE Plug Kit, includes 7 ft. cord

UPC 781052040748



Tamperproof Glass Door				
Model #	Firebox			
BFSL33DOOR	BFSL33 UPC - 781052063778			
BFGLASS33BLK	BF33DXP UPC - 781052044623			
BFGLASS39BLK	BF39STP & BF39DXP UPC - 781052044630			
BFGLASS45BLK	BF45DXP UPC - 781052044647			



Swing Glass Door

3	
Model #	Firebox
BFSDOOR33BLK	BF33DXP UPC - 781052044593
	DESOCTO & DESOUVO

BFSDOOR39BLK BF39STP & BF39DXP UPC - 781052944609



Trim Kit				
Model#	Firebox			
BF4TRIM33	BF33DXP UPC - 781052052932			
BF4TRIM39	BF39STP & BF39DXP UPC - 781052052956			
BF4TRIM45	BF45DXP LIPC - 781052052970			





3-stage Remote Control Kit (included with BFSL33)

UPC 781052040687



Now



Nova Series Plug-in Electric Firebox

Quick Comfort

Simply plug-in and enjoy the flickering flames and cozy warmth.

Elevate Ambience

Have your choice of ember beds to enhance your aesthetic, complementing a wide range of design styles.

Adaptable Installation

Retrofit into an existing fireplace or construct a custom fireplace surround or mantel to achieve your desired look.





XHD23L (Realogs®) XHD23G (Acrylic Crystals) 23" Electric Firebox

Product Dimensions (WxHxD) 23 × 20-1/2 × 7-1/2 in 58.4 × 52.0 × 19.1 cm

Carton Dimensions (WxHxD) $25-5/8 \times 24 \times 10-5/8$ in $65.0 \times 61.0 \times 27.0$ cm

Packaged Weight 23 lbs / 10.4 kg

UPC

781052115125 - Realogs 781052115118 - Acrylic Crystals



XHD26L (Realogs®) XHD26G (Acrylic Crystals) 26" Electric Firebox

Product Dimensions (WxHxD) 26 × 18-7/8 × 7-1/2 in 66.0 × 47.9 × 19.1 cm

Carton Dimensions (WxHxD) $28-1/2 \times 22-1/2 \times 10-5/8$ in $72.5 \times 57.0 \times 27.0$ cm

Packaged Weight 25 lbs / 11.3 kg

UPC

781052110823 - Realogs 781052110816 - Acrylic Crystals



XHD28L (Realogs®)
XHD28G (Acrylic Crystals)
28" Electric Firebox

Product Dimensions (WxHxD) 27-3/8 × 23-1/2 × 7-1/2 in 69.5 × 59.7 × 19.1 cm

Carton Dimensions (WxHxD) 30 × 26-7/8 × 11-1/8 in 76.0× 68.0× 28.0 cm

Packaged Weight 32 lbs / 14.5 kg

UPC

781052110847 - Realogs 781052117907 - Acrylic Crystals



XHD33L (Realogs®) XHD33G (Acrylic Crystals) 33" Electric Firebox

Product Dimensions (WxHxD) 33-1/8 × 23-1/4 × 7-1/2 in 84.1 × 59.0 × 19.1 cm

Carton Dimensions (WxHxD) $35-5/8 \times 26-7/8 \times 11-1/8$ in $90.5 \times 68.0 \times 28.0$ cm

Packaged Weight 38.6 lbs / 17.5 kg

UPC

781052131217 - Realogs 781052131224 - Acrylic Crystals



Realogs®

Acrylic Crystals



Multi-function Remote

Control the fireplace features from the comfort of your chair.



Electric Firebox Specifications

Series	Ignite® Aspire	Revillusion Deluxe	Revillusion	BFSL Series	BF Series	Nova Series
Size	30", 36", 42", 48"	24"	30", 36", 36"P, 42"	33"	33", 39", 45"	23", 26", 28", 33"
Ember Bed	Quick Connect Logs with Tumbled Glass Embers	Realogs®		Inner Glow Logs	Inner Glow Logs	Acrylic Crystals, Realogs®
Ember Bed Color Settings	3 Themes Adjustable Brightness	•	•			•
Interior Surround	Black	Herring! Weathered Co		Black	Black, Authentic brick-look interior	Black
Flame Effect	Dynamic-Fire	Revillusio	n® Flame	Original Dimplex® Flame		e
Flame Technology	Optiflame [®]	Optiflame®	Optiflame®	Optiflame®	Optiflame [®]	Optiflame®
Flame Speed	4	•				•
Flame Only Mode	•	•	•	•	•	•
Light Settings	Top Light	Mood Lighting, Brig Ambient Lig				Adjustable Brightness
Heat Operation	Comfort\$aver® Heating	Comfort\$aver®	Po Option to us	Powerful Supplemental Heat to use 240V supply for up to 9200 BTU		Supplemental Heat
Heating Range	Up to 1000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.
Heater Only Mode	•	•	•	When connected to a	a switch or thermostat	•
Heater Element	Ceramic	Ceramic	Steel Sheathed	Steel Sheathed		Stitched Wire
Heat Disable	Onboard o	controls or hardwire dis	connect	Hardwire disconnect only		Onboard controls
Built-in Thermostat	•	•	•			•
Connects to a Wall Thermostat				•	•	
Wiring Type	Hardwire (Optional 120V Plug Kit Included)		Hardwire (Optional 120V Plug Kit Included)		Hardwire (Optional 120V Plug Kit Included)	
Volts	120 240	120	120 / 208 / 240	120 / 208 / 240	120 / 208 / 240	120
Watts	1500 2500	1500	1375 / 1975 / 2575	1223 / 1823 / 2423	1440 / 2100 / 2700	1465
BTU	5118 8530	5118	4400 / 6745 / 8794	4173 / 6220 / 8267	4913 / 7165 / 9213	5000
Display		•	•			•
Onboard Controls	Onboard Remote App	Hidden-Touch Controls	Hidden-Touch Controls	Toggle	Toggle	Hidden-Touch Controls
Flame Connect App	•					
Smart Self-diagnostics	•					
Timer	•	•	•			•
Optional Accessories	•	•	30" only	•	•	XHD26/28G only
Remote Control	•	•	•	•		•
Warranty Include parts/ service	5-year parts and service	2-year limited	2-year limited	2-year limited	2-year limited	2-year limited

29 dimplex.com



Elevate the fireplace experience to unprecedented heights with the cutting-edge technology of

Water vapor fireplaces. These innovative fireplaces utilize water and LED lights to craft a truly immersive 3D flame that convincingly mimics the authenticity of genuine wood or gas fires. The pinnacle of true luxury, providing a choice between a pre-built box for effortless installation – just connect to a water and electric source – or cassettes that grant you complete customization in design and orientation. You can even connect multiple cassettes together to create a fully custom dramatic focal piece that transforms your space into a work of art.

The ability to reach out and touch the flames without risk of burning yourself sets this product apart from traditional wood or gas fires. Vapor fireplaces are an incredibly safe option for any space with no noxious gas emissions and cool to the touch flames. Water vapor fireplaces provide stunning realism with simple and inexpensive maintenance, making them the perfect fireplace solution.





Öptimyst° Linear



Optimyst® Linear Vapor Fireplace

Breathtaking Ambience

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.


Clean & **Sustainable**

Optimyst requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Unparalleled Experience

You'll have a completely unique fire experience through personalization options; no flame shape is the same.





OLF46-AM Optimyst®46" Linear Vapor Fireplace

Product Dimensions (WxHxD) 47-1/2 × 31-1/2 × 11-7/8 in 120.6 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD) $50-3/8 \times 34-3/8 \times 15-1/2$ in $127.8 \times 87.1 \times 39.1$ cm

Packaged Weight 150.3 lbs / 68.2 kg

UPC 781052136786

OLF66-AM Optimyst^o 66" Linear Vapor Fireplace

Product Dimensions (WxHxD) 67-1/2 × 31-1/2 × 11-7/8 in 171.4 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD) 70-3/8 × 34-3/8 × 15-1/2 in 178.6 × 87.1 × 39.1 cm

Packaged Weight 204.8 lbs / 92.9 kg

UPC 781052136793

OLF86-AM Optimyst® 86" Linear Vapor Fireplace

Product Dimensions (WxHxD) 87-1/2 × 31-1/2 × 11-7/8 in 222.2 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD) 90-3/8 × 34-3/8 × 15-1/2 in 229.4 × 87.1 × 39.1 cm

Packaged Weight 264.5 lbs / 120 kg

UPC 781052136809

Accessories

(sold separately, see Page 44)

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.





Öptimyst° Aura



Flame Realism

Produces ultra realistic 3D flames using using water vapor, courtesy of the Optimyst flame effect.

User-Friendly

Designed for a stress-free experience, equipped with a front drawer for easy water reservoir refilling and Flame Connect App compatibility.

Sustainable Hearth

Combines sustainability with energy-efficiency, providing an environmentally conscious heating and design solution.

Optimyst[®] Aura Vapor Fireplace





3STEP-RGB-AM Optimyst° Aura 30" Vapor Fireplace

Product Dimensions (WxHxD) 30 × 29-3/16 × 15-7/8 in 76.2 × 74.1 × 40.4 cm

Carton Dimensions (WxHxD) 36-1/4 × 36-5/8 × 22 in 92.0 × 93.0 × 56.0cm

Packaged Weight 134.2 lbs / 61.0 kg

UPC 781052154100

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



Öptimyst[®] Revive



Optimyst® Revive Vapor Fireplace

Flame Realism

Produces ultra realistic 3D flames using using water vapor, courtesy of the Optimyst flame effect.

Adaptable Design

Versatile design suits modern or traditional settings, with a pullout drawer for easy water refills, enabling installation anywhere.

Silent and Adjustable Ambience

Experience silent, fully variable flames for diverse moods with option to enjoy the ambience without the heat.





ABN15-RGB-AM Optimyst® Revive 25" Vapor Fireplace

Product Dimensions (WxHxD) $25-3/16 \times 24-1/4 \times 12-1/4$ in $63.9 \times 61.6 \times 31.3$ cm

Carton Dimensions (WxHxD) $30-1/8 \times 34-7/8 \times 18-1/8$ in $76.5 \times 88.5 \times 46.0$ cm

Packaged Weight 68.2 lbs / 31.0 kg

UPC 781052154094

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Easy ControlUse the included remote or hidden

remote or hidden control panel to easily operate your fireplace.



Őptimyst[®] e-MatriX



Optimyst® e-MatriX Vapor Fireplace

Breathtaking Ambience

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Unparalleled Experience

You'll have a completely unique fire experience through personalization options; no flame shape is the same.



FEF3226L1 Optimyst e-MatriX 35" Vapor Fireplace

Product Dimensions (WxHxD) $35 \times 37 - 3/4 \times 22 - 3/8$ in $88.9 \times 96.0 \times 56.5$ cm

Carton Dimensions (WxHxD) 51 × 26 × 49 in 129.5 ×66.0 × 124.5 cm

Packaged Weight 297 lbs / 136 kg

UPC 781052132016

FEF3226L2L Optimyst e-MatriX 35" Vapor Fireplace

Product Dimensions (WxHxD) 37-1/8 × 37-3/4 × 20-3/8 in 94.3 × 96.0 × 51.6 cm

Carton Dimensions (WxHxD) 51 × 26 × 49 in 129.5 ×66.0 × 124.5 cm

Packaged Weight 297 lbs / 136 kg

UPC 781052132023

FEF3226L2R Optimyst e-MatriX 35" Vapor Fireplace

Product Dimensions (WxHxD) 37-1/8 × 37-3/4 × 20-3/8 in 94.3 × 96.0 × 51.6 cm

Carton Dimensions (WxHxD) $51 \times 26 \times 49$ in $129.5 \times 66.0 \times 124.5$ cm

Packaged Weight 297 lbs / 136 kg

UPC 781052132047

FEF3226L3 Optimyst e-MatriX 35" Vapor Fireplace

Product Dimensions (WxHxD) 39-1/8 × 37-3/4 × 20-3/8 in 99.4 × 96.0 × 51.6 cm

Carton Dimensions (WxHxD) $51 \times 26 \times 49$ in $129.5 \times 66.0 \times 124.5$ cm

Packaged Weight 297 lbs / 136 kg

UPC 781052132054






Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Öptimyst Cassette



Optimyst® Cassette Vapor Fireplace

Stunning Atmosphere


Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & **Sustainable**

Optimyst Cassette requires no fuel or venting as it runs on water and electricity.

Limitless Installation

With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.





CDFI500-PRO Optimyst® 500 Cassette

Product Dimensions (WxHxD) 20×9 -1/2 \times 12 in $50.8 \times 24.1 \times 30.5$ cm

Carton Dimensions (WxHxD) 24-3/8 × 13-7/8 × 17-3/4 in 62.0 × 34.0 × 45.0 cm

Packaged Weight 24.2 lbs / 10.9 kg

UPC 781052113053

Accessories

(sold separately, see Page 44)

NEW next generation Optimyst® 500 Cassette featuring RGB Color Lights















Öptimyst° Pro Box



Captivating Ambience

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst Pro Box requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Seamless Design

The pre-built box simplifies the $in stall at ion\ without$ compromising on design.



GBF1500-PRO

UPC 781052133754 60" Built-In Electric Fireplace, **Includes the following:**





CDFI-BX1500 Optimyst 1500 Box

Product Dimensions (WxHxD) $65 \times 31-3/4 \times 16-1/4$ in $165.0 \times 80.5 \times 41.2$ cm

Carton Dimensions (WxHxD) $68-3/4 \times 36-3/4 \times 18-1/8$ in $174.5 \times 93.5 \times 46.0$ cm

Packaged Weight 111.5 lbs / 50.6 kg

UPC 781052133709

FG1500 Front Glass

Product Dimensions (WxHxD) $60-3/4 \times 15-1/4 \times 1-5/8$ in $154.4 \times 38.8 \times 4.1$ cm

Carton Dimensions (WxHxD) $71-3/8 \times 21-5/8 \times 5-1/4$ in $181.5 \times 55.0 \times 13.5$ cm

Packaged Weight 28.4 lbs / 12.88 kg

781052133716



CDFI500-PRO Optimyst 500 Cassette

(Requires 3 units) See page 40 for specifications.

Rear Glass Pane

* Above image shows product used with rear glass, sold separately, see page 44.

GBF1000-PRO

UPC 781052113022 40" Built-In Electric Fireplace, **Includes the following:**



+

CDFI-BX1000 Optimyst 1000 Box

Product Dimensions (WxHxD) 46-5/8 × 31-3/4 × 16-1/4 in 118.4 × 80.5 × 41.2 cm

Carton Dimensions (WxHxD) $48-1/2 \times 37 \times 18-1/8$ in $123.0 \times 94.0 \times 46.0$ cm

Packaged Weight 81.4 lbs / 37 kg

UPC 781052110618



FG1000 Front Glass

Product Dimensions (WxHxD) 40-5/8 × 14-1/2 × 1-5/8 in 103.0 × 36.8 × 4.1 cm

Carton Dimensions (WxHxD) $50-5/8 \times 20-7/8 \times 5-1/8$ in $128.5 \times 53.0 \times 13.0$ cm

Packaged Weight 19.6 lbs / 8.9 kg

UPC 781052118379



CDFI500-PRO Optimyst 500 Cassette

(Requires 2 units)

See page 40 for specifications.

Accessories

(sold separately, see Page 44)

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Öptimyst°



Customizable Style

Choose from a selection of optional ember beds to create the Optimyst fireplace of your dreams.

Easy Installation

Add a plug kit or plumb kit to make installing the Optimyst Vapor Fireplaces simple.

Additional Warmth

Pair the Optimyst Cassettes with an accessory heater to add warmth in any space.

Optimyst® Accessories Vapor Fireplace



Rear Glass Pane

Allows for see-through installations for GBF1000-PRO & GBF1500-PRO



GBF1000-GLASS UPC 781052116979

GBF1500-GLASS UPC 781052133723

Ember Bed Kits

Black Rock



CDFI500-BLKRCK UPC 781052120983 For CDFI500 order 1 Kit For GBF1000 order 2 Kits For GBF1500 order 3 Kits



River Rock
CDFI500-RVRCK
UPC 781052121003
For CDFI500 order 1 Kit
For GBF1000 order 2 Kits
For GBF1500 order 3 Kits



Driftwood
CDFI500-DWSKIT
UPC 781052121034
For CDFI500 order 1 Kit
For GBF1000 order 2 Kits
For GBF1500 order 3 Kits

Direct Plumbing Kit



CDFIPLUMB-KIT UPC 781052103221 - Optional Accessory to be used with copper plumbing only.

Heater



CDFI-TMHEAT Hardwire Heater Accessory **UPC** 781052121058

Plug Kits



CDFI-PLUGKIT UPC781052105591



OLFPLUGFor Optimyst Linear Vapor Fireplaces **UPC**781052146396

Log Kits



CDFILOGUPC 781052103238

For **CDFI500** Optimyst® 500 Electric Fireplace Cassette - order 1 Log Kit




Vapor Fireplace Specifications


Series	Optimyst® Linear	Optimyst® Aura	Optimyst® Revive	
Size	46", 66", 86"	30"	25"	
Ember Bed	Lifelike Driftwood with Acrylic Crystals	Realistic Charred Logs	Realistic Charred Logs	
Flame Color Themes Brightness	8 Themes Adjustable Brightness	6 Themes Adjustable Brightness	6 Themes Adjustable Brightness	
Top Light	•			
Flame Effect	Optimyst® Flame effect	Optimyst® Flame effect	Optimyst® Flame effect	
Flame Technology	Optimyst [®]	Optimyst®	Optimyst®	
Crackling Sound Effect	•	•	•	
Flame Only Mode	•	•	•	
Air Circulation	•	•	•	
Heat Operation	Comfort\$aver® heating system	Powertul heating	Powertul heating	
Heating Range	1000 sq. ft.	400 sq. ft.	400 sq. ft.	
Heat Disable	•	•	•	
Built-in Thermostat	•	•	•	
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire (120V Plug kit included) Installation required	Hardwire (120V Plug kit included) Installation required	
Volts	120 240	120	120	
Watts	46" = 1220 1920 66" = 1480 2180 86" = 1020 (flame only) 2400	1250	1250	
BTU	46" = 4163 6551 66" = 5050 7438 86" = 3480 (flame only) 8189	4265	4265	
Operating Controls	Hidden touch controls Remote	Onboard controls Remote	Onboard controls Remote	
Flame Connect App	•	•		
Self-diagnostics	•	•		
Display	•	•	•	
Timer	•	•	•	
Installation Options	Fully recessed	Front	Front	
Direct Plumbing	Hard Plumb	Easy Access Refill Drawer	Easy Access Refill Drawer	
Optional Accessories	Plumb Kit, Plug Kit			
Warranty	2-year parts and service	2-year parts and services	2-year parts and services	
Viewing Dimensions (WxH)	46" (OLF46-AM) 44-1/4 × 14-3/8 in 112.4 × 36.3 cm 66" (OLF66-AM) 64-1/4 × 14-3/8 in 163.1 × 36.3 cm 86" (OLF86-AM) 84-1/4 × 14-3/8 in 213.8 × 36.5 cm	30" (3STEP-RGB-AM) 28-1/2 × 15 in 72.4 × 38.0 cm	25" (ABN15-RGB-AM) 22-1/4 × 11-7/8 in 56.5 × 30.1 cm	

45 dimplex.com



Series	Optimyst® e-MatriX	Optimyst® Pro Built-in Fireplace	Optimyst® Cassette
Size	32"	40", 60"	20"
Ember Bed	Realistic Charred Logs		
Flame Color Themes Brightness			
Top Light			
Flame Effect	Optimyst® Flame effect	Optimyst® Flame effect	Optimyst® Flame effect
Flame Technology	Optimyst [®]	Optimyst [®]	Optimyst [®]
Crackling Sound Effect	•	•	•
Flame Only Mode	•	•	•
Air Circulation			
Heat Operation	Heat-free	Supplemental heating	Heat-free (Optional Heater Accessory available)
Heating Range		400 sq. ft.	
Heat Disable		•	
Built-in Thermostat			
Wiring Type	Hardwire (120V Plug kit sold separately)	Hardwire (120V Plug kit sold separately)	Hardwire (120V Plug kit sold separately)
Volts	120	120	120
Watts	270	40" = 1460 60" =1490	230
вти		40" = 4984 60" = 5087	20" = 785
Operating Controls	Membrane controls Remote	Membrane controls Remote	Membrane controls Remote
Flame Connect App			
Smart Self-diagnostics			Basic
Display			
Timer			
Installation Options	Front, Right, Left or Bay	One-sided or Double-sided	Fully customizable
Direct Plumbing	Hard Plumb	Hard Plumb	Hard Plumb
Optional Accessories		Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Rear Glass	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Heater
Warranty	2-year parts and service	2-year parts and service	2-year parts and service
Viewing Dimensions (WxH)	Front (FEF3226L1) 35 × 37-3/4 × 22-3/8 in 88.9 × 96.0 × 56.5 cm Right/Left (FEF3226L2L & FEF3226L2R) 37-1/8 × 37-3/4 × 20-3/8 in 94.3 × 96.0 × 51.6 cm Bay (FEF3226L3) 39-1/8 × 37-3/4 × 20-3/8 in 99.4 × 96.0 × 51.6 cm	40" (GBF1000-PRO) 37-3/4 × 16-1/4 in 96.0 × 41.3 cm 60" (GBF1500-PRO) 58 × 16-1/4 in 147.4 × 41.3 cm	





Electric log sets and inserts offer advantages for those seeking an easy and cost-effective way to enjoy the look of a traditional wood-burning fire without the hassle. These fireplaces are convenient to install and the perfect solution for those looking to revive the charm of an existing hearth space with a realistic and efficient fireplace.

Simply remove from the box, set into your space, plug in, and enjoy the cozy atmosphere instantly.

Revillusi()n°



Artful Design

Realistic flames, and quality crafted logs come together to create an illusion of a true burning fire.

Complete Perspective

Enjoy a full-depth view to the back of the hearth with the ability to see clearly through the flames.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.

49

RevillusionPlug-in Electric Log Sets





RLG20

20" Revillusion® Log Set

Product Dimensions (WxHxD) $23-3/4 \times 19 \times 12-1/2$ in $60.3 \times 48.2 \times 31.7$ cm

Carton Dimensions (WxHxD) $25-5/8 \times 14-3/4 \times 15-3/8$ in $65.0 \times 37.5 \times 39.0$ cm

Packaged Weight 17.8 lbs / 8.1 kg

UPC 781052104709



RLG25 25" Revillusion® Log Set

Product Dimensions (WxHxD) 25-5/8 × 19 × 13 in 65 × 48.2 × 32.9 cm

Carton Dimensions (WxHxD) 28-3/8 × 15 × 18-1/8 in 72.0 × 38.1 × 46.0 cm

Packaged Weight 18.5 lbs / 8.4 kg UPC 781052104686




50

Accessories (sold separately)

REM-KIT Ember bed for RLG20 UPC 781052106185

DFI SeriesPlug-in Electric Log Inserts

♥Dimplex®



Reclaimed Charm


Revitalize an existing hearth space with the flicker of lifelike flames and the warmth of modern convenience.

Seamless Installation

With virtually no setup required, effortlessly incorporate a fireplace into your space.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.





DFI2310

23" Electric Fireplace Insert

Product Dimensions (WxHxD) 23-1/4 × 19-1/2 × 10-7/8 in 59.1 × 49.5 × 27.5 cm

Carton Dimensions (WxHxD) 26-1/2 × 22-7/8 × 13-1/4 in 66.6 × 57.9 × 33.5 cm

Packaged Weight 36 lbs / 16.3 kg

UPC 781052049406

Accessories (sold separately)



DFI23TRIMXTrim Kit for
DFI2309 & DFI2310 **UPC** 781052039285



Log Set and Insert Specifications

Series	Revillusion Log Set	Revillusion Log Set	DFI Insert
Model	RLG20	RLG25	DFI2310
Firebox Size	20"	25"	23"
Ember Bed	Realogs®	Realogs®	Inner Glow Logs
Brightness & Flicker	•	•	
360° Light	•	•	
Color Settings		Adjust the flame base color to red or blue	
Flame Only	•	•	•
Heat Only	•	•	•
Heater Element	Ceramic	Ceramic	Steel Sheathed
Heat Operation	Supplemental heating	Supplemental heating	Supplemental heating
Flame Technology	Optiflame®	Optiflame®	Optiflame [®]
Flame Effect	Revillusion®	Revillusion [®]	Dimplex®
Installation	Masonry Log Set	Masonry Log Set	Masonry Insert
Volts	120	120	120
Wattage	1500	1500	1375
BTU	5118	5118	4695
Wiring	Plug-in	Plug-in	Plug-in
Heating Range	1,000 sq. ft.	1,000 sq. ft.	1,000 sq. ft.
Display/Controls	Membrane Remote	Membrane Remote	Switch Remote
Remote Features	Multi-function	Multi-function	On/Off
Warranty	1-year limited	2-year limited	1-year limited
Accessories	Ash Mat		Trim Kit
Dimensions (WxHxD)	23-3/4 × 19 × 12-1/2 in 60.3 × 48.2 × 31.7 cm	25-5/8 × 19 × 13 in 65.0 × 48.2 × 32.9 cm	23-1/4 × 19-1/2 × 10-7/8 in 59.1 × 49.5 × 27.3 cm

53 dimplex.com

Ordering SKU Index

Ignite® Ultra	pg 3		
Model Number	Order Number		
ULT50	500003149		
ULT60	500003151		
ULT74	500003152		
ULT88	500003154		
ULT100	500003155		
Ignite® Bold	pg 5		
Model Number	Order Number		
XLF5017	X-XLF5017-XD		
XLF6017	X-XLF6017-XD		
XLF7417	X-XLF7417-XD		
XLF8817	X-XLF8817-XD		
XLF10017	X-XLF10017-XD		
XLFXDLINK	X-XLFXDLINK		
XLFXDPLUG	X-XLFXDPLUG		
500003421	500003421		
Ignite® Evolve	pg7		
Model Number	Order Number		
EVO50	500002573		
EVO60	500002574		
EVO74	500002608		
EVO100	500002563		
XLFTRIM50	X-XLFTRIM50		
XLFTRIM60	X-XLFTRIM60		
XLFTRIM74	X-XLFTRIM74		
XLFTRIM100	X-X-XLFTRIM100		
LF50DWS-KIT	X-LF50DWS-KIT		
LF74DWS-KIT	X-LF74DWS-KIT		
LF100DWS-KIT	X-LF100DWS-KIT		
Ignite XL®	pg 9		
Model Number	Order Number		
XLF50	X-XLF50		
XLF60	X-XLF60		
XLF74	X-XLF74		
XLF100	X-XLF100		
LF50DWS-KIT	X-LF50DWS-KIT		
LF74DWS-KIT	X-LF74DWS-KIT		
LF100DWS-KIT	X-LF100DWS-KIT		
XLFTRIM50	X-XLFTRIM50		
XLFTRIM60	X-XLFTRIM60		
XLFTRIM74	X-XLFTRIM74		
XLFTRIM100	X-XLFTRIM100		
500003421	500003421		

Slim Linear	pg 11
Model Number	Order Number
PLF3614-XS	X-PLF3614-XS
PLF4214-XS	X-PLF4214-XS
PLF5014-XS	X-PLF5014-XS
PLF6014-XS	X-PLF6014-XS
PLFXSPLUG	X-PLFXSPLUG
Prism	pg 13
Model Number	Order Number
BLF3451	X-BLF3451
BLF5051	X-BLF5051
BLF7451	X-BLF7451
LF50DWS-KIT	X-LF50DWS-KIT
LF74DWS-KIT	X-LF74DWS-KIT
LF100DWS-KIT	X-LF100DWS-KIT
500003421	500003421
SIL	pg 15
Model Number	Order Number
SIL48	X-SIL48
SIL60	X-SIL60
SIL72	X-SIL72
Aspire	pg 21
Model Number	Order Number
ASP30	500003050
ASP36	500003051
ASP42	500003049
ASP48	500003060
500003783	500003783
500003784	500003784
500003785	500003785
500003786	500003786
Revillusion	pg 23
Model Number	Order Number
RBF24DLX	X-RBF24DLX
RBF24DLXWC	X-RBF24DLXWC
RBF30-FG	500002388
RBF30WC-FG	500002389
RBF36-FG	500002400
RBF36WC-FG	500002401
RBF36P-FG	500002398
RBF36PWC-FG	500002399
RBF42-FG	500002410
RBF42WC-FG	500002411
RBF24TRIM36	X-RBF24TRIM36
RBF24TRIM40	X-RBF24TRIM40
RBF30TRIM38	X-RBF30TRIM38
	,

BF Series	pg25	
Model Number	Order Number	
BFSL33	X-BFSL33	
BF33DXP	X-BF33DXP	
BF39STP	X-BF39STP	
BF39DXP	X-BF39DXP	
BF45DXP	X-BF45DXP	
BFDOOR33BLKSM	X-BFDOOR33BLKSM	
BFDOOR39BLKSM	X-BFDOOR39BLKSM	
BFDOOR45BLKSM	X-BFDOOR45BLKSM	
BFGLASS33BLK	X-BFGLASS33BLK	
BFGLASS39BLK	X-BFGLASS39BLK	
BFGLASS45BLK	X-BFGLASS45BLK	
BFSL33DOOR	X-BFSL33DOOR	
BFSDOOR33BLK	X-BFSDOOR33BLK	
BFSDOOR39BLK	X-BFSDOOR39BLK	
BF4TRIM33	X-BF4TRIM33	
BF4TRIM39	X-BF4TRIM39	
BF4TRIM45	X-BF4TRIM45	
BFPLUGE	X-BFPLUGE	
BFRC-KIT	X-BFRC-KIT	
Nova	pg 27	
Model Number	Order Number	
XHD23G	X-XHD23G	
XHD23L	X-XHD23L	
XHD26G	X-XHD26G	
XHD26L	X-XHD26L	
XHD28G	X-XHD28G	
XHD28L	X-XHD28L	
XHD33G	500001757	
XHD33L	500001756	

©2024 Glen Dimplex Americas RBF30TRIM44 X-RBF30TRIM44 54

Ordering SKU Index

Optimyst® Linear	pg 31
Model Number	Order Number
OLF46-AM	X-136786
OLF66-AM	X-136793
OLF86-AM	X-136809
Optimyst® Aura	pg 33
Model Number	Order Number
3STEP-RGB-AM	500003866
Optimyst® Revive	pg 35
Model Number	Order Number
ABN15-RGB-AM	500003863
Optimyst® e-MatriX	pg 37
Model Number	Order Number
FEF3226L1	X-FEF3226L1
FEF3226L2L	X-FEF3226L2L
FEF3226L2R	X-FEF3226L2R
FEF3226L3	X-FEF3226L3
Optimyst® Cassette	pg 39
Model Number	Order Number
CDFI500-PRO	X-2113053
Optimyst® Pro Box	pg 41
Model Number	Order Number
GBF1500-PRO	X-GBF1500-PRO
GBF1000-PRO	X-GBF1000-PRO
Optimyst® Accessories	pg 43
Model Number	Order Number
GBF1000-GLASS	X-GBF1000-GLASS
GBF1500-GLASS	X-GBF1500-GLASS
CDFILOG	X-206176
CDFIPLUMB-KIT	X-206213
CDFI-TMHEAT	X-CDFI-TMHEAT
CDFI500-DWSKIT	X-CDFI500-DWSKIT
CDFI500-BLKRCK	X-CDFI500-BLKRCK
CDFI500-BLKRCK CDFI500-RVRCK	X-CDFI500-BLKRCK X-CDFI500-RVRCK

Revillusion® Log Sets	pg 49
Model Number	Order Number
RLG20	X-RLG20
RLG25	X-RLG25
REM-KIT	X-REM-KIT
Fireplace Inserts	pg 38
Model Number	Order Number
DFI2310	X-DFI2310
DFI23TRIMX	X-DFI23TRIMX

55 dimplex.com

Notes			

Notes			

57 dimplex.com

™Dimplex®

Experience Better Living.





Experience Better Living.

dimplex.com

LI-1080-R00-100124