

The Dimplex **Electric Fireplace** Collection

Dimplex[®]

Experience Better Living.



Season
2025

Experience
Innovation



Linear Electric Fireplaces

NEW!	Ignite® Ultra	3-4
	Ignite® Bold	5-6
	Ignite® Evolve	7-8
	Ignite XL®	9-10
	Slim Linear (DI Import Only)	11-12
	Specifications	13

Hardwire / Plug-in Fireboxes

NEW!	Ignite® Aspire	15-16
	Revillusion®	17-18
	BF Series	19-20
	Nova Series	21-22
	Specifications	23

Water Vapor Fireplaces

	Optimyst® Linear	25-26
NEW!	Optimyst® Aura	27-28
NEW!	Optimyst® Revive	29-30
	Optimyst® e-MatriX	31-32
	Optimyst® Cassettes	33-34
	Optimyst® Pro Box	35-36
	Optimyst® Accessories	37-38
	Specifications	39-40

Log Sets & Inserts

	Revillusion® Log Sets	43-44
	DFI Insert	45-46
	Specifications	47

	Ordering SKU Index	48-49
--	---------------------------	-------



Linear electric fireplaces offer a host of benefits that elevate the aesthetics and comfort of any space. Their stylish and sleek design, characterized by clean lines and customizable features, allows them to seamlessly blend into any décor. With their contemporary shape, they effortlessly accommodate the trend of hanging TV's above them, making them a perfect solution for family living spaces. Simply change the ember bed to dramatically transform the look and feel of a linear electric fireplace from ultra-modern to a more traditional, comforting ambience.

Unlike wood or gas fireplaces, electric fireplaces require no maintenance, and can operate without heat for year-round enjoyment. They are safe for pets and children, as the glass doesn't get hot to the touch.

NEW!



Ignite[®] Ultra
Linear Electric Fireplaces

Modern Elegance

Sleek design and cutting-edge technology create a focal point that exudes modernism.

Adaptable Design

Freedom to fit your vision with five installation choices: front-facing, left corner, right-corner, bay, or create a sleek modular unit.

Natural Hearth

Delivers the most authentic flame and log combination for an unmatched and lifelike fire experience.

Key Benefits



Less frame, more flame - 4 installations

Comfort\$aver® heating system

Dynamic-Fire flame effect


Crackling sound effects

Smart self-diagnostics

3-button control panel



Enjoy 365 days with or without heat



Quick connect moveable logs with tumbled glass embers

Mirrored glass backer to enhance flame effect

4 flame speeds

16-15/16" (42.9 cm) viewing height

**ULT50
50" Linear
Electric Fireplace**

Product Dimensions with trim (WxHxD)
50-9/16 × 27-1/2 × 14-1/2 in
128.5 × 69.9 × 36.9 cm

Carton Dimensions (WxHxD)
55 × 29 × 16 in
139.7 × 73.7 × 40.6 cm

Packaged Weight
92 lbs / 41.7 kg

UPC
781052152960

**ULT60
60" Linear
Electric Fireplace**

Product Dimensions with trim (WxHxD)
60-9/16 × 27-1/2 × 14-1/2 in
153.9 × 69.9 × 36.9 cm

Carton Dimensions (WxHxD)
65 × 29 × 16 in
165.1 × 73.7 × 40.6 cm

Packaged Weight
97 lbs / 44 kg

UPC
781052152977

**ULT74
74" Linear
Electric Fireplace**

Product Dimensions with trim (WxHxD)
74-9/16 × 27-1/2 × 14-1/2 in
185.9 × 69.9 × 36.9 cm

Carton Dimensions (WxHxD)
79 × 29 × 16 in
200.7 × 73.7 × 40.6 cm

Packaged Weight
104 lbs / 47.2 kg

UPC
781052152984

**ULT88
88" Linear
Electric Fireplace**

Product Dimensions with trim (WxHxD)
88-9/16 × 27-1/2 × 14-1/2 in
225.0 × 69.9 × 36.9 cm

Carton Dimensions (WxHxD)
93 × 29 × 16 in
236.2 × 73.7 × 40.6 cm

Packaged Weight
111 lbs / 50.3 kg

UPC
781052152991

**ULT100
100" Linear
Electric Fireplace**

Product Dimensions with trim (WxHxD)
100-9/16 × 27-1/2 × 14-1/2 in
255.5 × 69.9 × 36.9 cm

Carton Dimensions (WxHxD)
105 × 29 × 16 in
266.7 × 73.7 × 40.6 cm

Packaged Weight
118 lbs / 53.5 kg


UPC
781052153004



Black Glass



Rhythmic inner glow logs



Tumbled Glass



Gravel



Tumbled Glass



Tumbled Glass



Total Control

Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mounted remote control or 3-button control panel on the fireplace.



Ignite® Bold
Linear Electric Fireplaces



A Bold Statement

Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.

Energy Efficiency

Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Design Versatility

Install the fireplace your way to fit your space. Front-facing, right or left corner and bay, all in one box.

Key Benefits



Customize fireplace with media accent color and top light

Adjustable brightness

Air circulation mode

ComfortSaver® heating system


Multi-Fire® flame effect

Smart self-diagnostics

Hidden touch controls



Enjoy 365 days with or without heat



Small and large acrylic crystals with natural-looking driftwood

Mirrored glass backer to enhance flame effect

16-1/8" (40.9 cm) viewing height

XLF5017-XD
50" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
49 × 23-7/8 × 12-1/8 in
124.6 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
50-1/2 × 28 × 16-7/16 in
128.4 × 71.1 × 41.8 cm

Packaged Weight
122.5 lbs / 55.5 kg

UPC
781052137226

XLF6017-XD
60" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
60-5/8 × 23-7/8 × 12-1/8 in
156.5 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
63-1/8 × 28 × 16-7/16 in
160.4 × 71.1 × 41.8 cm

Packaged Weight
147.7 lbs / 67.0 kg

UPC
781052137233

XLF7417-XD
74" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
75-11/16 × 23-7/8 × 12-1/8 in
192.23 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
80-1/4 × 28 × 16-7/16 in
203.8 × 71.1 × 41.8 cm

Packaged Weight
171.5 lbs / 77.8 kg

UPC
781052137257

XLF8817-XD
88" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
86-15/16 × 23-7/8 × 12-1/8 in
220.8 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
88-1/4 × 28 × 16-7/16 in
224.2 × 71.1 × 41.8 cm

Packaged Weight
200.2 lbs / 90.8 kg

UPC
781052137264

XLF10017-XD
100" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
99-1/4 × 23-7/8 × 12-1/8 in
252.1 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
105-1/2 × 28 × 16-7/16 in
268.0 × 71.1 × 41.8 cm

Packaged Weight
223.3 lbs / 101.3 kg

UPC
781052137271

Accessories (sold separately)



Plug Kit
XLFXDPLUG
UPC
781052139527



Linking Kit
XLFXDLINK
UPC
781052139503



Tumbled Glass Ember Bed
500003421
UPC 781052153059
- Order ONE Kit for 40 to 60 inch fireplaces
- Order TWO Kits or 70 to 100 inch fireplaces



Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Ignite® Evolve
Linear Electric Fireplaces



Comfort & Aesthetic

Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.


Energy Efficiency

Patented ComfortSaver® technology reduces energy usage while keeping the room temperature stable and cozy.

Complete Personalization

Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Key Benefits



Enjoy 365 days with or without heat



Edgeless design, less frame, more flame

5 flame speeds

ComfortSaver® heating system

Multi-Fire® flame effect

Ambient light sensor

Smart self-diagnostics

Hidden touch controls

Large and medium acrylic crystals, tumbled glass embers and driftwood

Mirrored glass backer to enhance flame effect

11-3/4" (29.7 cm) viewing height

EVO50
50" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
51-1/2 × 16-1/2 × 5-7/8 in
130.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
56-1/2 × 21-1/2 × 12-3/8 in
143.5 × 54.6 × 31.2 cm

Packaged Weight
74 lbs / 33.6 kg

UPC
781052151987

EVO60
60" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
61-1/4 × 16-1/2 × 5-7/8 in
155.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
66-1/2 × 21-1/2 × 12-3/8 in
168.9 × 54.6 × 31.2 cm

Packaged Weight
86.8 lbs / 39.4 kg

UPC
781052151994

EVO74
74" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
75-7/16 × 16-1/2 × 5-7/8 in
191.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
81-1/8 × 21-1/2 × 12-3/8 in
206.0 × 54.6 × 31.2 cm

Packaged Weight
104.7 lbs / 47.5 kg

UPC
781052152007

EVO100
100" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
101-7/16 × 16-1/2 × 5-7/8 in
257.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
106-3/4 × 21-1/2 × 12-3/8 in
271.0 × 54.6 × 31.2 cm

Packaged Weight
137.6 lbs / 62.4 kg

UPC
781052152014

Accessories (sold separately)



Driftwood & River Rock Accessory Kit

XLF50 - LF50DWS-KIT 781052102842
XLF60 - LF74DWS-KIT 781052102859
XLF74 - LF74DWS-KIT 781052102859
XLF100 - LF100DWS-KIT 781052104617



Metal Trim Kit

Allows for installation into 2" x 4" wall construction

EVO50 - XLFTRIM50 781052107953
EVO60 - XLFTRIM60 781052120075
EVO74 - XLFTRIM74 781052107977
EVO100 - XLFTRIM100 781052107984



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



IGNITE XL®

Ignite XL®

Linear Electric Fireplaces



Classic Charm

Flickering flames and acrylic crystals create a stunning feature while providing ambience to any room.

Energy Efficiency

Enjoy perfect comfort with the exclusive ComfortSaver® technology, reducing energy usage while keeping the room temperate stable.

Simple Comfort

Instantly transform your space into a cozy retreat with simple controls and zero hassles.

Key Benefits



Edgeless design, less frame, more flame

Adjustable brightness


ComfortSaver® heating system

Multi-Fire® flame effect

Hidden touch controls



Enjoy 365 days with or without heat



Large and medium acrylic crystals

Mirrored glass backer to enhance flame effect

11-3/4" (29.7 cm) viewing height

XLF50
50" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
50-1/4 × 16-1/2 × 5-7/8 in
127.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
56-3/8 × 21-1/4 × 12 in
143.2 × 54.0 × 30.5 cm

Packaged Weight
73.9 lbs / 33.5 kg

UPC
781052098725

XLF60
60" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
60-1/4 × 16-1/2 × 5-3/4 in
153.0 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD)
68-3/8 × 21-1/4 × 12 in
173.7 × 54.0 × 30.5 cm

Packaged Weight
86.8 lbs / 39.4 kg

UPC
781052118478

XLF74
74" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
75-1/2 × 16-1/2 × 5-3/4 in
191.7 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD)
80-1/8 × 21-1/4 × 12 in
203.4 × 54.0 × 30.5 cm

Packaged Weight
104.7 lbs / 47.5 kg

UPC
781052098756

XLF100
100" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
101-3/8 × 16-1/2 × 5-3/4 in
257.6 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD)
106-3/8 × 21-1/4 × 12 in
270.2 × 54.0 × 30.5 cm

Packaged Weight
137.6 lbs / 62.4 kg

UPC
781052104594

Accessories (sold separately)



Driftwood & River Rock
Accessory Kit

XLF50 - LF50DWS-KIT 781052102842
XLF60 - LF74DWS-KIT 781052102859
XLF74 - LF74DWS-KIT 781052102859
XLF100 - LF100DWS-KIT 781052104617



Tumbled Glass Ember Bed

500003421 UPC 781052153059

- Order ONE Kit for 40 to 60 inch fireplaces
- Order TWO Kits for 70 to 100 inch fireplaces



Metal Trim Kit

Allows for installation into 2" x 4" wall construction

XLF50 - XLFTRIM50 781052107953
XLF60 - XLFTRIM60 781052120075
XLF74 - XLFTRIM74 781052107977
XLF100 - XLFTRIM100 781052107984



Easy Control

Use the included remote or hidden touch controls to easily operate your fireplace.

SLIM

DI
Only



SLIM Linear Electric Fireplaces

Sleek Design

The tall, dazzling flames have an impressive height, and the patented Dimplex mirror effect provides the illusion of depth.

Clean Energy

No fuel or venting is required. All the energy supplied to the unit is converted into heat, which stays in the room to keep the space warm.

Flexible Installation

Can fit flush into 2x4 framing for simple installation or can be wall-mounted with minimal obtrusion thanks to its slim design.

Key Benefits



*DI
Only*

Slim design, installs flush into 2x4 wall 7 Flame Theme Colors Ambient light sensor Smart self-diagnostics Hidden touch controls



Enjoy 365 days with or without heat



Removable factory-installed trim for flush mount Mirrored glass backer to enhance flame effect 12-5/8" (32.2 cm) viewing height

**PLF3614-XS
36" Linear Electric
Fireplace**

Product Dimensions (WxHxD)
37-1/4 x 19-5/8 x 3-7/8 in
94.6 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
46-1/2 x 24-5/8 x 9-1/2 in
118.0 x 62.5 x 24.1 cm

Packaged Weight
57.8 lbs / 26.2 kg

UPC
781052137318

**PLF4214-XS
42" Linear Electric
Fireplace**

Product Dimensions (WxHxD)
43-1/4 x 19-5/8 x 3-7/8 in
109.9 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
52 x 24-5/8 x 9-1/2 in
132.0 x 62.5 x 24.1 cm

Packaged Weight
64.8 lbs / 29.4 kg

UPC
781052137301

**PLF5014-XS
50" Linear Electric
Fireplace**

Product Dimensions (WxHxD)
51-1/4 x 19-5/8 x 3-7/8 in
130.2 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
60 x 24-5/8 x 9-1/2 in
152.5 x 62.5 x 24.1 cm

Packaged Weight
74.9 lbs / 34.0 kg

UPC
781052137295

**PLF6014-XS
60" Linear Electric
Fireplace**

Product Dimensions (WxHxD)
61-1/4 x 19-5/8 x 3-7/8 in
155.6 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
70 x 24-5/8 x 9-1/2 in
176.8 x 62.5 x 24.1 cm

Packaged Weight
87.1 lbs / 39.5 kg

UPC
781052137288

Accessories (sold separately)



Plug Kit
PLFXSPLUG

UPC
781052139534



Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



Linear Electric Fireplace Specifications

Series	Ignite® Ultra Series	Ignite® Bold Series	Ignite® Evolve Series	Ignite XL® Series	Slim Linear (DI only)
Size	50", 60", 74", 88", 100"	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"	36", 42", 50", 60"
Ember Bed	Quick Connect Logs with Tumbled Glass Embers	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals	Acrylic Crystals
Ember Bed Themes Brightness	3 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness
Flame Color Themes Brightness	9 Themes Adjustable Brightness	7 Themes Adjustable Brightness	7 Themes Adjustable Brightness	1 Theme	7 Themes Adjustable Brightness
Top Light	•	•			
Flame Effect	Dynamic-Fire	Multi-Fire®	Multi-Fire®	Multi-Fire®	Dimplex®
Flame Technology	Optiflame®	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Flame Speed	4	5	5		5
Flame Only Mode	•	•	•	•	•
Heater Only Mode	•	•	•	•	•
Air Circulation	•	•	•		
Heat Operation	ComfortSaver® Heating				Powerful supplemental heating
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.
Heat Disable	Onboard controls or Hardware disconnect				Onboard controls or Hardware disconnect
Built-in Thermostat	•	•	•	•	•
Wiring Type	Hardwire (Optional 120V Plug Kit Included)	Hardwire (120V Plug Kit Sold Separately)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (120V Plug Kit Sold Separately)
Volts	120 240	120 240	120 240	120 240	120
Watts	1500 2500	1500 2500	1500 2500	1500 2500	1500
BTU	5118 8530	5118 8530	5118 8530	5118 8530	5118
Operating Controls	Onboard Remote App	Hidden touch controls Remote App	Hidden touch controls Remote App	Hidden touch controls Remote	Hidden touch controls Remote App
Flame Connect App	•	•	•		•
Smart Self-diagnostics	•	•	•		•
Display		•	•	•	•
Timer	•	•	•	•	•
Installation Options	Fully recessed-front, right/left corner and bay. Linking Kit - to connect multiple units	Fully recessed - front, right/left corner and bay. Linking Kit - to connect multiple units	Fully recessed - 2×6, Partially recessed - 2×4 with trim-kit accessory		Fully recessed - 2×4, Wall-mount
Optional Accessories		Modular Linking Kit, Plug Kit	Trim Kit	Driftwood & River Rock Kit, Trim Kit	Plug Kit
Warranty	5-year parts and service	5-year parts and service	5-year parts and service	5-year parts and service	2-year parts and service



Electric fireboxes present a multitude of advantages that make them an ideal choice for enhancing any living space. Their versatile installation options allow them to seamlessly fit into an existing hearth space or be incorporated into custom-built mantels; offering a quick and hassle-free solution to add both warmth and ambience into your home. These fireplaces complement any design style with multiple options for ember beds from traditional to contemporary to suit any décor style.

Enjoy the comforting glow of a traditional fire without the maintenance hassles of wood or gas fireplaces. Electric fireboxes are a safe choice for children and pets, as they remain cool to the touch. Run them year-round, with or without heat, ensuring a cozy atmosphere in any season.

NEW!



Ignite® Aspire
Built-In Electric Firebox

Classic Hearth

Embrace the timeless charm of a traditional fireplace, creating a warm and inviting focal point for gatherings and relaxation.

True to Life

Experience the epitome of realism with mesmerizing flames, pulsating logs, and cozy warmth.

Sustainable Solution

Merges sustainability and energy efficiency to deliver an environmentally conscious heating and design solution.

Key Benefits



**ASP30
30" Electric Firebox**

Product Dimensions (WxHxD)
30-9/16 × 37-1/2 × 17-1/2 in
77.7 × 95.3 × 44.5 cm

Carton Dimensions (WxHxD)
38 × 44 × 23 in
96.5 × 111.8 × 58.4 cm

Packaged Weight
92 lbs / 41.7 kg

UPC
781052152915

**ASP36
36" Electric Firebox**

Product Dimensions (WxHxD)
36-9/16 × 43-1/2 × 17-1/2 in
92.9 × 110.5 × 44.5 cm

Carton Dimensions (WxHxD)
45 × 50 × 23 in
114.3 × 127.0 × 58.4 cm

Packaged Weight
98 lbs / 44.5 kg

UPC
781052152922

**ASP42
42" Electric Firebox**

Product Dimensions (WxHxD)
42-5/8 × 46-1/2 × 17-1/2 in
108.2 × 118.1 × 44.5 cm

Carton Dimensions (WxHxD)
51 × 52 × 23 in
129.5 × 132.1 × 58.4 cm

Packaged Weight
104 lbs / 47.2 kg

UPC
781052152939



**ASP48
48" Electric Firebox**

Product Dimensions (WxHxD)
48-15/16 × 49-1/2 × 17-1/2 in
124.3 × 125.8 × 44.5 cm

Carton Dimensions (WxHxD)
57 × 55 × 23 in
144.8 × 139.7 × 58.4 cm

Packaged Weight
110 lbs / 49.9 kg

UPC
781052152946




Enjoy 365 days with or without heat

Quick connect moveable logs with tumbled glass embers

Accessories (sold separately)

Side Trim Accessory

- For ASP30 = 500003783
UPC 781052139534
- ASP36 = 500003784
UPC 781052154063
- ASP42 = 500003786
UPC 781052154063
- ASP48 = 500003786
UPC 781052154070



Tumbled glass

Rhythmic inner glow logs

Black shattered glass



Total Control

Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mounted remote control or 3-button control panel on the fireplace.



Revillusion® Built-in Electric Firebox

Timeless Aesthetic

The ageless appeal of the fireplace creates an authentic, everlasting impression.

Design with Style

Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic.

Complete Perspective

Enjoy a full-depth view of the fireplace with the ability to see clearly through the flames.

Key Benefits



What's in the box



Mood-maker remote




Weathered Concrete

Herringbone



Firebox



Tempered Front Glass



RBF Plug Kit

RBF24DLX (Herringbone)
RBF24DLXWC (Concrete)
24" Electric Firebox

Product Dimensions (WxHxD)
 25-1/4 × 22-7/8 × 12-1/8 in
 64.0 × 58.1 × 30.8 cm

Carton Dimensions (WxHxD)
 29-3/8 × 27-1/2 × 16-5/8 in
 74.4 × 69.9 × 42.1 cm

Packaged Weight
 58.2 lbs / 26.4 kg

UPC
 781052120655 - Herringbone
 781052129832 - Concrete

500002388 (Herringbone)
500002389 (Concrete)
30" Electric Firebox

Product Dimensions (WxHxD)
 31-1/8 × 26-5/8 × 12-1/8 in
 79.2 × 67.6 × 30.8 cm

Carton Dimensions (WxHxD)
 35-1/4 × 31-3/4 × 16-3/8 in
 89.4 × 80.5 × 41.1 cm

Packaged Weight
 84.9 lbs / 38.5 kg

UPC
 781052152120 - Herringbone
 781052152137 - Concrete

500002400 (Herringbone)
500002401 (Concrete)
36" Electric Firebox

Product Dimensions (WxHxD)
 37-1/8 × 26-5/8 × 12-1/8 in
 94.4 × 67.6 × 30.8 cm

Carton Dimensions (WxHxD)
 41-3/8 × 31-3/4 × 15-1/4 in
 104.7 × 80.6 × 38.7 cm

Packaged Weight
 93.7 lbs / 42.5 kg

UPC
 781052152144 - Herringbone
 781052152151 - Concrete

500002398 (Herringbone)
500002399 (Concrete)
36" Portrait Electric Firebox

Product Dimensions (WxHxD)
 37-1/8 × 31 × 12-1/8 in
 94.4 × 78.8 × 30.8 cm

Carton Dimensions (WxHxD)
 41-3/8 × 35-1/2 × 16-3/8 in
 105.0 × 90.7 × 41.1 cm

Packaged Weight
 105.5 lbs / 47.9 kg

UPC
 781052152168 - Herringbone
 781052152175 - Concrete

500002410 (Herringbone)
500002411 (Concrete)
42" Electric Firebox

Product Dimensions (WxHxD)
 43-1/4 × 31 × 12-1/8 in
 109.8 × 78.8 × 30.8 cm

Carton Dimensions (WxHxD)
 47-1/2 × 36-1/2 × 16-3/8 in
 120.6 × 91.2 × 34.1 cm

Packaged Weight
 112.7 lbs / 51.1 kg

UPC
 781052152182 - Herringbone
 781052152199 - Concrete

Accessories (sold separately)



Installation Trim

Model #	Trim Width	Firebox Size
RBF24TRIM36 UPC - 781052123595	36"	24"
RBF24TRIM40 UPC - 781052123618	40"	24"
RBF30TRIM38 UPC - 781052123625	38"	30"
RBF30TRIM44 UPC - 781052123601	44"	30"

BF Series
Built-in Electric Firebox



Classic Elegance

The fireplace heating and design elements work together to provide a welcoming environment.

Traditional Design

The full brick interior brings the warmth and comfort of a traditional fireplace into your home.

Intuitive Operation

Simple-to-use controls ensure a hassle-free and enjoyable fireplace experience.

Key Benefits



BFSL33
33" Slim Line Electric
Firebox, with trim kit

Product Dimensions (WxHxD)
 35-3/4 x 29-7/8 x 9-7/8 in
 90.7 x 75.8 x 25.0 cm

Carton Dimensions (WxHxD)
 35-3/4 x 29-7/8 x 9-7/8 in
 90.7 x 75.8 x 25.0 cm

Packaged Weight
 68 lbs / 30.9 kg

UPC
 781052064478



BF33DXP
33" Deluxe
Electric Firebox

Product Dimensions (WxHxD)
 32-7/8 x 28-1/2 x 14-3/8 in
 83.0 x 72.4 x 36.3 cm

Carton Dimensions (WxHxD)
 33-1/8 x 31-1/2 x 9-1/2 in
 84.1 x 80.0 x 42.6 cm

Packaged Weight
 79.4 lbs / 36.1 kg

UPC
 781052045781



BF39STP
39" Standard
Electric Firebox

Product Dimensions (WxHxD)
 38-3/4 x 32-3/4 x 15-3/8 in
 98.4 x 83.1 x 39.1 cm

Carton Dimensions (WxHxD)
 39 x 34-1/2 x 17-1/2 in
 99.1 x 87.6 x 44.5 cm

Packaged Weight
 89.7 lbs / 40.7 kg

UPC
 781052045798



BF39DXP
39" Deluxe
Electric Firebox

Product Dimensions (WxHxD)
 38-3/4 x 32-3/4 x 15-1/4 in
 98.4 x 83.2 x 36.2 cm

Carton Dimensions (WxHxD)
 40 x 34-1/2 x 17-1/2 in
 101.6 x 87.6 x 44.5 cm

Packaged Weight
 87 lbs / 39.5 kg

UPC
 781052045804



BF45DXP
45" Deluxe
Electric Firebox

Product Dimensions (WxHxD)
 44-3/4 x 32-3/4 x 15-3/8 in
 113.7 x 83.2 x 38.9 cm

Carton Dimensions (WxHxD)
 45-3/4 x 35-1/2 x 17-1/2 in
 116.2 x 90.2 x 38.9 cm

Packaged Weight
 106.5 lbs / 48.3 kg

UPC
 781052052390

Accessories (sold separately)




Bi-fold Look Glass Door

Model #	Firebox
BFDOOR33BLKSM	BF33DXP UPC - 781052041233
BFDOOR39BLKSM	BF39STP & BF39DXP UPC - 781052041257
BFDOOR45BLKSM	BF45DXP UPC - 781052041271



Tamperproof Glass Door

Model #	Firebox
BFSL33DOOR	BFSL33 UPC - 781052063778
BFGLOSS33BLK	BF33DXP UPC - 781052044623
BFGLOSS39BLK	BF39STP & BF39DXP UPC - 781052044630
BFGLOSS45BLK	BF45DXP UPC - 781052044647



Swing Glass Door

Model #	Firebox
BFSDOOR33BLK	BF33DXP UPC - 781052044593
BFSDOOR39BLK	BF39STP & BF39DXP UPC - 781052944609



Trim Kit

Model #	Firebox
BF4TRIM33	BF33DXP UPC - 781052052932
BF4TRIM39	BF39STP & BF39DXP UPC - 781052052956
BF4TRIM45	BF45DXP UPC - 781052052970



BFPLUGE

Plug Kit, includes
 7 ft. cord

UPC 781052040748



BFRC-KIT

3-stage Remote Control Kit
 (included with BFSL33)

UPC 781052040687



Nova Series

Plug-in Electric Firebox



Quick Comfort

Simply plug-in and enjoy the flickering flames and cozy warmth.

Elevate Ambience

Have your choice of ember beds to enhance your aesthetic, complementing a wide range of design styles.

Adaptable Installation

Retrofit into an existing fireplace or construct a custom fireplace surround or mantel to achieve your desired look.

Key Benefits



XHD23L (Realogs®)
XHD23G (Acrylic Crystals)
23" Electric Firebox

Product Dimensions (WxHxD)
 23 × 20-1/2 × 7-1/2 in
 58.4 × 52.0 × 19.1 cm

Carton Dimensions (WxHxD)
 25-5/8 × 24 × 10-5/8 in
 65.0 × 61.0 × 27.0 cm

Packaged Weight
 23 lbs / 10.4 kg

UPC
 781052115125 - Realogs
 781052115118 - Acrylic Crystals



XHD26L (Realogs®)
XHD26G (Acrylic Crystals)
26" Electric Firebox

Product Dimensions (WxHxD)
 26 × 18-7/8 × 7-1/2 in
 66.0 × 47.9 × 19.1 cm

Carton Dimensions (WxHxD)
 28-1/2 × 22-1/2 × 10-5/8 in
 72.5 × 57.0 × 27.0 cm

Packaged Weight
 25 lbs / 11.3 kg

UPC
 781052110823 - Realogs
 781052110816 - Acrylic Crystals



XHD28L (Realogs®)
XHD28G (Acrylic Crystals)
28" Electric Firebox

Product Dimensions (WxHxD)
 27-3/8 × 23-1/2 × 7-1/2 in
 69.5 × 59.7 × 19.1 cm

Carton Dimensions (WxHxD)
 30 × 26-7/8 × 11-1/8 in
 76.0 × 68.0 × 28.0 cm

Packaged Weight
 32 lbs / 14.5 kg

UPC
 781052110847 - Realogs
 781052117907 - Acrylic Crystals



XHD33L (Realogs®)
XHD33G (Acrylic Crystals)
33" Electric Firebox

Product Dimensions (WxHxD)
 33-1/8 × 23-1/4 × 7-1/2 in
 84.1 × 59.0 × 19.1 cm

Carton Dimensions (WxHxD)
 35-5/8 × 26-7/8 × 11-1/8 in
 90.5 × 68.0 × 28.0 cm

Packaged Weight
 38.6 lbs / 17.5 kg

UPC
 781052131217 - Realogs
 781052131224 - Acrylic Crystals



Realogs®

Acrylic Crystals



Multi-function Remote

Control the fireplace features from the comfort of your chair.



Electric Firebox Specifications

Series	Ignite® Aspire	Revillusion Deluxe	Revillusion	BFSL Series	BF Series	Nova Series
Size	30", 36", 42", 48"	24"	30", 36", 36"P, 42"	33"	33", 39", 45"	23", 26", 28", 33"
Ember Bed	Quick Connect Logs with Tumbled Glass Embers	Realogs®		Inner Glow Logs	Inner Glow Logs	Acrylic Crystals, Realogs®
Ember Bed Color Settings	3 Themes Adjustable Brightness	•	•			•
Interior Surround	Black	Herringbone or Weathered Concrete Interior		Black	Black, Authentic brick-look interior	Black
Flame Effect	Dynamic-Fire	Revillusion® Flame		Original Dimplex® Flame		
Flame Technology	Optiflame®	Optiflame®	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Flame Speed	4	•				•
Flame Only Mode	•	•	•	•	•	•
Light Settings	Top Light	Mood Lighting, Brightness and Flicker, Ambient Light Sensor				Adjustable Brightness
Heat Operation	ComfortSaver® Heating	ComfortSaver®	Powerful Supplemental Heat Option to use 240V supply for up to 9200 BTU			Supplemental Heat
Heating Range	Up to 1000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.
Heater Only Mode	•	•	•	When connected to a switch or thermostat		•
Heater Element	Ceramic	Ceramic	Steel Sheathed	Steel Sheathed		Stitched Wire
Heat Disable	Onboard controls or hardwire disconnect			Hardwire disconnect only		Onboard controls
Built-in Thermostat	•	•	•			•
Connects to a Wall Thermostat				•	•	
Wiring Type	Hardwire (Optional 120V Plug Kit Included)	Hardwire (Optional 120V Plug Kit Included)		Hardwire (Optional 120V Plug Kit Included)		Plug-in
Volts	120 240	120	120 / 208 / 240	120 / 208 / 240	120 / 208 / 240	120
Watts	1500 2500	1500	1375 / 1975 / 2575	1223 / 1823 / 2423	1440 / 2100 / 2700	1465
BTU	5118 8530	5118	4400 / 6745 / 8794	4173 / 6220 / 8267	4913 / 7165 / 9213	5000
Display		•	•			•
Onboard Controls	Onboard Remote App	Hidden-Touch Controls	Hidden-Touch Controls	Toggle	Toggle	Hidden-Touch Controls
Flame Connect App	•					
Smart Self-diagnostics	•					
Timer	•	•	•			•
Optional Accessories	•	•	30" only	•	•	XHD26/28G only
Remote Control	•	•	•	•		•
Warranty Include parts/ service	5-year parts and service	2-year limited	2-year limited	2-year limited	2-year limited	2-year limited



Elevate the fireplace experience to unprecedented heights with the cutting-edge technology of **water vapor fireplaces**. These innovative fireplaces utilize water and LED lights to craft a truly immersive 3D flame that convincingly mimics the authenticity of genuine wood or gas fires. The pinnacle of true luxury, providing a choice between a pre-built box for effortless installation – just connect to a water and electric source – or cassettes that grant you complete customization in design and orientation. You can even connect multiple cassettes together to create a fully custom dramatic focal piece that transforms your space into a work of art.

The ability to reach out and touch the flames without risk of burning yourself sets this product apart from traditional wood or gas fires. Vapor fireplaces are an incredibly safe option for any space with no noxious gas emissions and cool to the touch flames. Water vapor fireplaces provide stunning realism with simple and inexpensive maintenance, making them the perfect fireplace solution.

Optimyst® Linear
Vapor Fireplace



**Breathtaking
Ambience**

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.


**Clean &
Sustainable**

Optimyst requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

**Unparalleled
Experience**

You'll have a completely unique fire experience through personalization options; no flame shape is the same.

Key Benefits



OLF46-AM
Optimyst® 46" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
 47-1/2 × 31-1/2 × 11-7/8 in
 120.6 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
 50-3/8 × 34-3/8 × 15-1/2 in
 127.8 × 87.1 × 39.1 cm

Packaged Weight
 150.3 lbs / 68.2 kg

UPC
 781052136786

OLF66-AM
Optimyst® 66" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
 67-1/2 × 31-1/2 × 11-7/8 in
 171.4 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
 70-3/8 × 34-3/8 × 15-1/2 in
 178.6 × 87.1 × 39.1 cm

Packaged Weight
 204.8 lbs / 92.9 kg

UPC
 781052136793

OLF86-AM
Optimyst® 86" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
 87-1/2 × 31-1/2 × 11-7/8 in
 222.2 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
 90-3/8 × 34-3/8 × 15-1/2 in
 229.4 × 87.1 × 39.1 cm

Packaged Weight
 264.5 lbs / 120 kg

UPC
 781052136809

Accessories

(sold separately, see Page 38)

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



NEW!



Optimyst® Aura Vapor Fireplace

Flame Realism

Produces ultra realistic 3D flames using water vapor, courtesy of the Optimyst flame effect.


User-Friendly

Designed for a stress-free experience, equipped with a front drawer for easy water reservoir refilling and Flame Connect App compatibility.

Sustainable Hearth

Combines sustainability with energy-efficiency, providing an environmentally conscious heating and design solution.

Key Benefits



Enjoy 365 days with or without heat

**3STEP-RGB-AM
Optimyst® Aura 30"
Vapor Fireplace**

Product Dimensions (WxHxD)
30 × 29-3/16 × 15-7/8 in
76.2 × 74.1 × 40.4 cm

Carton Dimensions (WxHxD)
36-1/4 × 36-5/8 × 22 in
92.0 × 93.0 × 56.0cm

Packaged Weight
134.2 lbs / 61.0 kg

UPC
781052154100

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



NEW!

Optimyst® Revive
Vapor Fireplace

Flame Realism

Produces ultra realistic 3D flames using using water vapor, courtesy of the Optimyst flame effect.

Adaptable Design

Versatile design suits modern or traditional settings, with a pull-out drawer for easy water refills, enabling installation anywhere.

Silent and Adjustable Ambience

Experience silent, fully variable flames for diverse moods with option to enjoy the ambience without the heat.

Key Benefits



**ABN15-RGB-AM
Optimyst® Revive 25"
Vapor Fireplace**

Product Dimensions (WxHxD)
25-3/16 × 24-1/4 × 12-1/4 in
63.9 × 61.6 × 31.3 cm

Carton Dimensions (WxHxD)
30-1/8 × 34-7/8 × 18-1/8 in
76.5 × 88.5 × 46.0 cm

Packaged Weight
68.2 lbs / 31.0 kg

UPC
781052154094

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.



Easy Control
Use the included remote or hidden control panel to easily operate your fireplace.

Optimyst® e-Matrix
Vapor Fireplace



**Breathtaking
Ambience**

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

**Clean &
Sustainable**

Optimyst requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

**Unparalleled
Experience**

You'll have a completely unique fire experience through personalization options; no flame shape is the same.

Key Benefits



**FEF3226L1
Optimyst e-Matrix 35"
Vapor Fireplace**

Product Dimensions (WxHxD)
35 × 37-3/4 × 22-3/8 in
88.9 × 96.0 × 56.5 cm

Carton Dimensions (WxHxD)
51 × 26 × 49 in
129.5 × 66.0 × 124.5 cm

Packaged Weight
297 lbs / 136 kg

UPC
781052132016

**FEF3226L2L
Optimyst e-Matrix 35"
Vapor Fireplace**

Product Dimensions (WxHxD)
37-1/8 × 37-3/4 × 20-3/8 in
94.3 × 96.0 × 51.6 cm

Carton Dimensions (WxHxD)
51 × 26 × 49 in
129.5 × 66.0 × 124.5 cm

Packaged Weight
297 lbs / 136 kg

UPC
781052132023

**FEF3226L2R
Optimyst e-Matrix 35"
Vapor Fireplace**

Product Dimensions (WxHxD)
37-1/8 × 37-3/4 × 20-3/8 in
94.3 × 96.0 × 51.6 cm

Carton Dimensions (WxHxD)
51 × 26 × 49 in
129.5 × 66.0 × 124.5 cm

Packaged Weight
297 lbs / 136 kg

UPC
781052132047


**FEF3226L3
Optimyst e-Matrix 35"
Vapor Fireplace**

Product Dimensions (WxHxD)
39-1/8 × 37-3/4 × 20-3/8 in
99.4 × 96.0 × 51.6 cm

Carton Dimensions (WxHxD)
51 × 26 × 49 in
129.5 × 66.0 × 124.5 cm

Packaged Weight
297 lbs / 136 kg

UPC
781052132054



Crackling Sound Effects

Optimyst® Flame Effect

Realistic Charred Logs

Top-mounted Extractor Fan

Modern Interior

Continuous Water Supply

Available in 4 installations, each sold separately:



Front

Left


Right

Bay

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Available
in 20 inch
width

Connect Optimyst Cassette
units together to create a
custom length or shape.



Optimyst® Cassette Vapor Fireplace

Stunning Atmosphere

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst Cassette requires no fuel or venting as it runs on water and electricity.

Limitless Installation

With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.

Key Benefits



**CDFI500-PRO
Optimyst® 500 Cassette**

Product Dimensions (WxHxD)
20 × 9-1/2 × 12 in
50.8 × 24.1 × 30.5 cm

Carton Dimensions (WxHxD)
24-3/8 × 13-7/8 × 17-3/4 in
62.0 × 34.0 × 45.0 cm

Packaged Weight
24.2 lbs / 10.9 kg

UPC
781052113053

Accessories
(sold separately, see Page 38)

**NEW next generation Optimyst® 500
Cassette featuring RGB Color Lights**



Coming
2025





Optimyst® Pro Box
Vapor Fireplace

**Captivating
Ambience**

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst Pro Box requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Seamless Design

The pre-built box simplifies the installation without compromising on design.


Key Benefits



GBF1500-PRO

UPC 781052133754

60" Built-In Electric Fireplace, **Includes the following:**



**CDFI-BX1500
Optimyst 1500 Box**

Product Dimensions (WxHxD)
65 × 31-3/4 × 16-1/4 in
165.0 × 80.5 × 41.2 cm

Carton Dimensions (WxHxD)
68-3/4 × 36-3/4 × 18-1/8 in
174.5 × 93.5 × 46.0 cm

Packaged Weight
111.5 lbs / 50.6 kg

UPC
781052133709

**FG1500
Front Glass**

Product Dimensions (WxHxD)
60-3/4 × 15-1/4 × 1-5/8 in
154.4 × 38.8 × 4.1 cm

Carton Dimensions (WxHxD)
71-3/8 × 21-5/8 × 5-1/4 in
181.5 × 55.0 × 13.5 cm

Packaged Weight
28.4 lbs / 12.88 kg

UPC
781052133716

**CDFI500-PRO
Optimyst 500 Cassette**

(Requires 3 units)

See page 34 for specifications.


Rear Glass Pane

* Above image shows product used with rear glass, sold separately, see page 38.

GBF1000-PRO

UPC 781052113022

40" Built-In Electric Fireplace, **Includes the following:**



**CDFI-BX1000
Optimyst 1000 Box**

Product Dimensions (WxHxD)
46-5/8 × 31-3/4 × 16-1/4 in
118.4 × 80.5 × 41.2 cm

Carton Dimensions (WxHxD)
48-1/2 × 37 × 18-1/8 in
123.0 × 94.0 × 46.0 cm

Packaged Weight
81.4 lbs / 37 kg

UPC
781052110618

**FG1000
Front Glass**

Product Dimensions (WxHxD)
40-5/8 × 14-1/2 × 1-5/8 in
103.0 × 36.8 × 4.1 cm

Carton Dimensions (WxHxD)
50-5/8 × 20-7/8 × 5-1/8 in
128.5 × 53.0 × 13.0 cm

Packaged Weight
19.6 lbs / 8.9 kg

UPC
781052118379

**CDFI500-PRO
Optimyst 500 Cassette**

(Requires 2 units)

See page 34 for specifications.

Accessories

(sold separately, see Page 38)

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Optimyst® Accessories

Vapor Fireplace



Customizable Style

Choose from a selection of optional ember beds to create the Optimyst fireplace of your dreams.

Easy Installation

Add a plug kit or plumb kit to make installing the Optimyst Vapor Fireplaces simple.


Additional Warmth

Pair the Optimyst Cassettes with an accessory heater to add warmth in any space.



Rear Glass Pane

Allows for see-through installations for GBF1000-PRO & GBF1500-PRO



GBF1000-GLASS
UPC 781052116979

GBF1500-GLASS
UPC 781052133723

Ember Bed Kits



Black Rock
CDFI500-BLKRCK
UPC 781052120983

For **CDFI500** order 1 Kit
For **GBF1000** order 2 Kits
For **GBF1500** order 3 Kits



River Rock
CDFI500-RVRCK
UPC 781052121003

For **CDFI500** order 1 Kit
For **GBF1000** order 2 Kits
For **GBF1500** order 3 Kits



Driftwood
CDFI500-DWSKIT
UPC 781052121034

For **CDFI500** order 1 Kit
For **GBF1000** order 2 Kits
For **GBF1500** order 3 Kits

Direct Plumbing Kit



CDFIPLUMB-KIT
UPC 781052103221
- Optional Accessory to be used with copper plumbing only.

Heater



CDFI-TMHEAT
Hardwire Heater Accessory
UPC
781052121058

Plug Kits



CDFI-PLUGKIT
UPC
781052105591



OLFPLUG
For Optimyst Linear Vapor Fireplaces
UPC
781052146396

Log Kits



CDFILOG
UPC 781052103238

For **CDFI500** Optimyst® 500 Electric Fireplace Cassette - order 1 Log Kit




Vapor Fireplace Specifications

Series	Optimyst® Linear	Optimyst® Aura	Optimyst® Revive
Size	46", 66", 86"	30"	25"
Ember Bed	Lifelike Driftwood with Acrylic Crystals	Realistic Charred Logs	Realistic Charred Logs
Flame Color Themes Brightness	8 Themes Adjustable Brightness	6 Themes Adjustable Brightness	6 Themes Adjustable Brightness
Top Light	•		
Flame Effect	Optimyst® Flame effect	Optimyst® Flame effect	Optimyst® Flame effect
Flame Technology	Optimyst®	Optimyst®	Optimyst®
Crackling Sound Effect	•	•	•
Flame Only Mode	•	•	•
Air Circulation	•	•	•
Heat Operation	Comfort\$aver® heating system	Powerful heating	Powerful heating
Heating Range	1000 sq. ft.	400 sq. ft.	400 sq. ft.
Heat Disable	•	•	•
Built-in Thermostat	•	•	•
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire (120V Plug kit included) Installation required	Hardwire (120V Plug kit included) Installation required
Volts	120 240	120	120
Watts	46" = 1220 1920 66" = 1480 2180 86" = 1020 (flame only) 2400	1250	1250
BTU	46" = 4163 6551 66" = 5050 7438 86" = 3480 (flame only) 8189	4265	4265
Operating Controls	Hidden touch controls Remote	Onboard controls Remote	Onboard controls Remote
Flame Connect App	•	•	
Self-diagnostics	•	•	
Display	•	•	•
Timer	•	•	•
Installation Options	Fully recessed	Front	Front
Direct Plumbing	Hard Plumb	Easy Access Refill Drawer	Easy Access Refill Drawer
Optional Accessories	Plumb Kit, Plug Kit		
Warranty	2-year parts and service	2-year parts and services	2-year parts and services
Viewing Dimensions (WxH)	46" (OLF46-AM) 44-1/4 × 14-3/8 in 112.4 × 36.3 cm 66" (OLF66-AM) 64-1/4 × 14-3/8 in 163.1 × 36.3 cm 86" (OLF86-AM) 84-1/4 × 14-3/8 in 213.8 × 36.5 cm	30" (3STEP-RGB-AM) 28-1/2 × 15 in 72.4 × 38.0 cm	25" (ABN15-RGB-AM) 22-1/4 × 11-7/8 in 56.5 × 30.1 cm



Series	Optimyst® e-MatriX	Optimyst® Pro Built-in Fireplace	Optimyst® Cassette
Size	32"	40", 60"	20"
Ember Bed	Realistic Charred Logs		
Flame Color Themes Brightness			
Top Light			
Flame Effect	Optimyst® Flame effect	Optimyst® Flame effect	Optimyst® Flame effect
Flame Technology	Optimyst®	Optimyst®	Optimyst®
Crackling Sound Effect	•	•	•
Flame Only Mode	•	•	•
Air Circulation			
Heat Operation	Heat-free	Supplemental heating	Heat-free (Optional Heater Accessory available)
Heating Range		400 sq. ft.	
Heat Disable		•	
Built-in Thermostat			
Wiring Type	Hardwire (120V Plug kit sold separately)	Hardwire (120V Plug kit sold separately)	Hardwire (120V Plug kit sold separately)
Volts	120	120	120
Watts	270	40" = 1460 60" = 1490	230
BTU		40" = 4984 60" = 5087	20" = 785
Operating Controls	Membrane controls Remote	Membrane controls Remote	Membrane controls Remote
Flame Connect App			
Smart Self-diagnostics			Basic
Display			
Timer			
Installation Options	Front, Right, Left or Bay	One-sided or Double-sided	Fully customizable
Direct Plumbing	Hard Plumb	Hard Plumb	Hard Plumb
Optional Accessories		Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Rear Glass	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Heater
Warranty	2-year parts and service	2-year parts and service	2-year parts and service
Viewing Dimensions (WxH)	<p>Front (FEF3226L1) 35 × 37-3/4 × 22-3/8 in 88.9 × 96.0 × 56.5 cm</p> <p>Right/Left (FEF3226L2L & FEF3226L2R) 37-1/8 × 37-3/4 × 20-3/8 in 94.3 × 96.0 × 51.6 cm</p> <p>Bay (FEF3226L3) 39-1/8 × 37-3/4 × 20-3/8 in 99.4 × 96.0 × 51.6 cm</p>	<p>40" (GBF1000-PRO) 37-3/4 × 16-1/4 in 96.0 × 41.3 cm</p> <p>60" (GBF1500-PRO) 58 × 16-1/4 in 147.4 × 41.3 cm</p>	



Experience
Innovation



Electric log sets and inserts offer advantages for those seeking an easy and cost-effective way to enjoy the look of a traditional wood-burning fire without the hassle. These fireplaces are convenient to install and the perfect solution for those looking to revive the charm of an existing hearth space with a realistic and efficient fireplace.

Simply remove from the box, set into your space, plug in, and enjoy the cozy atmosphere instantly.



Revillusion®



Revillusion®
Plug-in Electric Log Sets

Artful Design

Realistic flames, and quality crafted logs come together to create an illusion of a true burning fire.

Complete Perspective

Enjoy a full-depth view to the back of the hearth with the ability to see clearly through the flames.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.

Key Benefits



Optional ash mat
(not included) REM-KIT

RLG20

20" Revillusion® Log Set

Product Dimensions (WxHxD)

23-3/4 × 19 × 12-1/2 in
60.3 × 48.2 × 31.7 cm

Carton Dimensions (WxHxD)

25-5/8 × 14-3/4 × 15-3/8 in
65.0 × 37.5 × 39.0 cm

Packaged Weight

17.8 lbs / 8.1 kg

UPC 781052104709

©2024 Glen Dimplex Americas



RLG25

25" Revillusion® Log Set

Product Dimensions (WxHxD)

25-5/8 × 19 × 13 in
65 × 48.2 × 32.9 cm

Carton Dimensions (WxHxD)

28-3/8 × 15 × 18-1/8 in
72.0 × 38.1 × 46.0 cm

Packaged Weight

18.5 lbs / 8.4 kg

UPC 781052104686



Accessories (sold separately)

REM-KIT

Ember bed for RLG20

UPC

781052106185



DFI Series
Plug-in Electric Log Inserts



Reclaimed Charm

Revitalize an existing hearth space with the flicker of lifelike flames and the warmth of modern convenience.

Seamless Installation

With virtually no setup required, effortlessly incorporate a fireplace into your space.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.

Key Benefits



DF12310
23" Electric Fireplace Insert

Product Dimensions (WxHxD)
23-1/4 × 19-1/2 × 10-7/8 in
59.1 × 49.5 × 27.5 cm

Carton Dimensions (WxHxD)
26-1/2 × 22-7/8 × 13-1/4 in
66.6 × 57.9 × 33.5 cm

Packaged Weight
36 lbs / 16.3 kg

UPC
781052049406

Accessories (sold separately)



DF123TRIMX
Trim Kit for
DF12309 & DF12310
UPC 781052039285



Log Set and Insert Specifications

Series	Revillusion Log Set	Revillusion Log Set	DFI Insert
Model	RLG20	RLG25	DFI2310
Firebox Size	20"	25"	23"
Ember Bed	Realogs®	Realogs®	Inner Glow Logs
Brightness & Flicker	•	•	
360° Light	•	•	
Color Settings		Adjust the flame base color to red or blue	
Flame Only	•	•	•
Heat Only	•	•	•
Heater Element	Ceramic	Ceramic	Steel Sheathed
Heat Operation	Supplemental heating	Supplemental heating	Supplemental heating
Flame Technology	Optiflame®	Optiflame®	Optiflame®
Flame Effect	Revillusion®	Revillusion®	Dimplex®
Installation	Masonry Log Set	Masonry Log Set	Masonry Insert
Volts	120	120	120
Wattage	1500	1500	1375
BTU	5118	5118	4695
Wiring	Plug-in	Plug-in	Plug-in
Heating Range	1,000 sq. ft.	1,000 sq. ft.	1,000 sq. ft.
Display/Controls	Membrane Remote	Membrane Remote	Switch Remote
Remote Features	Multi-function	Multi-function	On/Off
Warranty	1-year limited	2-year limited	1-year limited
Accessories	Ash Mat		Trim Kit
Dimensions (WxHxD)	23-3/4 × 19 × 12-1/2 in 60.3 × 48.2 × 31.7 cm	25-5/8 × 19 × 13 in 65.0 × 48.2 × 32.9 cm	23-1/4 × 19-1/2 × 10-7/8 in 59.1 × 49.5 × 27.3 cm

Ordering SKU Index

Ignite® Ultra pg 3	
Model Number	Order Number
ULT50	500003149
ULT60	500003151
ULT74	500003152
ULT88	500003154
ULT100	500003155
Ignite® Bold pg 5	
Model Number	Order Number
XLF5017	X-XLF5017-XD
XLF6017	X-XLF6017-XD
XLF7417	X-XLF7417-XD
XLF8817	X-XLF8817-XD
XLF10017	X-XLF10017-XD
XLFXDLINK	X-XLFXDLINK
XLFXDPLUG	X-XLFXDPLUG
500003421	500003421
Ignite® Evolve pg 7	
Model Number	Order Number
EVO50	500002573
EVO60	500002574
EVO74	500002608
EVO100	500002563
XLFTRIM50	X-XLFTRIM50
XLFTRIM60	X-XLFTRIM60
XLFTRIM74	X-XLFTRIM74
XLFTRIM100	X-X-XLFTRIM100
LF50DWS-KIT	X-LF50DWS-KIT
LF74DWS-KIT	X-LF74DWS-KIT
LF100DWS-KIT	X-LF100DWS-KIT
Ignite XL® pg 9	
Model Number	Order Number
XLF50	X-XLF50
XLF60	X-XLF60
XLF74	X-XLF74
XLF100	X-XLF100
LF50DWS-KIT	X-LF50DWS-KIT
LF74DWS-KIT	X-LF74DWS-KIT
LF100DWS-KIT	X-LF100DWS-KIT
XLFTRIM50	X-XLFTRIM50
XLFTRIM60	X-XLFTRIM60
XLFTRIM74	X-XLFTRIM74
XLFTRIM100	X-XLFTRIM100
500003421	500003421

Slim Linear pg 11	
Model Number	Order Number
PLF3614-XS	X-PLF3614-XS
PLF4214-XS	X-PLF4214-XS
PLF5014-XS	X-PLF5014-XS
PLF6014-XS	X-PLF6014-XS
PLFXSPLUG	X-PLFXSPLUG
Aspire pg 15	
Model Number	Order Number
ASP30	500003050
ASP36	500003051
ASP42	500003049
ASP48	500003060
500003783	500003783
500003784	500003784
500003785	500003785
500003786	500003786
Revillusion pg 17	
Model Number	Order Number
RBF24DLX	X-RBF24DLX
RBF24DLXWC	X-RBF24DLXWC
RBF30-FG	500002388
RBF30WC-FG	500002389
RBF36-FG	500002400
RBF36WC-FG	500002401
RBF36P-FG	500002398
RBF36PWC-FG	500002399
RBF42-FG	500002410
RBF42WC-FG	500002411
RBF24TRIM36	X-RBF24TRIM36
RBF24TRIM40	X-RBF24TRIM40
RBF30TRIM38	X-RBF30TRIM38
RBF30TRIM44	X-RBF30TRIM44

BF Series pg 19	
Model Number	Order Number
BFSL33	X-BFSL33
BF33DXP	X-BF33DXP
BF39STP	X-BF39STP
BF39DXP	X-BF39DXP
BF45DXP	X-BF45DXP
BFDOOR33BLKSM	X-BFDOOR33BLKSM
BFDOOR39BLKSM	X-BFDOOR39BLKSM
BFDOOR45BLKSM	X-BFDOOR45BLKSM
BFGLOSS33BLK	X-BFGLOSS33BLK
BFGLOSS39BLK	X-BFGLOSS39BLK
BFGLOSS45BLK	X-BFGLOSS45BLK
BFSL33DOOR	X-BFSL33DOOR
BFSDOOR33BLK	X-BFSDOOR33BLK
BFSDOOR39BLK	X-BFSDOOR39BLK
BF4TRIM33	X-BF4TRIM33
BF4TRIM39	X-BF4TRIM39
BF4TRIM45	X-BF4TRIM45
BFPLUGE	X-BFPLUGE
BFRC-KIT	X-BFRC-KIT
Nova pg 21	
Model Number	Order Number
XHD23G	X-XHD23G
XHD23L	X-XHD23L
XHD26G	X-XHD26G
XHD26L	X-XHD26L
XHD28G	X-XHD28G
XHD28L	X-XHD28L
XHD33G	500001757
XHD33L	500001756

Ordering SKU Index

Optimyst® Linear pg 25	
Model Number	Order Number
OLF46-AM	X-136786
OLF66-AM	X-136793
OLF86-AM	X-136809
Optimyst® Aura pg 27	
Model Number	Order Number
3STEP-RGB-AM	500003866
Optimyst® Revive pg 29	
Model Number	Order Number
ABN15-RGB-AM	500003863
Optimyst® e-Matrix pg 31	
Model Number	Order Number
FEF3226L1	X-FEF3226L1
FEF3226L2L	X-FEF3226L2L
FEF3226L2R	X-FEF3226L2R
FEF3226L3	X-FEF3226L3
Optimyst® Cassette pg 33	
Model Number	Order Number
CDFI500-PRO	X-2113053
Optimyst® Pro Box pg 35	
Model Number	Order Number
GBF1500-PRO	X-GBF1500-PRO
GBF1000-PRO	X-GBF1000-PRO
Optimyst® Accessories pg 37	
Model Number	Order Number
GBF1000-GLASS	X-GBF1000-GLASS
GBF1500-GLASS	X-GBF1500-GLASS
CDFILOG	X-206176
CDFIPLUMB-KIT	X-206213
CDFI-TMHEAT	X-CDFI-TMHEAT
CDFI500-DWSKIT	X-CDFI500-DWSKIT
CDFI500-BLKRCK	X-CDFI500-BLKRCK
CDFI500-RVRCK	X-CDFI500-RVRCK
CDFI-PLUGKIT	X-CDFI-PLUGKIT
OLFPLUG	X-OLFPLUG

Revillusion® Log Sets pg 43	
Model Number	Order Number
RLG20	X-RLG20
RLG25	X-RLG25
REM-KIT	X-REM-KIT
Fireplace Inserts pg 45	
Model Number	Order Number
DFI2310	X-DFI2310
DFI23TRIMX	X-DFI23TRIMX

 **Dimplex**[®]

Experience Better Living.



Experience
Comfort



 Dimplex[®]

Experience Better Living.

dimplex.com

LI-1082-R00-100124