

The Dimplex **Electric Fireplace** Collection



**Experience Better Living.**



**Season**  
2023/2024

Experience  
Innovation



---

## Linear Electric Fireplaces

<b>NEW!</b>	Ignite® Evolve	3-4
	Ignite® Bold	5-6
	Ignite XL®	7-8
	Slim Linear	9-10
	SIL	11-12
	Specifications	13

---

## Hardwire / Plug-in Fireboxes

	Revillusion®	15-16
	BF Series	17-18
	Nova Series	19-20
	DF Series	21-22
	Specifications	23

---

## Water Vapor Fireplaces

<b>NEW!</b>	Optimyst® Linear	25-26
	Optimyst® Cassettes	27-28
	Optimyst® Pro Box	29-30
	Optimyst® Accessories	31-32
	Specifications	33

---

## Log Sets & Inserts

	Revillusion® Log Sets	35-36
	DFI Inserts	37-38
	Specifications	39

---

## Mantels

	Featherston	41-42
	Fieldstone	43-44
	Royce	45-46

---

## Ordering SKU Index

	47-48
--	-------

---





**Linear electric fireplaces** offer a host of benefits that elevate the aesthetics and comfort of any space. Their stylish and sleek design, characterized by clean lines and customizable features, allows them to seamlessly blend into any décor. With their contemporary shape, they effortlessly accommodate the trend of hanging TV's above them, making them a perfect solution for family living spaces. Simply change the ember bed to dramatically transform the look and feel of a linear electric fireplace from ultra-modern to a more traditional, comforting ambiance.

Unlike wood or gas fireplaces, electric fireplaces require no maintenance, and can operate without heat for year-round enjoyment. They are safe for pets and children, as the fireplaces don't get hot to the touch.

NEW!



**Ignite® Evolve**  
Linear Electric Fireplaces

**Comfort & Aesthetic**

*Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.*

**Energy Efficiency**

*Patented ComfortSaver® technology reduces energy usage while keeping the room temperature stable and cozy.*

**Complete Personalization**

*Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.*

Key Benefits





Edgeless design, less frame, more flame

5 flame speeds

ComfortSaver® heating system

Multi-Fire® flame effect

Ambient light sensor

Smart self-diagnostics

Hidden Touch controls



Enjoy 365 days with or without heat



Large and medium acrylic crystals, tumbled glass embers and driftwood

Mirrored glass backer to enhance flame effect

11-3/4 (29.7 cm) viewing height

**EVO50**  
**50" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
51-1/2 x 16-1/2 x 5-7/8 in  
130.6 x 41.9 x 14.9 cm

Carton Dimensions (WxHxD)  
56-3/8 x 21-1/4 x 12 in  
143.2 x 54.0 x 30.5 cm

Packaged Weight  
73.9 lbs / 33.5 kg

UPC  
781052151987

**EVO60**  
**60" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
61-1/2 x 16-1/2 x 5-7/8 in  
156.0 x 41.9 x 14.9 cm

Carton Dimensions (WxHxD)  
68-3/8 x 21-1/4 x 12 in  
173.7 x 54.0 x 30.5 cm

Packaged Weight  
86.8 lbs / 39.4 kg

UPC  
781052151994

**EVO74**  
**74" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
75-1/2 x 16-1/2 x 5-7/8 in  
191.6 x 41.9 x 14.9 cm

Carton Dimensions (WxHxD)  
80-3/8 x 21-1/4 x 12 in  
204.2 x 54.0 x 30.5 cm

Packaged Weight  
104.7 lbs / 47.5 kg

UPC  
781052152007

**EVO100**  
**100" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
101-1/2 x 16-1/2 x 5-7/8 in  
257.6 x 41.9 x 14.9 cm

Carton Dimensions (WxHxD)  
106-3/8 x 21-1/4 x 12 in  
270.2 x 54.0 x 30.5 cm

Packaged Weight  
137.6 lbs / 62.4 kg

UPC  
781052152014

**Accessories** (sold separately)



**Metal Trim Kit**

Allows for installation into 2" x 4" wall construction

- EVO50 - XLFTRIM50 781052107953
- EVO60 - XLFTRIM60 781052120075
- EVO74 - XLFTRIM74 781052107977
- EVO100 - XLFTRIM100 781052107984



**Total Control**

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

**NEW!**  
Tumbled glass



**NEW!**  
Lifelike driftwood



Acrylic crystals



Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



**Ignite® Bold**  
Linear Electric Fireplaces



**A Bold Statement**

*Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.*

**Energy Efficiency**

*Patented ComfortSaver® technology reduces energy usage while keeping the room temperature stable and cozy.*

**Design Versatility**

*Install the fireplace your way to fit your space. Front-facing, right or left corner and bay, all in one box.*

**Key Benefits**





Customize fireplace with media accent color and top light

Adjustable brightness

Air circulation mode

ComfortSaver® heating system

Multi-Fire® flame effect

Smart self-diagnostics

Hidden Touch controls



Enjoy 365 days with or without heat



Small and large acrylic crystals with natural-looking driftwood

Mirrored glass backer to enhance flame effect

16-1/8 (45.6 cm) viewing height

**XLF5017-XD**  
**50" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
50-1/2 × 23-7/8 × 12-1/8 in  
128.4 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)  
55-1/2 × 28-5/8 × 16-3/4 in  
140.9 × 72.7 × 42.5 cm

Packaged Weight  
122.5 lbs / 55.5 kg

UPC  
781052137226

**XLF6017-XD**  
**60" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
63-1/8 × 23-7/8 × 12-1/8 in  
160.4 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)  
68-3/8 × 28-5/8 × 16-3/4 in  
173.7 × 72.7 × 42.5 cm

Packaged Weight  
146.8 lbs / 66.6 kg

UPC  
781052137233

**XLF7417-XD**  
**74" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
75-5/8 × 23-7/8 × 12-1/8 in  
192.2 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)  
80-1/4 × 28-5/8 × 16-3/4 in  
203.8 × 72.7 × 42.5 cm

Packaged Weight  
170.4 lbs / 77.3 kg

UPC  
781052137257

**XLF8817-XD**  
**88" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
88-1/4 × 23-7/8 × 12-1/8 in  
224.1 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)  
93-1/4 × 28-5/8 × 16-3/4 in  
236.9 × 72.7 × 42.5 cm

Packaged Weight  
200.2 lbs / 90.8 kg

UPC  
781052137264

**XLF10017-XD**  
**100" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
100-3/4 × 23-7/8 × 12-1/8 in  
255.9 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)  
105-1/2 × 28-5/8 × 16-3/4 in  
268.0 × 72.7 × 42.5 cm

Packaged Weight  
221.7 lbs / 100.5 kg

UPC  
781052137271

**Accessories** (sold separately)



**Plug Kit**  
XLFXDPLUG  
UPC  
781052139527



**Linking Kit**  
XLFXDLINK  
UPC  
781052139503



**Total Control**  
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



IGNITE XL®

# Ignite XL®

## Linear Electric Fireplaces



### Classic Charm

*Flickering flames and acrylic crystals create a stunning feature while providing ambiance to any room.*

### Energy Efficiency

*Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.*

### Simple Comfort

*Instantly transform your space into a cozy retreat with simple controls and zero hassles.*

Key Benefits





Edgeless design, less frame, more flame

Adjustable brightness


ComfortSaver® heating system

Multi-Fire® flame effect

Hidden Touch controls



Enjoy 365 days with or without heat



Large and medium acrylic crystals

Mirrored glass backer to enhance flame effect

11-3/4 (29.7 cm) viewing height

Mood-maker remote



**XLF50**  
**50" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
51-1/2 × 16-1/2 × 5-7/8 in  
130.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)  
56-3/8 × 21-1/4 × 12 in  
143.2 × 54.0 × 30.5 cm

Packaged Weight  
73.9 lbs / 33.5 kg

UPC  
781052098725

**XLF60**  
**60" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
61-1/2 × 16-1/2 × 5-7/8 in  
156.0 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)  
68-3/8 × 21-1/4 × 12 in  
173.7 × 54.0 × 30.5 cm

Packaged Weight  
86.8 lbs / 39.4 kg

UPC  
781052118478

**XLF74**  
**74" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
75-1/2 × 16-1/2 × 5-7/8 in  
191.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)  
80-3/8 × 21-1/4 × 12 in  
204.2 × 54.0 × 30.5 cm

Packaged Weight  
104.7 lbs / 47.5 kg

UPC  
781052098756

**XLF100**  
**100" Linear**  
**Electric Fireplace**

Product Dimensions with trim (WxHxD)  
101-1/2 × 16-1/2 × 5-7/8 in  
257.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)  
106-3/8 × 21-1/4 × 12 in  
270.2 × 54.0 × 30.5 cm

Packaged Weight  
137.6 lbs / 62.4 kg

UPC  
781052104594

**Accessories** (sold separately)



**Driftwood & River Rock Accessory Kit**

XLF50 - LF50DWS-KIT 781052102842  
XLF60 - LF74DWS-KIT 781052102859  
XLF74 - LF74DWS-KIT 781052102859  
XLF100 - LF100DWS-KIT 781052104617



**Metal Trim Kit**

Allows for installation into 2" x 4" wall construction

XLF50 - XLFTRIM50 781052107953  
XLF60 - XLFTRIM60 781052120075  
XLF74 - XLFTRIM74 781052107977  
XLF100 - XLFTRIM100 781052107984



Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



# SLIM

## SLIM Linear Electric Fireplaces



### **Sleek Design**

*The tall, dazzling flames have an impressive height, and the patented Dimplex mirror effect provides the illusion of depth.*

### **Clean Energy**

*No fuel or venting is required. All the energy supplied to the unit is converted into heat, which stays in the room to keep the space warm.*

### **Flexible Installation**

*Can fit flush into 2x4 framing for simple installation or can be wall-mounted with minimal obtrusion thanks to its slim design.*

**Key Benefits**





Slim design, installs flush into 2x4 wall      7 Flame Theme Colors      Ambient light sensor      Smart self-diagnostics      Hidden Touch controls



Enjoy 365 days with or without heat



Removable factory-installed trim for flush mount

Mirrored glass backer to enhance flame effect

12-5/8 (32.2 cm) viewing height

**PLF3614-XS**  
**36" Slim Linear**  
**Electric Fireplace**

**Product Dimensions (WxHxD)**  
37-1/4 x 19-1/2 x 3-7/8 in  
94.6 x 49.7 x 9.9 cm

**Carton Dimensions (WxHxD)**  
46-1/2 x 24-5/8 x 9-1/2 in  
118.0 x 62.5 x 24.1 cm

**Packaged Weight**  
57.8 lbs / 26.2 kg

**UPC**  
781052137318

**PLF4214-XS**  
**42" Linear**  
**Electric Fireplace**

**Product Dimensions (WxHxD)**  
43-1/4 x 19-1/2 x 3-7/8 in  
109.8 x 49.7 x 9.9 cm

**Carton Dimensions (WxHxD)**  
52 x 24-5/8 x 9-1/2 in  
132.0 x 62.5 x 24.1 cm

**Packaged Weight**  
64.8 lbs / 29.4 kg

**UPC**  
781052137301

**PLF5014-XS**  
**50" Linear**  
**Electric Fireplace**

**Product Dimensions (WxHxD)**  
51-1/4 x 19-1/2 x 3-7/8 in  
130.1 x 49.7 x 9.9 cm

**Carton Dimensions (WxHxD)**  
60 x 24-5/8 x 9-1/2 in  
152.5 x 62.5 x 24.1 cm

**Packaged Weight**  
74.9 lbs / 34.0 kg

**UPC**  
781052137295

**PLF6014-XS**  
**60" Linear**  
**Electric Fireplace**

**Product Dimensions (WxHxD)**  
61-1/4 x 19-1/2 x 3-7/8 in  
155.5 x 49.7 x 9.9 cm

**Carton Dimensions (WxHxD)**  
70 x 24-5/8 x 9-1/2 in  
176.8 x 62.5 x 24.1 cm

**Packaged Weight**  
87.1 lbs / 39.5 kg

**UPC**  
781052137288

**Accessories** (sold separately)



**Plug Kit**  
PLFXSPLUG

**UPC**  
781052139534



**Total Control**

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.

# SIL Linear Electric Fireplaces



### Interchangeable Design

*Transform the ambiance by customizing the look and feel of the fireplace at any time with different included ember beds.*

### Customizable Installation

*Seamlessly integrate a fireplace into any room, with any of the three installation options that provide the perfect solution for everyone.*

### Effortless Comfort

*Simply plug the fireplace in and instantly envelop a space in warmth and relaxation, creating a cozy haven to enjoy with ease.*

**Key Benefits**





Tabletop Stand, Recessed or Hang-on Wall

8 Flame Theme Colors

Powerful Heating

Hidden Touch controls



Media Options Included



Interchangeable Media Bed

Cool to the touch glass

10-5/8 (26.8 cm) viewing height

Multi-function remote

**SIL48  
48" Linear Electric  
Fireplace**

Product Dimensions (WxHxD)  
48 × 19-1/2 × 5-1/4 in  
121.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)  
53-3/8 × 22-7/8 × 9-5/8 in  
135.6 × 57.9 × 24.4 cm

Packaged Weight  
59.1 lbs / 26.8 kg

UPC  
781052132733

**SIL60  
60" Linear Electric  
Fireplace**

Product Dimensions (WxHxD)  
60 × 19-1/2 × 5-1/4 in  
152.4 × 49.5 × 13.2 cm

Carton Dimensions (WxHxD)  
65-3/4 × 23-1/2 × 9-5/8 in  
167.0 × 62.0 × 24.4 cm

Packaged Weight  
87.1 lbs / 39.5 kg

UPC  
781052132757

**SIL72  
72" Linear Electric  
Fireplace**

Product Dimensions (WxHxD)  
72 × 19-1/2 × 5-1/4 in  
182.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)  
77-3/4 × 24-3/4 × 9-5/8 in  
197.5 × 62.0 × 24.4 cm

Packaged Weight  
100.3 lbs / 45.5 kg

UPC  
781052132764



Included stand allows for tabletop installation.

Product with stand  
21-1/2 po (54,6 cm) tall, 11 po (27,9 cm) deep

©2023 Glen Dimplex Americas

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.





# Linear Electric Fireplace Specifications

Series	Ignite Bold Series	Ignite Evolve Series	Ignite XL® Series	Slim Linear	SIL Series
Size	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"	36", 42", 50", 60"	48", 60", 72"
Ember Bed	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals	Acrylic Crystals	Interchangeable - Logs, Acrylic Crystals, Pebbles
Ember Bed Themes   Brightness	8 Themes   Adjustable Brightness	8 Themes   Adjustable Brightness	8 Themes   Adjustable Brightness	8 Themes   Adjustable Brightness	8 Themes   Adjustable Brightness
Flame Color Themes   Brightness	7 Themes   Adjustable Brightness	7 Themes   Adjustable Brightness	1 Theme	7 Themes   Adjustable Brightness	8 Themes   Adjustable Brightness
Top Light	•				
Flame Effect	Multi-Fire®	Multi-Fire®	Multi-Fire®	Dimplex®	High contrast
Flame Technology	Optiflame®	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Flame Speed	5	5		5	
Flame Only Mode	•	•	•	•	•
Heater Only Mode	•	•	•	•	
Air Circulation	•	•			
Heat Operation	ComfortSaver® heating system			Powerful supplemental heating	Powerful supplemental heating
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.
Heat Disable	Onboard controls or Hardware disconnect			Onboard controls or Hardware disconnect	Onboard Controls Only
Built-in Thermostat	•	•	•	•	•
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (120V Plug Kit Sold Separately)	Plug-in
Volts	120   240	120   240	120   240	120	120
Watts	1500   2500	1500   2500	1500   2500	1500	1400
BTU	5118   8530	5118   8530	5118   8530	5118	4777
Operating Controls	Hidden touch controls   Remote	Hidden touch controls   Remote	Hidden touch controls   Remote	Hidden touch controls   Remote	Touch controls   Remote
Flame Connect App	•	•		•	
Self Diagnostics	•	•		•	
Display	•	•	•	•	•
Timer	•	•	•	•	•
Installation Options	Fully recessed - front, right/left corner and bay. Linking Kit - to connect multiple units	Fully recessed - 2x6, Partially recessed, 2x4 with trim-kit accessory		Fully recessed - 2x4, Wall-mount	Fully recessed Wall-mount, Free-standing
Optional Accessories	Modular Linking Kit, Plug Kit	Trim Kit	Driftwood & River Rock Kit, Trim Kit	Plug Kit	
Warranty	5-year parts and service	5-year parts and service	5-year parts and service	2-year parts and service	1-year parts





**Electric fireboxes** present a multitude of advantages that make them an ideal choice for enhancing any living space. Their versatile installation options allow them to seamlessly fit into an existing hearth space or be incorporated into custom-built mantels; offering a quick and hassle-free solution to add both warmth and ambiance into your home. These fireplaces complement any design style with multiple options for ember beds from traditional to contemporary to suit any décor style.

Enjoy the comforting glow of a traditional fire without the maintenance hassles of wood or gas fireplaces. Electric fireboxes are a safe choice for children and pets, as they remain cool to the touch. Run them year-round, with or without heat, ensuring a cozy atmosphere in any season.



## Revillusion® Built-in Electric Firebox

### Timeless Aesthetic

*The ageless appeal of the fireplace creates an authentic, everlasting impression.*

### Design with Style

*Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic.*

### Complete Perspective


*Enjoy a full-depth view of the fireplace with the ability to see clearly through the flames.*

Key Benefits





## What's in the box



**RBF24DLX** ( Herringbone )  
**RBF24DLXWC** ( Concrete )  
**24" Electric Firebox**  
 Product Dimensions (WxHxD)  
 25-1/4 x 22-7/8 x 12-1/8 in  
 64.0 x 58.1 x 30.8 cm  
 Carton Dimensions (WxHxD)  
 29-3/8 x 27-1/2 x 16-5/8 in  
 74.4 x 69.9 x 42.1 cm  
 Packaged Weight  
 58.2 lbs / 26.4 kg  
 UPC  
 781052120655 - Herringbone  
 781052129832 - Concrete


**500002388** ( Herringbone )  
**500002389** ( Concrete )  
**30" Electric Firebox**  
 Product Dimensions (WxHxD)  
 31-1/8 x 26-5/8 x 12-1/8 in  
 79.2 x 67.6 x 30.8 cm  
 Carton Dimensions (WxHxD)  
 35-1/4 x 31-3/4 x 16-3/8 in  
 89.4 x 80.5 x 41.1 cm  
 Packaged Weight  
 84.9 lbs / 38.5 kg  
 UPC  
 781052152120 - Herringbone  
 781052152137 - Concrete

**500002400** ( Herringbone )  
**500002401** ( Concrete )  
**36" Electric Firebox**  
 Product Dimensions (WxHxD)  
 37-1/8 x 26-5/8 x 12-1/8 in  
 94.4 x 67.6 x 30.8 cm  
 Carton Dimensions (WxHxD)  
 41-3/8 x 31-3/4 x 15-1/4 in  
 104.7 x 80.6 x 38.7 cm  
 Packaged Weight  
 93.7 lbs / 42.5 kg  
 UPC  
 781052152144 - Herringbone  
 781052152151 - Concrete

**500002398** ( Herringbone )  
**500002399** ( Concrete )  
**36" Portrait Electric Firebox**  
 Product Dimensions (WxHxD)  
 37-1/8 x 31 x 12-1/8 in  
 94.4 x 78.8 x 30.8 cm  
 Carton Dimensions (WxHxD)  
 41-3/8 x 35-1/2 x 16-3/8 in  
 105.0 x 90.7 x 41.1 cm  
 Packaged Weight  
 105.5 lbs / 47.9 kg  
 UPC  
 781052152168 - Herringbone  
 781052152175 - Concrete

**500002410** ( Herringbone )  
**500002411** ( Concrete )  
**42" Electric Firebox**  
 Product Dimensions (WxHxD)  
 43-1/4 x 31 x 12-1/8 in  
 109.8 x 78.8 x 30.8 cm  
 Carton Dimensions (WxHxD)  
 47-1/2 x 36-1/2 x 16-3/8 in  
 120.6 x 91.2 x 34.1 cm  
 Packaged Weight  
 112.7 lbs / 51.1 kg  
 UPC  
 781052152182 - Herringbone  
 781052152199 - Concrete

### Accessories (sold separately)



**Installation Trim**

Model #	Trim Width	Firebox Size
RBF24TRIM36 UPC - 781052123595	36"	24"
RBF24TRIM40 UPC - 781052123618	40"	24"
RBF30TRIM38 UPC - 781052123625	38"	30"
RBF30TRIM44 UPC - 781052123601	44"	30"



**BF Series**  
Built-in Electric Firebox



**Classic Elegance**

*The fireplace heating and design elements work together to provide a welcoming environment.*

**Traditional Design**

*The full brick interior brings the warmth and comfort of a traditional fireplace into your home.*

**Intuitive Operation**

*Simple-to-use controls ensure a hassle-free and enjoyable fireplace experience.*

**Key Benefits**





**BFSL33**  
**33" Slim Line Electric**  
**Firebox, with trim kit**

Product Dimensions (WxHxD)  
 35-3/4 x 29-7/8 x 9-7/8 in  
 90.7 x 75.8 x 25.0 cm

Carton Dimensions (WxHxD)  
 35-3/4 x 29-7/8 x 9-7/8 in  
 90.7 x 75.8 x 25.0 cm

Packaged Weight  
 68 lbs / 30.9 kg

UPC  
 781052064478



**BF33DXP**  
**33" Deluxe**  
**Electric Firebox**

Product Dimensions (WxHxD)  
 32-7/8 x 28-1/2 x 14-3/8 in  
 83.0 x 72.4 x 36.3 cm

Carton Dimensions (WxHxD)  
 33-1/8 x 31-1/2 x 9-1/2 in  
 84.1 x 80.0 x 42.6 cm

Packaged Weight  
 79.4 lbs / 36.1 kg

UPC  
 781052045781



**BF39STP**  
**39" Standard**  
**Electric Firebox**

Product Dimensions (WxHxD)  
 38-3/4 x 32-3/4 x 15-3/8 in  
 98.4 x 83.1 x 39.1 cm

Carton Dimensions (WxHxD)  
 39 x 34-1/2 x 17-1/2 in  
 99.1 x 87.6 x 44.5 cm

Packaged Weight  
 89.7 lbs / 40.7 kg

UPC  
 781052045798



**BF39DXP**  
**39" Deluxe**  
**Electric Firebox**

Product Dimensions (WxHxD)  
 38-3/4 x 32-3/4 x 15-1/4 in  
 98.4 x 83.2 x 36.2 cm

Carton Dimensions (WxHxD)  
 40 x 34-1/2 x 17-1/2 in  
 101.6 x 87.6 x 44.5 cm

Packaged Weight  
 87 lbs / 39.5 kg

UPC  
 781052045804



**BF45DXP**  
**45" Deluxe**  
**Electric Firebox**

Product Dimensions (WxHxD)  
 44-3/4 x 32-3/4 x 15-3/8 in  
 113.7 x 83.2 x 38.9 cm

Carton Dimensions (WxHxD)  
 45-3/4 x 35-1/2 x 17-1/2 in  
 116.2 x 90.2 x 38.9 cm

Packaged Weight  
 106.5 lbs / 48.3 kg

UPC  
 781052052390

**Accessories** (sold separately)




**Bi-fold Look Glass Door**

Model #	Firebox
BFDOOR33BLKSM	BF33DXP UPC - 781052041233
BFDOOR39BLKSM	BF39STP & BF39DXP UPC - 781052041257
BFDOOR45BLKSM	BF45DXP UPC - 781052041271



**Tamperproof Glass Door**

Model #	Firebox
BFSL33DOOR	BFSL33 UPC - 781052063778
BFGLOSS33BLK	BF33DXP UPC - 781052044623
BFGLOSS39BLK	BF39STP & BF39DXP UPC - 781052044630
BFGLOSS45BLK	BF45DXP UPC - 781052044647



**Swing Glass Door**

Model #	Firebox
BFSDOOR33BLK	BF33DXP UPC - 781052044593
BFSDOOR39BLK	BF39STP & BF39DXP UPC - 781052944609



**Trim Kit**

Model #	Firebox
BF4TRIM33	BF33DXP UPC - 781052052932
BF4TRIM39	BF39STP & BF39DXP UPC - 781052052956
BF4TRIM45	BF45DXP UPC - 781052052970



**BFPLUGE**

Plug Kit, includes  
 7 ft. cord

UPC 781052040748



**BFRC-KIT**

3-stage Remote Control Kit  
 (included with BFSL33)

UPC 781052040687





# Nova Series

## Plug-in Electric Firebox



### Quick Comfort

*Simply plug-in and enjoy the flickering flames and cozy warmth.*

### Elevate Ambiance

*Have your choice of ember beds to enhance your aesthetic, complementing a wide range of design styles.*

### Adaptable Installation

*Retrofit into an existing fireplace or construct a custom fireplace surround or mantel to achieve your desired look.*

Key Benefits





**XHD23L** ( Realogs® )  
**XHD23G** ( Acrylic Crystals )  
**23" Electric Firebox**

**Product Dimensions (WxHxD)**  
 23 × 20-1/2 × 7-1/2 in  
 58.4 × 52.0 × 19.1 cm

**Carton Dimensions (WxHxD)**  
 25-5/8 × 24 × 10-5/8 in  
 65.0 × 61.0 × 27.0 cm

**Packaged Weight**  
 23 lbs / 10.4 kg

**UPC**  
 781052115125 - Realogs  
 781052115118 - Acrylic Crystals



**XHD26L** ( Realogs® )  
**XHD26G** ( Acrylic Crystals )  
**26" Electric Firebox**

**Product Dimensions (WxHxD)**  
 26 × 18-7/8 × 7-1/2 in  
 66.0 × 47.9 × 19.1 cm

**Carton Dimensions (WxHxD)**  
 28-1/2 × 22-1/2 × 10-5/8 in  
 72.5 × 57.0 × 27.0 cm

**Packaged Weight**  
 25 lbs / 11.3 kg

**UPC**  
 781052110823 - Realogs  
 781052110816 - Acrylic Crystals



**XHD28L** ( Realogs® )  
**XHD28G** ( Acrylic Crystals )  
**28" Electric Firebox**

**Product Dimensions (WxHxD)**  
 27-3/8 × 23-1/2 × 7-1/2 in  
 69.5 × 59.7 × 19.1 cm

**Carton Dimensions (WxHxD)**  
 30 × 26-7/8 × 11-1/8 in  
 76.0 × 68.0 × 28.0 cm

**Packaged Weight**  
 32 lbs / 14.5 kg

**UPC**  
 781052110847 - Realogs  
 781052117907 - Acrylic Crystals



**XHD33L** ( Realogs® )  
**XHD33G** ( Acrylic Crystals )  
**33" Electric Firebox**

**Product Dimensions (WxHxD)**  
 33-1/8 × 23-1/4 × 7-1/2 in  
 84.1 × 59.0 × 19.1 cm

**Carton Dimensions (WxHxD)**  
 35-5/8 × 26-7/8 × 11-1/8 in  
 90.5 × 68.0 × 28.0 cm

**Packaged Weight**  
 38.6 lbs / 17.5 kg

**UPC**  
 781052131217 - Realogs  
 781052131224 - Acrylic Crystals



Realogs®

Acrylic Crystals



Multi-function remote

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.

**DF Series**  
Plug-in Electric Firebox



**Authentic Atmosphere**

*Lifelike flames and inner glow logs molded from real wood evoke the charm of a traditional hearth.*

**Versatile Installation**

*Craft your dream design with a custom fireplace surround or mantel, or seamlessly retrofit it into an existing hearth space.*

**Quick Comfort**

*Simply plug-in and enjoy the flickering flames and cozy warmth.*

**Key Benefits**





Patented Inner Glow Logs



Multi-function remote

**DF3033ST**  
**33" Plug-in**  
**Electric Firebox**

Product Dimensions (WxHxD)  
33-1/8 × 23-3/8 × 9-5/8 in  
84.1 × 59.4 × 24.2 cm

Carton Dimensions (WxHxD)  
37-1/4 × 27-5/8 × 13 in  
94.2 × 70.1 × 33.0 cm

Packaged Weight  
60.4 lbs / 27.5 kg

UPC  
781052054271

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.





# Electric Firebox Specifications

Series	Revillusion Deluxe	Revillusion	BFSL Series	BF Series	Nova Series	DF Series
Size	24"	30", 36", 36"P, 42"	33"	33", 39", 45"	23", 26", 28", 33"	30", 33"
Ember Bed	Realogs®		Inner Glow Logs	Inner Glow Logs	Acrylic Crystals, Realogs®	Inner Glow Logs
Ember Bed Color Settings	•	•			•	
Interior Surround	Herringbone or Weathered Concrete Interior		Black	Black, Authentic brick-look interior	Black	Brick-look   Black/3D Mirror
Flame Effect	Revillusion® Flame		Original Dimplex® Flame			
Flame Technology	Optiflame®	Optiflame®	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Flame Speed	•				•	•
Flame Only Mode	•	•	•	•	•	•
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor				Adjustable Brightness	Adjustable brightness
Heat Operation	ComfortSaver®	Powerful Supplemental Heat Option to use 240V supply for up to 9200 BTU			Supplemental Heat	
Heating Range	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 400 sq. ft.
Heater Only Mode	•	•	When connected to a switch or thermostat		•	•
Heater Element	Ceramic	Steel Sheathed	Steel Sheathed		Stitched Wire	Stitched Wire
Heat Disable	Onboard controls or hardwire disconnect		Hardwire disconnect only		Onboard controls	On remote control
Built-in Thermostat	•	•			•	
Connects to a Wall Thermostat			•	•		
Wiring Type	Hardwire (Optional 120V Plug Kit Included)		Hardwire (Optional 120V Plug Kit Included)		Plug-in	Plug-in
Volts	120	120 / 208 / 240	120 / 208 / 240	120 / 208 / 240	120	120
Watts	1500	1375 / 1975 / 2575	1223 / 1823 / 2423	1440 / 2100 / 2700	1465	780   1500
BTU	5118	4400 / 6745 / 8794	4173 / 6220 / 8267	4913 / 7165 / 9213	5000	2660   5118
Display	•	•			•	On remote control
Onboard Controls	Hidden-Touch Controls	Hidden-Touch Controls	Toggle	Toggle	Hidden-Touch Controls	Toggle
Timer	•	•			•	•
Optional Accessories	•	30" only	•	•	XHD26/28G only	
Remote Control	•	•	•		•	•
Warranty Include parts/ service	2-year limited	2-year limited	2-year limited	2-year limited	2-year limited	5-year limited





Elevate the fireplace experience to unprecedented heights with the cutting-edge technology of **water vapor fireplaces**. These innovative fireplaces utilize water and LED lights to craft a truly immersive 3D flame that convincingly mimics the authenticity of genuine wood or gas fires. The pinnacle of true luxury, providing a choice between a pre-built box for effortless installation – just connect to a water and electric source – or cassettes that grant you complete customization in design and orientation. You can even connect multiple cassettes together to create a fully custom dramatic focal piece that transforms your space into a work of art.

The ability to reach out and touch the flames without risk of burning yourself sets this product apart from traditional wood or gas fires. Vapor fireplaces are an incredibly safe option for any space with no noxious gas emissions and cool to the touch flames. Water vapor fireplaces provide stunning realism with simple and inexpensive maintenance, making them the perfect fireplace solution.

# Optimyst® Linear Vapor Fireplace



### **Breathtaking Ambience**

*Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.*

### **Clean & Sustainable**

*Optimyst requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.*

### **Unparalleled Experience**

*You'll have a completely unique fire experience through personalization options; no flame shape is the same.*





Slim Design


Crackling Sound Effects

Custom Color Creations

ComfortSaver® heating system

Optimyst® Flame Effect

Hidden Touch controls



Acrylic Crystals and Driftwood media

Fully-Sealed Glass

Flame Color Themes

Continuous Water Supply

**OLF46-AM**  
**Optimyst® 46" Linear Vapor Fireplace**

Product Dimensions (WxHxD)  
47-1/2 × 31-1/2 × 11-7/8 in  
120.6 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)  
50-3/8 × 34-3/8 × 15-1/2 in  
127.8 × 87.1 × 39.1 cm

Packaged Weight  
150.3 lbs / 68.2 kg

UPC  
781052136786

**OLF66-AM**  
**Optimyst® 66" Linear Vapor Fireplace**

Product Dimensions (WxHxD)  
67-1/2 × 31-1/2 × 11-7/8 in  
171.4 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)  
70-3/8 × 34-3/8 × 15-1/2 in  
178.6 × 87.1 × 39.1 cm

Packaged Weight  
204.8 lbs / 92.9 kg

UPC  
781052136793

**OLF86-AM**  
**Optimyst® 86" Linear Vapor Fireplace**

Product Dimensions (WxHxD)  
87-1/2 × 31-1/2 × 11-7/8 in  
222.2 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)  
90-3/8 × 34-3/8 × 15-1/2 in  
229.4 × 87.1 × 39.1 cm

Packaged Weight  
264.5 lbs / 120 kg

UPC  
781052136809

**Accessories**  
(sold separately, see Page 32)

©2023 Glen Dimplex Americas



**Total Control**  
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Featuring **Optimyst®** technology. The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.





## Optimyst® Cassette Vapor Fireplace

### Stunning Atmosphere

*Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.*

### Clean & Sustainable

*Optimyst Cassette requires no fuel or venting as it runs on water and electricity.*

### Limitless Installation

*With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.*

Key Benefits





**CDFI500-PRO**  
**Optimyst®**  
**500 Cassette**

**Product Dimensions (WxHxD)**  
20 × 9-1/2 × 12 in  
50.8 × 24.1 × 30.5 cm

**Carton Dimensions (WxHxD)**  
24-3/8 × 13-7/8 × 17-3/4 in  
62.0 × 34.0 × 45.0 cm

**Packaged Weight**  
24.2 lbs / 10.9 kg

**UPC**  
781052113053

**Accessories**  
(sold separately, see Page 32)



**CDFI1000-PRO**  
**Optimyst®**  
**1000 Cassette**

**Product Dimensions (WxHxD)**  
40-1/8 × 9-1/2 × 12 in  
101.8 × 24.1 × 30.3 cm

**Carton Dimensions (WxHxD)**  
44-1/2 × 13-3/8 × 18-1/8 in  
113.0 × 34.0 × 46.0 cm

**Packaged Weight**  
35 lbs / 15.87 kg

**UPC**  
781052112612

Featuring **Optimyst®** technology.

The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.





## Optimyst® Pro Box Vapor Fireplace

### Captivating Ambiance

*Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.*

### Clean & Sustainable

*Optimyst Pro Box requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.*

### Seamless Design

*The pre-built box simplifies the installation without compromising on design.*

Key Benefits






### GBF1500-PRO

UPC 781052133754

60" Built-In Electric Fireplace, **Includes the following:**



#### CDFI-BX1500 Optimyst 1500 Box

**Product Dimensions (WxHxD)**  
65 x 31-3/4 x 16-1/4 in  
165.0 x 80.5 x 41.2 cm

**Carton Dimensions (WxHxD)**  
68-3/4 x 36-3/4 x 18-1/8 in  
174.5 x 93.5 x 46.0 cm

**Packaged Weight**  
111.5 lbs / 50.6 kg

**UPC**  
781052133709

#### FG1500 Front Glass

**Product Dimensions (WxHxD)**  
60-3/4 x 15-1/4 x 1-5/8 in  
154.4 x 38.8 x 4.1 cm

**Carton Dimensions (WxHxD)**  
71-3/8 x 21-5/8 x 5-1/4 in  
181.5 x 55.0 x 13.5 cm

**Packaged Weight**  
28.4 lbs / 12.88 kg

**UPC**  
781052133716

#### CDFI1000-PRO Optimyst 1000 Cassette

See page 28 for specifications.

#### CDFI500-PRO Optimyst 500 Cassette

See page 28 for specifications.


#### Rear Glass Pane

\* Above image shows product used with rear glass, sold separately, see page 32.

### GBF1000-PRO

UPC 781052113022

40" Built-In Electric Fireplace, **Includes the following:**



#### CDFI-BX1000 Optimyst 1000 Box

**Product Dimensions (WxHxD)**  
46-5/8 x 31-3/4 x 16-1/4 in  
118.4 x 80.5 x 41.2 cm

**Carton Dimensions (WxHxD)**  
48-1/2 x 37 x 18-1/8 in  
123.0 x 94.0 x 46.0 cm

**Packaged Weight**  
81.4 lbs / 37 kg

**UPC**  
781052110618

#### FG1000 Front Glass

**Product Dimensions (WxHxD)**  
40-5/8 x 14-1/2 x 1-5/8 in  
103.0 x 36.8 x 4.1 cm

**Carton Dimensions (WxHxD)**  
50-5/8 x 20-7/8 x 5-1/8 in  
128.5 x 53.0 x 13.0 cm

**Packaged Weight**  
19.6 lbs / 8.9 kg

**UPC**  
781052118379

#### CDFI1000-PRO Optimyst 1000 Cassette

See page 28 for specifications.

#### Accessories

(sold separately, see Page 32)

©2023 Glen Dimplex Americas

Featuring **Optimyst**® technology.

The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.



# Optimyst® Accessories

## Vapor Fireplace



### Customizable Style

*Choose from a selection of optional ember beds to create the Optimyst fireplace of your dreams.*

### Easy Installation

*Add a plug kit or plumb kit to make installing the Optimyst Vapor Fireplaces simple.*

### Additional Warmth


*Pair the Optimyst Cassettes with an accessory heater to add warmth in any space.*





**Rear Glass Pane**

Allows for see-through installations for  
GBF1000-PRO & GBF1500-PRO



**GBF1000-GLASS**  
UPC 781052116979

**GBF1500-GLASS**  
UPC 781052133723

**Direct Plumbing Kit**



**CDFIPLUMB-KIT**  
UPC 781052103221

**Heater**



**CDFI-TMHEAT**  
Hardwire Heater Accessory  
UPC  
781052121058

**Log Kits**



**CDFILOG**  
UPC 781052103238

For (CDFI1000) Optimyst® 1000 Electric  
Fireplace Cassette - order 2 Log Sets

For (CDFI1500) Optimyst® 1500 Electric  
Fireplace Cassette - order 3 Log Sets

**Media Kits**



**Black Rock**  
**CDFI500-BLKRCK**  
UPC 781052120983

**CDFI1000-BLKRCK**  
UPC 781052121065



**River Rock**  
**CDFI500-RVRCK**  
UPC 781052121003

**CDFI1000-RVRCK**  
UPC 781052121072

**CDFI1500-RVRCK**  
UPC 781052133785



**Driftwood**  
**CDFI500-DWSKIT**  
UPC 781052121034

**CDFI1000-DWSKIT**  
UPC 781052121027


**Plug Kits**



**CDFI-PLUGKIT**  
UPC  
781052105591



**OLFPLUG**  
For Optimyst Linear  
Vapor Fireplaces  
UPC  
781052146396



For use with **Optimyst®** technology.

The world's most realistic 3D electric  
flame effect, patented by Dimplex.  
This unique flame effect is generated  
by an innovative combination of water  
vapor and light.



# Vapor Fireplace Specifications

Series	Optimyst® Linear	Optimyst® Pro Built-in Fireplace	Optimyst® Cassette
Size	46", 66", 86"	40", 60"	20", 40"
Ember Bed	Lifelike Driftwood with Acrylic Crystals		
Flame Color Themes   Brightness	8 Themes   Adjustable Brightness		
Top Light	•		•
Flame Effect	Optimyst® Flame effect	Optimyst® Flame effect	Optimyst® Flame effect
Flame Technology	Optimyst®	Optimyst®	Optimyst®
Crackling Sound Effect	•	•	•
Flame Only Mode	•	•	•
Air Circulation	•		
Heat Operation	ComfortSaver® heating system	Supplemental heating	Heat-free (Optional Heater Accessory available)
Heating Range	1000 sq. ft.	400 sq. ft.	
Heat Disable	Onboard controls or Hardware disconnect	Manual	
Built-in Thermostat	•		
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire(120V Plug kit sold separately)	Hardwire (120V Plug kit sold separately)
Volts	120   240	120	120
Watts	46" = 1220   920 66" = 1480   2180 86" = 1020 (flame only)   2400	40" = 1460 60" = 1490	230   460
BTU	46" = 4163   6551 66" = 5050   7438 86" = 3480 (flame only)   8189	40" = 4984 60" = 5087	20" = 785 40" = 1569
Operating Controls	Hidden touch controls   Remote	Membrane controls   Remote	Membrane controls   Remote
Flame Connect App	•		
Self Diagnostics	•	Basic	Basic
Display	•		
Timer	•		
Installation Options	Fully recessed	One-sided or Double-sided	Fully customizable
Direct Plumbing	Hard Plumb	Hard Plumb   Refillable Bottles	Hard Plumb   Refillable Bottles
Optional Accessories	Plumb Kit, Plug Kit	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Rear Glass	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Heater
Warranty	2-year parts and service	2-year parts and service	2-year parts and service
Viewing Dimensions (WxH)	<b>46" (OLF46-AM)</b> 44-1/4 × 14-3/8 in 112.4 × 36.3 cm  <b>66" (OLF66-AM)</b> 64-1/4 × 14-3/8 in 163.1 × 36.3 cm  <b>66" (OLF66-AM)</b> 84-1/4 × 14-3/8 in 213.8 × 36.5 cm	<b>40" (GBF1000-PRO)</b> 37-3/4 × 16-1/4 in 96.0 × 41.3 cm  <b>60" (GBF1500-PRO)</b> 58 × 16-1/4 in 147.4 × 41.3 cm	





**Electric log sets and inserts** offer advantages for those seeking an easy and cost-effective way to enjoy the look of a traditional wood-burning fire without the hassle. These fireplaces are convenient to install and the perfect solution for those looking to revive the charm of an existing hearth space with a realistic and efficient fireplace.

Simply remove from the box, set into your space, plug in, and enjoy the cozy atmosphere instantly.





## Revillusion® Plug-in Electric Log Sets



### Artful Design

*Realistic flames, and quality crafted logs come together to create an illusion of a true burning fire.*

### Complete Perspective

*Enjoy a full-depth view to the back of the hearth with the ability to see clearly through the flames.*

### Instant Coziness

*Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.*





Optional ash mat (not included) REM-KIT

**RLG20**  
 20" Revillusion® Log Set  
**Product Dimensions (WxHxD)**  
 23-3/4 × 19 × 12-1/2 in  
 60.3 × 48.2 × 31.7 cm  
**Carton Dimensions (WxHxD)**  
 25-5/8 × 14-3/4 × 15-3/8 in  
 65.0 × 37.5 × 39.0 cm  
**Packaged Weight**  
 17.8 lbs / 8.1 kg  
**UPC** 781052104709



**RLG25**  
 25" Revillusion® Log Set  
**Product Dimensions (WxHxD)**  
 25-5/8 × 19 × 13 in  
 65 × 48.2 × 32.9 cm  
**Carton Dimensions (WxHxD)**  
 28-3/8 × 15 × 18-1/8 in  
 72.0 × 38.1 × 46.0 cm  
**Packaged Weight**  
 18.5 lbs / 8.4 kg  
**UPC** 781052104686

**Accessories** (sold separately)



**REM-KIT**  
 Ember bed for RLG20  
**UPC**  
 781052106185



**DFI Series**  
Plug-in Electric Log Inserts



**Reclaimed Charm**

*Revitalize an existing hearth space with the flicker of lifelike flames and the warmth of modern convenience.*

**Seamless Installation**

*With virtually no setup required, effortlessly incorporate a fireplace into your space.*

**Instant Coziness**

*Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.*

**Key Benefits**





**DF12309**  
23" Electric Fireplace Insert

**Product Dimensions (WxHxD)**  
23-1/4 × 19-1/2 × 10-7/8 in  
59.1 × 49.5 × 27.5 cm

**Carton Dimensions (WxHxD)**  
26-1/2 × 22-7/8 × 13-1/4 in  
66.6 × 57.9 × 33.5 cm

**Packaged Weight**  
33.5 lbs / 15.2 kg

**UPC**  
781052038677



**DF12310**  
23" Electric Fireplace Insert

**Product Dimensions (WxHxD)**  
23-1/4 × 19-1/2 × 10-7/8 in  
59.1 × 49.5 × 27.5 cm

**Carton Dimensions (WxHxD)**  
26-1/2 × 22-7/8 × 13-1/4 in  
66.6 × 57.9 × 33.5 cm

**Packaged Weight**  
36 lbs / 16.3 kg

**UPC**  
781052049406

**Accessories** (sold separately)



**DF123TRIMX**  
Trim Kit for  
DF12309 & DF12310  
UPC 781052039285

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.





# Log Set and Insert Specifications

Series	Revillusion Log Set	Revillusion Log Set	DFI Insert	DFI Insert
Model	RLG20	RLG25	DFI2309	DFI2310
Firebox Size	20"	25"	23"	23"
Ember Bed	Realogs®	Realogs®	Lifelike Logs	Inner Glow Logs
Brightness & Flicker	•	•		
360° Light	•	•		
Colour Settings		Adjust the flame base color to red or blue		
Flame Only	•	•		•
Heat Only	•	•		•
Heater Element	Ceramic	Ceramic	Steel Sheathed	Steel Sheathed
Heat Operation	Supplemental heating	Supplemental heating	Supplemental heating	Supplemental heating
Flame Technology	Revillusion®	Revillusion®	Dimplex®	Dimplex®
Flame Effect	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Installation	Masonry Log Set	Masonry Log Set	Masonry Insert	Masonry Insert
Volts	120	120	120	120
Wattage	1500	1500	1375	1375
BTU	5118	5118	4695	4695
Wiring	Plug-in	Plug-in	Plug-in	Plug-in
Heating Range	1,000 sq. ft.	1,000 sq. ft.	400 sq. ft.	1,000 sq. ft.
Display/Controls	Membrane   Remote	Membrane   Remote	Switch   Remote	Switch   Remote
Remote Features	Multi-function	Multi-function	On/Off	On/Off
Warranty	1-year limited	2-year limited	1-year limited	1-year limited
Accessories	Ash Mat		Trim Kit	Trim Kit
Dimensions (WxHxD)	23-3/4 × 19 × 12-1/2 in 60.3 × 48.2 × 31.7 cm	25-5/8 × 19 × 13 in 65.0 × 48.2 × 32.9 cm	23-1/4 × 19-1/2 × 10-7/8 in 59.1 × 49.5 × 27.3 cm	23-1/4 × 19-1/2 × 10-7/8 in 59.1 × 49.5 × 27.3 cm





**Electric fireplace mantels** offer a blend of style and practicality that can transform any living space. These fireplaces are incredibly convenient to install and come in multiple designs and finishes to blend seamlessly with any décor. Fireplace mantels combine the timeless charm of a mantel with the modern convenience of electric heating, making them a popular choice for homeowners seeking both ambiance and functionality in their spaces.

The electric fireplaces within the mantel require no maintenance and offer the flexibility to run year-round with or without heat. They also ensure the safety of everyone around them, especially pets and children, as they remain cool to the touch.





# Featherston

## Electric Fireplace Mantel



### Realistic Charm

*The faux ledgerrock finish, combined with rustic pine accents create the perfect addition to both traditional and modern styles.*

### Cozy Aesthetic

*With its flickering flames and adjustable warmth, create an ambiance that invites relaxation and comfort into any space.*

### Simple Comfort

*Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.*

**Key Benefits**





**GDS28L8-1152LR**  
Featherston Electric  
Fireplace Mantel

**Product Dimensions (WxHxD)**  
61 × 44 × 15-5/8 in  
155.0 × 111.7 × 39.5 cm

**Carton Dimensions (WxHxD)**  
63-7/8 × 14-3/4 × 24-1/8 in  
162.3 × 37.3 × 61.2 cm

**Packaged Weight**  
178.2 lbs / 80.8 kg

**UPC**  
781052122666



**Includes:**  
**XHD28L**  
28" Nova Firebox

**Product Dimensions (WxHxD)**  
27-3/8 × 23-1/2 × 7-1/2 in  
69.5 × 59.7 × 18.9 cm

**Carton Dimensions (WxHxD)**  
30 × 26-7/8 × 11-1/8 in  
76.0 × 68.0 × 28.0 cm

**Packaged Weight**  
36.5 lbs / 16.6 kg

**UPC**  
781052110847

Mantel and firebox ships in two cartons





**Fieldstone**  
Electric Fireplace Mantel



**Rustic Charm**

*Bring the feeling of a cozy, rustic retreat into any space by recreating the look of a traditional stone mantel with wood accents.*

**Commanding Centerpiece**

*With its impressive design and mesmerizing flames, create the focal point in any room.*

**Simple Comfort**

*Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.*

**Key Benefits**





**GDS28L8-904ST**  
Fieldstone Electric  
Fireplace Mantel

**Product Dimensions (WxHxD)**  
54-5/8 × 42-5/8 × 12-7/8 in  
138.8 × 108.3 × 32.7 cm

**Carton Dimensions (WxHxD)**  
22-5/8 × 58-1/8 × 14-7/8 in  
57.5 × 147.5 × 37.5 cm

**Packaged Weight**  
142 lbs / 64.3 kg

**UPC**  
781052122659



**Includes:**  
**XHD28L**  
28" Nova Firebox

**Product Dimensions (WxHxD)**  
27-3/8 × 23-1/2 × 7-1/2 in  
69.5 × 59.7 × 18.9 cm

**Carton Dimensions (WxHxD)**  
30 × 26-7/8 × 11-1/8 in  
76.0 × 68.0 × 28.0 cm

**Packaged Weight**  
36.5 lbs / 16.6 kg

**UPC**  
781052110847

Mantel and firebox ships in two cartons





**Royce**  
Electric Fireplace Mantel



**Traditional Design**

*The vintage crown moldings, classically crafted pilasters, and breakfront facade add depth and character to the classic mantel style.*

**Timeless Focal Point**

*The brick-look finish and classic accents, create a stunning base for treasured memories.*

**Simple Comfort**

*Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.*

**Key Benefits**





**GDS28L8-1924SK**  
Royce Electric  
Fireplace Mantel

**Product Dimensions (WxHxD)**  
52 × 37-3/8 × 12-3/8 in  
132.0 × 94.8 × 31.5 cm

**Carton Dimensions (WxHxD)**  
55-1/8 × 14-7/8 × 17-1/8 in  
140.0 × 37.5 × 43.5 cm

**Packaged Weight**  
71.5 lbs / 32.4 kg

**UPC**  
781052121447



**Includes:**  
**XHD28L**  
28" Nova Firebox

**Product Dimensions (WxHxD)**  
27-3/8 × 23-1/2 × 7-1/2 in  
69.5 × 59.7 × 18.9 cm

**Carton Dimensions (WxHxD)**  
30 × 26-7/8 × 11-1/8 in  
76.0 × 68.0 × 28.0 cm

**Packaged Weight**  
36.5 lbs / 16.6 kg

**UPC**  
781052110847

Mantel and firebox ships in two cartons

## Ordering SKU Index

Ignite® Evolve		pg 4
Model Number	Order Number	
EVO50	500002573	
EVO60	500002574	
EVO74	500002608	
EVO100	500002563	
XLFTRIM50	X-XLFTRIM50	
XLFTRIM60	X-XLFTRIM60	
XLFTRIM74	X-XLFTRIM74	
XLFTRIM100	X-XLFTRIM100	
Ignite® Bold		pg 6
Model Number	Order Number	
XLF5017	X-XLF5017-XD	
XLF6017	X-XLF6017-XD	
XLF7417	X-XLF7417-XD	
XLF8817	X-XLF8817-XD	
XLF10017	X-XLF10017-XD	
XLFXDLINK	X-XLFXDLINK	
XLFXDPLUG	X-XLFXDPLUG	
Ignite XL®		pg 8
Model Number	Order Number	
XLF50	X-XLF50	
XLF60	X-XLF60	
XLF74	X-XLF74	
XLF100	X-XLF100	
LF50DWS-KIT	X-LF50DWS-KIT	
LF74DWS-KIT	X-LF74DWS-KIT	
LF100DWS-KIT	X-LF100DWS-KIT	
XLFTRIM50	X-XLFTRIM50	
XLFTRIM60	X-XLFTRIM60	
XLFTRIM74	X-XLFTRIM74	
XLFTRIM100	X-XLFTRIM100	
Slim Linear		pg 10
Model Number	Order Number	
PLF3614-XS	X-PLF3614-XS	
PLF4214-XS	X-PLF4214-XS	
PLF5014-XS	X-PLF5014-XS	
PLF6014-XS	X-PLF6014-XS	
PLFXSPLUG	X-PLFXSPLUG	
SIL		pg 12
Model Number	Order Number	
SIL48	X-SIL48	
SIL60	X-SIL60	
SIL72	X-SIL72	

Revillusion®		pg 16
Model Number	Order Number	
RBF24DLX	X-RBF24DLX	
RBF24DLXWC	X-RBF24DLXWC	
RBF30-FG	500002388	
RBF30WC-FG	500002389	
RBF36-FG	500002400	
RBF36WC-FG	500002401	
RBF36P-FG	500002398	
RBF36PWC-FG	500002399	
RBF42-FG	500002410	
RBF42WC-FG	500002411	
RBF24TRIM36	X-RBF24TRIM36	
RBF24TRIM40	X-RBF24TRIM40	
RBF30TRIM38	X-RBF30TRIM38	
RBF30TRIM44	X-RBF30TRIM44	
BF Series		pg 18
Model Number	Order Number	
BFSL33	X-BFSL33	
BF33DXP	X-781052045781	
BF39STP	X-BF39STP	
BF39DXP	X-BF39DXP	
BF45DXP	X-BF45DXP	
BFDOOR33BLKSM	X-BFDOOR33BLKSM	
BFDOOR39BLKSM	X-BFDOOR39BLKSM	
BFDOOR45BLKSM	X-BFDOOR45BLKSM	
BFGLASS33BLK	X-BFGLASS33BLK	
BFGLASS39BLK	X-BFGLASS39BLK	
BFGLASS45BLK	X-BFGLASS45BLK	
BFSL33DOOR	X-BFSL33DOOR	
BFSDOOR33BLK	X-BFSDOOR33BLK	
BFSDOOR39BLK	X-BFSDOOR39BLK	
BF4TRIM33	X-BF4TRIM33	
BF4TRIM39	X-BF4TRIM39	
BF4TRIM45	X-BF4TRIM45	
BFPLUGE	X-BFPLUGE	
BFRC-KIT	X-BFRC-KIT	

Nova		pg 20
Model Number	Order Number	
XHD23G	X-XHD23G	
XHD23L	X-XHD23L	
XHD26G	X-XHD26G	
XHD26L	X-XHD26L	
XHD28G	X-XHD28G	
XHD28L	X-XHD28L	
XHD33G	500001757	
XHD33L	500001756	
DF Series		pg 22
Model Number	Order Number	
DF3033ST	X-DF3033ST	



## Ordering SKU Index

Optimyst® Linear		pg 26
Model Number	Order Number	
OLF46-AM	X-136786	
OLF66-AM	X-136793	
OLF86-AM	X-136809	
Optimyst® Cassette		pg 28
Model Number	Order Number	
CDFI500-PRO	X-2113053	
CDFI1000-PRO	X-2112612	
Optimyst® Pro Box		pg 30
Model Number	Order Number	
GBF1500-PRO	X-GBF1500-PRO	
GBF1000-PRO	X-GBF1000-PRO	
Optimyst® Accessories		pg 32
Model Number	Order Number	
GBF1000-GLASS	X-GBF1000-GLASS	
GBF1500-GLASS	X-GBF1500-GLASS	
CDFILOG	X-206176	
CDFIPLUMB-KIT	X-206213	
CDFI-TMHEAT	X-CDFI-TMHEAT	
CDFI1000-DWSKIT	X-CDFI1000-DWSKIT	
CDFI500-DWSKIT	X-CDFI500-DWSKIT	
CDFI500-BLKRCK	X-CDFI500-BLKRCK	
CDFI1000-BLKRCK	X-CDFI1000-BLKRCK	
CDFI500-RVRCK	X-CDFI500-RVRCK	
CDFI1000-RVRCK	X-CDFI1000-RVRCK	
CDFI1500-RVRCK	X-CDFI1500-RVRCK	
CDFI-PLUGKIT	X-CDFI-PLUGKIT	
OLFPLUG	X-OLFPLUG	

Revillusion® Log Sets		pg 36
Model Number	Order Number	
RLG20	X-RLG20	
RLG25	X-RLG25	
REM-KIT	X-REM-KIT	
Fireplace Inserts		pg 38
Model Number	Order Number	
DFI2309	X-DFI2309	
DFI2310	X-DFI2310	
DFI23TRIMX	X-DFI23TRIMX	

Mantels		pg 42-46
Model Number	Order Number	
GDS28L8-1152LR	X-GDS28L8-1152LR	
GDS28L8-904ST	X-GDS28L8-904ST	
GDS28L8-1924SK	X-GDS28L8-1924SK	





 **Dimplex**<sup>®</sup>

**Experience Better Living.**



Experience  
Comfort



** Dimplex<sup>®</sup>**

Experience Better Living.

[dimplex.com](http://dimplex.com)

LI-1045-R04-010224