

TEKNOFLOR™

HIGH PERFORMANCE FLOORING



ELEVATED CLASSICS HPD™

COMMERCIAL RESILIENT SHEET FLOORING

TEKNOFLOR™ ELEVATED CLASSICS HPD™ offers the timeless beauty of classic, purpose-built textiles with a modern upscale twist. Its subtle abstract designs in calming tones bring a sense of serenity to environments where comfort and clarity matter most. This collection of resilient sheet flooring features a no-wax, no-buff construction and a 12-Year Limited Commercial Warranty, ensuring the floor remains as durable as it is beautiful. With two versatile designs, Elevated Classics offers the flexibility to mix, match, or stand alone within the collection.

INTERLINE DESIGN SERIES

Minimalist meets texture. This sleek, weave pattern brings depth and dimension to any space with its soothing color palette. Clean, contemporary, and effortlessly elevated, it's designed for interiors that value quiet, modern simplicity. Interline is perfect for creating a calming backdrop or adding a touch of refined texture to sophisticated commercial environments.




TRELLIS DESIGN SERIES

Trellis' tactile crosshatch pattern layered with soft, neutral tones keeps it grounded while creating a balanced design. Its abstract motif feels spontaneous yet deliberate, adding just enough structure and quiet movement without overwhelming. This series is perfect for curated interiors looking for a touch of edge and sophistication while maintaining a sense of peace and order.



ELEVATED CLASSICS

BENEATH THE DESIGN



1. SURFACE PERFORMANCE ENHANCEMENTS

A UV cured urethane coating for extra wear & stain resistance, and easy care & maintenance.

2. WEAR LAYER

The transparent vinyl wear layer provides exceptional durability against scuffs and abrasions.

3. HIGH RESOLUTION PRINTED FILM

High-resolution printed film delivers the beauty and realism of natural wood with vivid clarity.

4. FIBERGLASS STABILIZER

A fiberglass mesh provides structural integrity, minimizes dimensional movement, and ensures that the floor remains flat.

5. SOLID VINYL CORE WITH SHOCK ABSORBING LAYER

The solid vinyl core consists of two amalgamated layers that provide enhanced dimensional stability and shock absorption for comfort underfoot.

6. NON-WOVEN FIBER BACKING LAYER

The non-woven polyethylene fiber backing improves tensile strength, enhances the product's tear resistance, and increases flexibility. *Appearance may vary by collection.*

FEATURE

BENEFITS

DURABLE AND LOW MAINTENANCE

- No Wax, No Buff; Easily cleaned by damp mopping or auto-scrubbing
- Thicker, 2.3mm gauge for enhanced performance in heavy traffic areas
- Easy maintenance results in savings and investment payback

ENVIRONMENTALLY CONSCIOUS

- No odors from floor finish or strippers; no wax flushed into sewer system
- No antimicrobial agents added
- Floorscore® Certified

DESIGN FLEXIBILITY

- Digital imaging and high resolution offset printing process
- Embossed texture for heightened realism
- Ideal for Healthcare, Senior Living, Corporate/Office, Retail, Hospitality, Academic and Educational Environments

HEAT WELD & COVE

- Coordinating weld rods designed for each SKU creating a seamless installation
- Increased infection control
- Does not promote bacterial growth
- Does not attract debris



ELEVATED CLASSICS HPD™



CHILLED SILK
90108
INTERLINE DESIGN



GROUND
90107
INTERLINE DESIGN



VINTAGE WOOL
90101
INTERLINE DESIGN



SOFT COTTON
90102
INTERLINE DESIGN



SERENITY
90208
TRELLIS DESIGN



WARM WOOL
90207
TRELLIS DESIGN



SAND STONE
90201
TRELLIS DESIGN



CALMING CAMEL
90202
TRELLIS DESIGN



NEW NEUTRAL
90103
INTERLINE DESIGN



CLASSIC LINEN
90105
INTERLINE DESIGN



SILKY SKIES
90104
INTERLINE DESIGN



SILK SATIN
90106
INTERLINE DESIGN



DESERT SAND
90203
TRELLIS DESIGN



ELEVATED SILK
90205
TRELLIS DESIGN



CHIC CASHMERE
90204
TRELLIS DESIGN



NEW WOOL
90206
TRELLIS DESIGN

SPECIFICATIONS

PRODUCT DATA

CONSTRUCTION	Heterogeneous Resilient Sheet Flooring
COMPOSITION	Virgin PVC
FINISH	Urethane
OVERALL THICKNESS	2.3 mm (0.091 in.)
WEAR LAYER THICKNESS	20 mil (0.50 mm)
ROLL DIMENSIONS	6.00 ft. x 75.00 ft. (1.83 m x 22.86 m)
ROLL COVERAGE	50.00 sq.yd/Roll (41.81 sq.m)
PATTERN REPEAT	70.86 in. x 39.37 in. (1800 mm x 1000 mm)
COMMERCIAL WARRANTY	12-Year

TECHNICAL DETAILS - SPECIFICATION STANDARD (ASTM F1303)

TEST STANDARDS	REQUIREMENTS	RESULTS
ASTM F1303 - Classification	Refer to Standard	Type 1, Grade 1, Class B
ASTM F410 - Wear Layer Thickness	Min 0.020 in. (0.51 mm)	Passes Requirements
ASTM F137 - Flexibility	0.25-in. (6.4-mm) Mandrel, No Crack or Break	Passes Requirements
ASTM F1914 - Residual Indentation	Max 0.012-in. (0.31-mm) Residual Indent	Passes Requirements
ASTM F970 - Static Load	Max 0.005-in. (0.13-mm) Residual Indent	Passes Requirements
ASTM F925 - Chemical Resistance	No More Than a Slight Change in Surface Dulling, Surface Attack, or Staining	Passes Requirements
ASTM F1514 - Resistance To Heat	Average $\Delta E \leq 8.0$	Passes Requirements
ASTM F1514 - Resistance To Light	Average $\Delta E \leq 8.0$	Passes Requirements

For full list of test results visit [teknofloor.com](https://www.teknofloor.com).

SUSTAINABILITY



FloorScore® is one of the most recognized and stringent indoor air quality standards in the United States and Canada for hard surface flooring materials, adhesives and underlayments. Products that are FloorScore certified contribute to good indoor air quality and comply with CDPH Standard Method v1.2-2017 / CA Section 01350.



The Health Product Declaration® Open Standard provides manufacturers with a standardized, deep-dive methodology of reporting material contents of building products. The contents of such products are scored per GreenScreen for Safer Chemicals and screened against over 70 priority hazard lists, including California Proposition 65 and REACH SVHC.



Environmental Product Declarations (EPD) signal a manufacturer's commitment to measure and reduce the environmental impacts of its products and to report the impacts in a hyper-transparent way. EPDs are standardized, third-party verified documents that allow for the proper comparison of the environmental impacts of goods within the same product category.



"Nutrition labels" for building products, Declare® labels allow manufacturers to clearly and concisely answer three key questions about their products: 1) Where are they made? 2) What end-of-life options are available? 3) What ingredients are present? Ingredients are screened and reported against the International Living Future Institute's Red List.



JUSTSM is a program that provides an innovative platform for organizations to be transparent about operations, including employee benefits and financial and community investments. The program highlights companies that have transparency in social justice and equity policies. HMTX Industries has earned the Just label for all US operations and employees.



A GSA Schedule is a long-term, government-wide contract that simplifies the process of selling products and services to federal, state, and local government agencies.

TEKNOFLOR™

Teknoflor is an HMTX brand.

119 Thomas Street
Calhoun, GA 30701
800.522.9166
teknoflor.com

Please visit teknoflor.com for the most up to date product & technical information.

Product images shown are for reference only and may not reflect final product color match.

March 1, 2026